SAST DOOR DUTT AND GETTALAGE




A.T.Griffin Mfg.Co

MANUFACTURERS OF

Sash, Doors, Blinds Shingles, Lumber, Mouldings

and House Finishing

GOLDSBORO, N. C.



SOUTHERN UNIVERSAL CATALOG

AND

UNIVERSAL PRICE LIST

22/83 Arch

OF

SASH, DOORS, BLINDS MILLWORK

COMPILED BY J. V. LINDSLEY

Adopted August 14, 1914, by the
Yellow Pine Sash, Door and Blind Manufacturers' Association

Copyright 1915

*SHATTOCK & MCKAY COMPANY PRINTERS 167 WEST MONROE STREET CHICAGO

OFFICIAL GRADES

Adopted by the Yellow Pine Sash, Door and Blind Manufacturers' Association, August 14, 1914.

DOORS.

AA Oil Finish Doors.—Material for AA oil finish doors must be free from knots, blue stain, pitch streaks or pitch pockets. Workmanship must be good.

A Doors.—Material in A doors must be free from pitch streaks, pitch pockets and knots. Small streaks or blotches of blue or slight stain admissible in part of the door, or season checks that will cover. Not more than two such defects to a piece, or five such defects on a side, will be allowed. Workmanship must be good.

B Doors.—Material in B doors may contain knots not to exceed ½ inch in diameter and blue sap not to exceed 25 per cent of any one piece on one side and gum spots showing on one side only. Such defects shall not exceed four in number on each side of the door. Slight defects in workmanship admissible. Season checks and plugs not considered as defects.

C Doors.—Material in C doors may contain all stained sap, worm holes, red heart, shakes that do not go through, and sound firm knots of any size that will not seriously impair the strength of the door. Soft knots with rotten centers may be puttied up. Plugs admitted, also slight defects in workmanship. Twenty (20) defects allowed on a side, but not more than six to any one piece. Season checks are not considered as defects.

A STANDARD DOOR MAY BE THROUGH TENON, BLIND TENON, OR DOWELED.

WINDOWS.

Check Rail Windows may contain two sound knots three-eighths (3%) inches in diameter or one sound knot five-eighths (5%) inches in diameter in each piece of the window. White sap and not over thirty-three and one-third (33½) per cent blue sap may be admitted in any one window. Workmanship must be good. Season checks not considered a defect.

Plain Rail Windows and Sash may contain blue sap and small knots.

Season checks not considered a defect.

BLINDS.

No. 1 Outside Blinds must be made of clear lumber, except that small sound pin knots, slight blue stain and white sap may be admitted. Workmanship must be good. Season checks not considered a defect.

WOODS ADMISSIBLE.

Long Leaf and Short Leaf Yellow Pine and North Carolina Pine. All Sash, Doors and Blinds finished one-sixteenth (1-16) inches less than listed thickness.

DIRECTIONS FOR ORDERING.

Time, Annoyance and Expense can be Saved by Noting and Following Closely the Suggestions Below:

We will understand all orders and inquiries as calling for Regular Southern Style and Sizes as described in this catalog, unless specifically ordered otherwise, or unless covered by standing instructions to the contrary.

Be Explicit in ordering. Do not assume that we know what you want.

Always give width first, length or height second, then thickness.

Always use inches to designate glass sizes, and feet and inches for openings or outside measurements.

SASH and WINDOW.

The term "Sash" indicates only one piece to fill opening.

The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness. State whether open or glazed, and if glazed whether single or double strength.

If a window whether check or plain rail.

If segment or circle head give number of style desired (see page 40) and radius of circle or segment if not regular. When not otherwise specified we will furnish Circle Head made Style No. 2 with a radius one-half the width of the sash less the width of the stile, and for Segment Head made Style No. 4 with a radius the width of the sash less the width of the stile.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening, and if possible send sketch.

If glass sizes only are given we will understand that regular stock widths of stiles, rails and bars are required.

Note—All windows and sash are understood to be glazed unless ordered open specifically. All glazed windows are primed or oiled one coat unless otherwise ordered.

DOORS

In the absence of other instructions we will consider an order or inquiry for doors to call for the Standard Six Cross Panel No. 200½ OG Door No. 2 quality.

State width, height and thickness, number of panels and arrangement of same and quality.

DIRECTIONS FOR ORDERING.

DOORS-Continued.

State style of sticking unless O G is desired.

If molded state whether flush or raised mold one or two sides.

If oil finish state whether machine smoothed or hand smoothed is desired.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels unless specifically ordered otherwise.

OUTSIDE BLINDS.

We will understand all orders for blinds to call for **Regular Southern Stock**Styles and Sizes, 1½ inch rolling slats unless specifically ordered otherwise.

State size and number of lights of window for which blinds are ordered, also thickness of blind, and whether all rolling slats (R. S.), stationary slats (S. S.), or half rolling and half stationary (½ R. S. ½ S. S.)

If odd give outside opening, thickness, arrangement of slats and send sketch.

The regular stock blind is the width of the window to be covered and one inch longer.

Blinds for brick buildings must be so specified, and will in the absence of additional instructions be made two inches longer than window opening.

A blind indicates a single piece to fill opening.

A pair of blinds indicates two pieces to fold together to fill opening.

A set of blinds indicates more than two pieces, and should always be accompanied by sketch.

INSIDE BLINDS.

Inside blinds we will understand are to be made four-fold, 11/8 inch thick, outside panel and inside slats; made to be cut in the center unless otherwise stated.

Give exact outside opening always, thickness, number of folds and arrangement of panels or slats (see page 112).

If cut twice or more specify height from top to each cut.

If wanted to fold into box give width of outside folds.

If not the usual arrangement of panels or slats, always send sketch.

TWO LIGHT CHECK RAIL WINDOWS. 1% Inches Thick.



Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	\$ cts.	\$ cts.	\$ cts.	ft. in. ft. in.
12 x 16	1.16	2.75		1- 4 x 3- 2
18	1.19	2.90		3- 6
20	1.21	3.00		3-10
22	1.29	3.20		4-2
24	1.32	3.45		4- 6
26	1.40	3.65		4-10
28	1.44	3.80		5- 2
30	1.54	4.15		5- 6
32	1.59	4.30		5-10
14 x 16	1.19	2.90		1- 6 x 3- 2
18	1.22	3.00		3- 6
20	1.24	3.20		3-10
22	1.32	3.40		4- 2
24	1.35	3.70	1	4- 6
26	1.44	3.90		4-10
28	1.48	4.20		5- 2
30	1.56	4.45		5- 6
32	1.61	4.65		5-10
16 x 16	1.24	3.10	3.75	1-8 x 3-2
18 18	1.26	3.25	3.95	3- 6
20		3.35	4.15	3-10
	1.29			4- 2
22	1.39	3.75	4.70	
24	1.40	3.75	4.70	4-6
26	1.46	4.10	5.35	4-10
28	1.53	4.50	5.85	5- 2
30	1.59	4.75	6.20	5- 6
32	1.63	4.95	6.45	5-10
34	1.74	5.25	6.80	6- 2
36	1.84	5.50	7.20	6- 6
18 x 16	1.29	3.30	4.00	1-10 x 3- 2
18	1.29	3.55	4.45	3- 6
20	1.32	3.75	4.70	3-10
22	1.42	4.30	5.50	4- 2
24	1.43	4.30	5.55	4- 6
26	1.49	4.55	5.75	4-10
28	1.56	4.80	6.10	5- 2
30	1.61	5.05	6.70	5- 6
32	1.64	5.10	6.75	5-10
34	1.77	5.65	7.45	6- 2
36	1.87	6.00	8.10	6- 6
20 x 16	1.36	3.60	4.50	2- 0 x 3- 2
18	1.36	3.80	4.80	3- 6
20	1.36	3.90	4.80	3-10
22	1.44	4.40	5.55	4-2
24	1.47	4.45	5.55	4- 6
26	1.51	4.60	6.00	4-10
28	1.59	4.85	6.40	5- 2
30	1.64	5.30	6.80	5- 6
00	1.01	0.00	0.00	0 0

(Continued on next page.)



TWO LIGHT CHECK RAIL WINDOWS. 1% Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	\$ cts	\$ ets.	\$ cts.	ft. in. ft. in.
20 x 34	1.79	5.90	7.55	2- 0 x 6- 2
36	1.89	6.55	8.30	6- 6
38	2.17	7.30	9.20	6-10
40	2.21	7.40	9.30	7- 2
22 x 16	1.46	3.95	4.70	2-2 x 3-2
18	1.46	4.20	5.20	3- 6
20	1.46	4.40	5.50	3-10
22	1.46	4.55	5.75	4-2
24	1.50	4.60	5.80	4-6
26	1.54	4.75	6.05	4-10
28	1.63	5.30	6.45	5- 2
30	1.67	5.75	7.35	5- 6
32	1.70	6.10	7.90	5-10
34	1.84	6.50	8.20	6- 2
36	1.92	7.00	8.70	6- 6
38	2.22	7.35	9.30	6-10
40	2.25	8.45	10.60	7- 2
24 x 16	1.47	4.05	4.75	2- 4 x 3- 2
18	1.47	4.30	5.25	3- 6
20	1.47	4.50	5.60	3-10
22	1.55	4.70		4- 2
24	1.58	5.15	6.55	4-6
26	1.61			4-10
28	1.70	5.20	6.60	
30		5.65	7.25	5- 2 5- 6
32	1.74	6.00	7.75	
34	1.79	6.65	8.55	5-10
36	1.91	7.00	8.90	6- 6
	1.95	7.35	9.45	
38	2.29	8.50	10.65	6-10 7- 2
	2.34	8.55	10.75	
26 x 16	1.57	4.45	5.50	2 6 x 3- 2
18	1.57	4.70	5.85	3- 6
20	1.57	4.85	6.10	3-10
24	1.61	5.25	6.75	4-6
26	1.65	5.60	7.20	4-10
28	1.74	6.20	7.90	5- 2
30	1.78	6.65	8.50	5-6
32	1.82	6.70	8.80	5-10
34	1.96	8.05	10.20	6- 2
36	2.00	8.10	10.25	6- 6
38	2.33	9.20	11.70	6-10
40	2.39	9.30	11.80	7- 2
27½ x 24	1.70	5.95	7.60	2- 7½ x 4- 6
26	1.74	6.50	8.25	4-10
28	1.83	7.00	8.95	5- 2
30	1.87	7.10	9.05	5- 6
28 x 16	1.67	4.70	5.80	2-8 x 3-2
18	1.67	5.00	6.25	3- 6
20	1.67	5.15	6.50	3-10

(Continued on next page.)

TWO LIGHT CHECK RAIL WINDOWS. 1% Inches Thick.



Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	\$ cts.	\$ cts.	\$ cts.	ft. in. ft. in.
28 x 24	1.70	5.95	7.60	2-8 x 4-6
26	1.74	6.50	8.25	4-10 5- 2
28	1.83	6.95	8.80	
30	1.87	7.10	9.05	5- 6
32	1.92	7.85	10.00	5-10 6- 2
34	2.03	8.15	10.30	0 =
36	2.07	8.65	11.10	6- 6
38	2.43	9.35	11.85	6-10 7- 2
40	2.48	10.30	13.20	,
30 x 16	1.71	4.90	6.05	2-10 x 3- 2 3- 6
18	1.71	5.15	6.55	3-10
20	1.71	5.40	6.85	4- 6
24	1.74	6.15	7.90	4-10
26	1.78	6.80	8.65	5- 2
28	1.87	7.00	8.95	5- 6
30	1.91	7.80	9.90	5-10
32	1.94	8.00	10.15	6- 2
34	2.06	8.85	11.35	6- 6
36	2.11	8.90	11.40	6-10
38	2.48	10.30	13.20	7- 2
40	2.53	10.40	13.30	3- 0 x 3- 2
32 x 16	1.84	5.25	6.50	3- 0 x 3- 2
18	1.84	5.45	6.80	3-10
20	1.84	5.95	7.60	4- 6
24	1.95	7.05	8.95	4-10
26	2.00	7.10	9.00	5- 2
28	2.10	8.25	10.40	5- 6
30	2.14	8.30		5-10
32	2.18		11.50	6- 2
34	2.00		13.20	6- 6
36	2.48		14.20	6-10
38	2.53			7- 2
40	2.57		14.30	3- 2 x 3- 2
34 x 16	1.89	1	7.30	3- 6
18	1.89		7.65	3-10
24	2.00		9.00	4- 6
26	2.06		10.35	4-10
28	2.14		10.35	5- 2
30	2.14		11.50	5- 6
32	2.22	1	11.60	5-10
34	2.37	1	13.10	6- 2
36	2.52		14.20	6- 6
38	2.57		14.25	6-10
40	2.62		16.35	7- 2
36 x 16	2.15		7.35	3- 4 x 3- 2
36 x 16	2.15		8.05	3- 4 x 3- 2
20	2.15		8.60	3-10
20	2.15		9.20	4- 2
22	2.10		9.20	7-2

(Continued on next page.)



TWO LIGHT CHECK RAIL WINDOWS. 1% Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in. 36 x 24	\$ cts.	\$ cts.	\$ ets.	ft. in. ft. in.
26	2.15		9.90	3- 4 x 4- 6
28			10.50	4-10
30	2.27		11.60	5- 2
32	2.36		11.70	5- 6
34	2.52	1	13.65	5-10
36	2.65		14.85	6- 2
38	2.72		15.00	6- 6
40	2.76		17.20	6-10
38 x 24	2.18	1		.7- 2
26	2.24		10.75	3- 6 x 4- 6
28	2.33	1	11.85	4-10
30	2.38			5- 2
32	2.42	1	13.40	5- 6
34			14.40	5-10
36	2.57		14.90	6- 2
38	2.71		17.20	6- 6
40	2.76		17.30	6-10
40 x 20	2.81		17.35	7- 2
40 x 20 22		1	9.60	3- 8 x 3-10
24	2.24		10.85	4-2
26	2.24		10.85	4-6
	2.28		11.90	4-10
28 30	2.37		13.35	5- 2
32	2.42		13.45	5- 6
34	2.46		14.45	5-10 6- 2
36	2.76		17.20	6- 6
38		1		
40	$\frac{2.81}{2.87}$		17.35	6-10
44 x 20	2.42		17.45	4- 0 x 3-10
22	2.42		11.05	4- 0 x 3-10 4- 2
24	2.42		12.10	4- 2
26	2.45		12.10	4-10
28	2.55		13.50	5- 2
30	2.59		14.60	5- 6
32	2.64		16.70	5-10
34	2.81		16.75	6- 2
36	2.95		17.10	6- 6
48 x 20	2.52		11.25	4- 4 x 3-10
22	2.52		12.25	4- 2
24	2.52		14.50	4- 6
	2.56		14.60	4-10
	2.66	1	16.80	5- 2
30	2.70	1	16.85	5- 6
32	2.74		16.85	5-10
34.	2.92		20.60	6- 2
36				6- 6
90	3.00		21.00	0- 0

For Extras see pages 45 and 49.

FOUR LIGHT CHECK RAIL WINDOWS. 1% Inches Thick.



Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	\$ cts.	\$ cts.	\$ cts.	ft. in. ft. in.
10 x 16	1.55	3.80		2-1 x 3-2
18	1.58	4.00		3- 6 3-10
20	1.60	4.20		4- 2
22	1.64	4.40		4- 6
24	1.67	4.40		4-10
26 28	1.71	5.00		5- 2
30	1.93	5.60		5- 6
32	2.01	6.05		5-10
12 x 16	1.61	4.15		2- 5 x 3- 2
12 x 16	1.64	4.40		3- 6
20	1.65	4.55		3-10
22	1.74	4.85		4- 2
24	1.78	5.10		4- 6
26	1.82	5.30		4-10
28	1.92	5.70		5- 2
30	1.97	6.10		5- 6
32	2.09	6.40		5-10
34	2.21	7.05		6- 2
36	2.29	7.35		6- 6
40	2.65	9.10		7- 2
13¼ x 24	1.91	5.95		2- 7½ x 4- 6
26	1.95	6.15		4-10
28	2.05	6.85		5- 2
30	2.09	7.10		5- 6
14 x 18	1.85	4.90		2-9 x 3-6
20	1.85	5.10		3-10
22	1.88	5.65		4- 2
24	1.91	5.95		4-6
26	1.95	6.15		4-10
28	2.05	6.85		5- 2
30	2.09	7.10		5- 6
32	2.15	7.25	9.60	5-10
34	2.27	7.85	10.15	6- 2
36	2.33	8.00	10.70	6- 6
38	2.73	8.95	11.50	6-10
40	2.80	9.40	12.15	7- 2
15 x 24	2.14	6.40	7.90	2-11 x 4- 6
26	2.19	7.00	9.00	4-10
28	2.30	7.40	9.45	5- 2
30	2.36	7.70	9.90	5- 6
32	2.40	8.00	10.35	5-10
34	2.57	8.50	11.00	6- 2
36	2.72	9.30	12.00	6- 6
38	2.78	9.35	12.10	6-10
40	2.84	10.25	13.10	7- 2

For larger than listed sizes see Rule 1, page 45. For Sash Extras see pages 45 to 49.



EIGHT LIGHT PLAIN RAIL WINDOWS

11/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 1.48	\$ cts. 3.60	ft. in. ft. in. 1- 8½ x 3-10
12	1.59	4.10	4- 6
9 x 12	1.64	4.30	1-10½ x 4- 6
14	1.74	4.80	5- 2
10 x 12	1.65	4.35	2-0½ x 4-6
14	1.77	4.80	5- 2
16	2.04	5.55	5-10
12 x 14	1.86	5.40	2- 4½ x 5- 2
16	2.14	6.15	5-10
18	2.30	7.05	6- 6



LISTED SIZES OF

EIGHT LIGHT CHECK RAIL WINDOWS

1% Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 1.75	\$ cts. 4.15	ft. in. ft. in. 1-9 x 3-10
12	1.83	4.50	4- 6
9 x 12	1.83	4.60	1-11 x 4- 6
14	1.97	5.10	5- 2
10 x 12	1.87	4.65	2-1 x 4-6
14	2.01	5.15	5- 2
16	2.18	6.05	5-10
12 x 14	2.13	5.80	2- 5 x 5- 2
16	2.24	6.30	5-10
. 18	2.66	7.60	6- 6
20	2.76	8.55	7- 2
14 x 16	2.60	7.60	2- 9 x 5-10
18	2.80	8.25	6- 6
20	2.92	8.85	7- 2
24	3.52	11.10	8- 6
16 x 18	2.95	9.60	3- 1 x 6- 6
20	3.07	10.05	7- 2
24	3.67	11.95	8- 6

For larger than listed sizes, see Rule 1, page 45. For Sash Extras, see pages 45 to 49.

TWELVE LIGHT PLAIN RAIL WINDOWS.

11/8 Inches Thick.



Size of Glass	List Open	List Glazed	Size of Opening
in in.	\$ cts. 1.76	\$ cts. 4.35	ft. in. ft. in. 2-1 x 3-6
8 x 10	1.79	4.60	2- 4 x 3-10
12	1.95	5.10	4- 6
14	2.06	5.90	5- 2
9 x 12	1.97	5.35	2-7 x 4-8
13	2.06	5.95	4-10
14	2.09	6.00	5- 2
15	2.36	6.75	5- 6
10 x 12	2.03	5.75	2-10 x 4- 6
14	2.15	6.30	5- 2
15	2.40	7.10	5- 6
16	2.45	7.30	5-10
18	2.60	8.30	6- 6
12 x 14	2.50	7.90	3- 4 x 5- 2
16	2.63	8.60	5-10
_ 18	2.78	9.40	6- 614

LISTED SIZES OF

TWELVE LIGHT CHECK RAIL WINDOWS.

13/4 Inches Thick.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 2.02	\$ cts. 4.95	ft. in. ft. in. 2- 4½ x 3-10
12	2,21	5.75	4-6
9 x 12 13	2.26	5.80	2- 7½ x 4- 6 4-10
14	2.40	6.70	5- 2
10 x 12 14	2.32	6.15	2-10½ x 4- 6 5- 2
15	2.82	7.95	5- 6
16 18	2.82	7.95	5-10
12 x 14	2.96	8.25	3- 4½ x 5- 2
16 18	3.07	8.95	5-10
20	3.38	10.90	7- 2
24	3.98	13.95	8- 6
14 x 16 18	3.37	10.90	3-10½ x 5-10 6- 6
20	3.68	12.60	7- 2
24	4.28	15.65	8 6

For larger than listed sizes, see Rule 1, page 45. For Sash Extras, see pages 45 to 49.



FIFTEEN LIGHT PLAIN RAIL WINDOWS

11/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 2.15	\$ cts. 5.35	ft. in. ft. in. 2-1½ x 4-3%
8 x 10	2.28	5.95	2- 4½ x 4- 8½
12	2.44	6.55	5- 67/8
14	2.57	7.20	6- 41/8
9 x 12	2.53	6.95	2- 7½ x 5- 61/8
13	2.59	7.30	5-111/8
14	2.67	7.70	6- 41/8
15	2.76	8.00	6- 97/8
16	2.82	8.25	7. 2 1/8
10 x 12	2.58	7.40	$2-10\frac{1}{2} \times 5-6\frac{7}{8}$
14	2.72	8.15	6- 41/8
15	2.81	8.40	6- 91/8
16	2.87	9.20	7- 21/8
12 x 14	2.91	9.45	3- 4½ x 6- 4½
16	3.09	10.35	7- 21/8



LISTED SIZES OF

FIFTEEN LIGHT CHECK RAIL WINDOWS

13/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 2.55	\$ cts. 6.30	ft. in. ft. in. 2- 4½ x 4- 8½
12	2.74	6.90	5- 61/8
14	2.90	7.60	6- 41/8
9 x 12	2.87	7.35	2- 7½ x 5- 61/8
13	2.94	7.75	5-111/8
14	3.03	8.15	6- 47/8
· 16	3.21	8.75	7- 21/8
10 x 12	2.94	7.85	2-10½ x 5- 6%
14	3.10	8.60	6- 41/8
15	3.21	8.95	6-97/8
16	3.28	9.70	7- 21/8
18	3.46	10.50	8- 01/8
12 x 14	3.34	10.00	3- 4½ x 6- 41/8
16	3.51	10.85	7- 21/8
18	3.69	11.85	8- 01/8

For larger than listed size see Rule 1, page 45. For Sash extras see pages 45 to 49.

EIGHTEEN LIGHT PLAIN RAIL WINDOWS 11/2 Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 2.68	\$ cts. 6.90	ft. in. ft. in. 2- 4½ x 5- 7½
12	2.93	7.65	6-71/8
14	3.09	8.85	7- 71/8
9 x 12	2.96	8.05	2- 7½ x 6- 7½
14	3.14	9.00	7- 71/8
10 x 12	3.05	8.65	2-10½ x 6- 7½
14	3.23	9.45	7- 7 1/8
16	3.68	10.95	8- 71/8
12 x 14	3.75	11.85	3- 4½ x 7- 7½
16	3.95	12.90	8- 7 1/8
18	4.17	14.10	9- 71/6

LISTED SIZES OF

EIGHTEEN LIGHT CHECK RAIL WINDOWS

1% Inches Thick



0. 0.01	T	1	~
Size of Glass	List Open	List Glazed S. S.	Size of Opening
in, in,	\$ cts	\$ cts.	ft. in. ft. in.
8 x 10	2.99	7.50	2-4½ x 5-7 1/8
12	3.24	8.30	6- 7 1/8
14	3.40	9.05	7- 71/8
9 x 12	3.36	8.80	2- 7½ x 6- 7½
13	3.45	9.25	7-11 1/8
14	3.53	9.65	7- 7 1/8
16	3.78	10.45	8- 71/8
10 x 12	3.44	9.35	$2-10\frac{1}{2} \times 6-7\frac{1}{8}$
14	3.61	10.25	7- 71/8
15	3.78	10.95	8- 1 1/8
16	3.86	11.60	8- 7 1/8
18	4.03	12.50	9- 7 1/8
12 x 14	3.85	11.85	$3-4\frac{1}{2} \times 7-7\frac{1}{8}$
16	4.11	12.95	8- 7 1/8
18	4.28	14.05	9- 71/8

For larger than listed sizes, see Rule 1, page 45. For sash extras, see pages 45 to 49.



TWENTY LIGHT CHECK RAIL WINDOWS 136 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 6 x 8	\$ cts. 2.86	\$ cts. 6.75	ft. in. ft. in. 2- 4 ³ / ₄ x 3-10 ¹ / ₈
7 x 9	3.10	7.55	2-8¾ x 4-3½
8 x 10	3.27	8.40	3- 0¾ x 4- 8½
12	3.47	9.15	5- 61/8
14	3.63	10.00	6- 41/8
9 x 12	3.65	9.75	3- 4¾ x 5- 6½
14	3.82	10.75	6- 41/8
10 x 12	3.76	10.40	3-8\% x 5-6\%
14	3.93	11.35	6- 41/8
16	4.12	12.80	7- 21/8
18	4.32	13.80	8- 01/8
12 x 14	4.23	13.20	4 434 x 6- 47/8
16	4.42	14.35	7- 21/8
18	4.62	15.60	8- 01/8



LISTED SIZES OF

TWENTY-FOUR LIGHT CHECK RAIL WINDOWS

1% Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 6 x 8	\$ cts. 3.33	\$ cts. 8.10	ft. in. ft. in. $2-4\frac{3}{4} \times 4-7\frac{1}{8}$
7 x 9	3.62	9.05	$2-8\frac{3}{4} \times 5-0\frac{1}{8}$
8 x 10	3.81	10.05	$3-0\% \times 5-7\%$
12	4.06	11.00	6- 71/8
. 14	4.24	11.90	7- 71/8
9 x 12	4.26	11.70	3- 4¾ x 6- 71/8
14	4.44	12.80	7- 71/8
10 x 12	4.37	12.45	3- 8¾ x 6- 7½
14	4.55	13.55	7- 71/8
16	4.81	15.35	8- 71/8
18	5.01	16.55	9- 71/8
12 x 14	4.85	15.75	4- 43/4 x 7- 71/8
16	5.13	17.15	8- 71/8
18	5.32	18.60	9- 71/8

For larger than listed sizes see Rule 1, page 45. For Sash extras see pages 45 to 49.

THIRTY LIGHT CHECK RAIL WINDOWS 1% Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	\$ cts. 4.08	\$ cts. 10.15	ft. in. ft. in. 2-11 x 4- 71/8
7 x 9	4.43	11.35	3- 4 x 5- 11/8
8 x 10	4.67	12.60	3-9 x 5-71/8
12	4.98	13.70	6- 71/8
14	5.13	14.90	7- 71/8
9 x 12	5.15	14.55	4-2 x 6-71/8
14	5.36	15.95	7- 71/8
10 x 12	5.30	15.50	4-7 x 6-71/8
14	5.50	16.85	7- 71/8
16	5.78	19.15	8- 71/8
18	5.99	20.55	9- 71/8
12 x 14	5.80	19.55	5-5 17-71/8
16 .	6.08	21.20	8- 71/8
18	6.29	21.95	9- 71/8

LISTED SIZES OF

THIRTY-TWO LIGHT CHECK RAIL WINDOWS

1% Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	\$ cts.	\$ cts.	ft. in. ft. in.
6 2 8	4.30	10.95	2- 43/4 x 5-115/8
7 x 9	4.67	12.20	2-834 x 6-75%
8 x 10	4.90	13.55	3- 03/4 x 7- 35/8
12	5.23	14.75	8- 75%
14	5.49	16.10	9-115%
9 x 12	5.43	15.60	3- 4 ³ / ₄ x 8- 7 ⁵ / ₈
14	5.69	17.15	9-11%
10 x 12	5.55	16.55	3- 8 ⁸ / ₄ x 8- 7 ⁵ / ₈
14	5.81	18.10	9-115/8
16	6.06	20.50	11- 35/8
18	6.33	22.00	12- 75/8
12 x 14	6.14	21.00	4- 43/4 x 9-115/8
16	6.39	22.70	11- 35%
18	6.65	24.55	12- 75/8

For larger than listed sizes see Rule 1, page 45. For Sash extras see pages 45 to 49.



THIRTY-SIX LIGHT CHECK RAIL WINDOWS

13/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 6 x 8	\$ ets. 4.81	\$ cts. 12.50	ft. in. ft. in. 2-4 ³ / ₄ x 6-7 ⁷ / ₈
7 x 9	5.20	13.90	2- 83/4 x 7- 41/8
8 x 10	5.46	15.35	3- 03/4 x 8- 17/8
12	5.74	16.65	9- 77/8
14	6.06	18.15	11- 17/8
9 x 12	5.99	17.60	$3-4\frac{3}{4} \times 9-7\frac{7}{8}$
14	6.28	19.30	11- 17/8
10 x 12	6.12	18.65	3- 8¾ x 9- 7½
14	6.41	20.40	11- 17/8
16	6.69	23.10	12- 71/8
18	6.98	24.85	14- 11/8
12 x 14	6.75	23.65	4- 4 ³ / ₄ x 11- 1 ⁷ / ₈
16	7.02	25.60	12- 71/2
18	7.32	26.75	14- 1 1/2



LISTED SIZES OF

FORTY LIGHT CHECK RAIL WINDOWS 13/4 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	\$ cts. 5.24	\$ cts. 13.95	ft. in. ft. in. 2-11 x 5-115%
7 x 9	5.68	15.50	3- 4 x 6- 75/8
8 x 10	5.97	17.15	3-9 x 7-35/8
12	6.32	18.60	8- 75/8
14	6.60	20.20	9-115/8
9 x 12	6.54	19.65	4-2 x 8-75/8
14	6.82	21.50	9-115/8
10 x 12	6.72	20.85	4-7 x 8-75/8
14	6.99	22.70	9-11%
16	7.26	25.75	11- 35/8
18	7.54	27.60	12- 75/8
12 x 14	7.30	26.30	5- 5 x 9-115/8
16	7.58	28.40	11- 35/8
18	7.86	30.75	12- 75/8

For larger than listed sizes, see Rule 1, page 45. For Sash Extras, see pages 45 to 49.


FOUR LIGHT PLAIN RAIL WINDOWS 11/4 Inches Thick. Not Ploughed or Bored.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	\$ cts. 1.49	\$ cts. 4.40	ft. in. ft. in.
24	1.60	4.90	4- 6
26	1.64	5.10	4-10
28	1.73	5.50	5- 2
14 x 26	1.75	5.95	2-8 x 4-10
28	1.85	6.65	5- 2

LISTED SIZES OF

FOUR LIGHT CHECK RAIL WINDOWS





Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 12 x 20	\$ cts. 1.57	\$ cts. 4.45	ft. in. ft. in. 2- 4 x 3-10
24	1.70	5.00	4- 6
26	1.73	5.20	4-10
28	1.82	5.60	5- 2

LISTED SIZES OF


TWO LIGHT PLAIN RAIL WINDOWS

11/8 Inches Thick. Not Ploughed or Bored.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 24 x 20	\$ cts. 1.32	\$ cts. 4.35	ft. in. ft. in. 2- 4 x 3-10
24	1.42	5.00	4- 6
26	1.45	5.05	4-10
28	1.53	5.50	5- 2
27 x 24	1.53	5.80	2-7 x 4-6
26	1.57	6.35	4-10
28	1.65	6.80	5- 2
	1.53 1.57	5.80 6.35	2- 7 x 4- 6 4-10

For larger than listed sizes see Rule 1, page 45. For Sash extras see pages 45 to 49.



French windows are now most popular for use in modern homes and bungalows. The above designs are excellent.

LIST PRICES, PER PAIR-13/8 Inches Thick.

LIST TRICES, TERTAIR—198 THERE.					
Size of Opening	No S 8 Open	No. S 8 Gla. Plain	No. S 9 Open	No. S 9 Gla. D. S	
2-8 x 4-6	\$5.00	\$ 9.82	\$3.10	\$ 9.50	
4-10	5.20	10.55	3.30	11.65	
5- 2	5.42	10.75	3.50	11.85	
5- 6	5.62	10.95	3.70	12.05	
5-10	5.82	11.15	3.90	12.25	
6- 2	6.02	12.30	4.10	14.85	
6- 6	6.22	12.50	4.30	16.00	
3- 0 x 4- 6	5.12	10.45	3.20	10.30	
3- 0 X 4- 0 4-10	5.32	10.65	3.40	11.75	
5- 2	5.52	10.85	3.60	13.00	
	5.72	11.30			
			3.80	14.50	
5-10	5.92	12.20	4.00	14.70	
. 6- 2	6.12	13.85	4.20	15.90	
6- 6	6.32	14.05	4.40	18.15	
3-6 x 5-2	5.67	11.95	3.75	14.45	
5- 6	5.87	12.15	3.95	17.70	
5-10	6.07	13.80	4.15	17.90	
6- 2	6.27	14.25	4.35	18.10	
6- 6	6.47	14.45	4:55	22.25	
4-0 x 5-2	5.82	12.10	3.90	17.65	
5- 6	6.02	13.75	4.10	17.85	
5-10	6.22	13.95	4.30	22.00	
6- 2	6.42	16.30	4.50	22.20	
6- 6	6.62	16.50	4.70	22.40	

The above prices are subject to the Sash Extras and Discounts.

ONE LIGHT SASH 1% Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	\$ cts.	\$ cts.	ft. in. ft. in.
8 x 10	0.76	1.30	1-0 x 1-3 1-2 x 1-5
10 x 12	.77	1.55	1-2 x 1- 5
12 x 16	.83	1.80	1- 4 x 1- 9
20	.91	1.95	2-1
16 x 16	.95	2.05	1-8 x 1-9
18 ·	.98	2.15	1-011
20	1.00	2.25	2- 1
24	1.02	2.45	2- 5
18 x 18	1.00	2.30	1-10 x 1-11
20	1.01	2.40	2- 1
24	1.03	2.60	2- 5
26	1.04	2.70	2- 7
28	1.05	2.80	2- 9
30	1.10	2.95	2-11
20 x 16	1.01	2.30	2-0 x 1-9
18	1.02	2.40	1-11
20	1.03	2.55	2- 1
24	1.04	2.70	2- 5
24 x 16	1.03	2.45	2- 4 x 1- 9
18	1.04	2.60	1-11
20	1.05	2.75	2- 1
24	1.06	3.00	2- 5
26	1.07	3.05	2- 7
28	1.10	3.20	2- 9
30	1.12	3.40	2-11
26x 28	1.13	3.40	2- 6 x 2- 9
30	1.15	3.75	2-11
28 x 16	1.03	2.65	2- 8 x 1- 9
18	1.04	2.80	1-11
20	1.07	2.90	2- 1
24	1.10	3.25	2- 5
28	1.15	3.65	2- 9
30	1.17	3.80	2-11
30 x 16	1.06	2.85	2-10 x 1- 9
20	1.07	3.00	1-11
20	1.13	3.40	2- 1
28	1.16	3.75	2- 5
30	1.18	4.30	2-9
36 x 16	1.12	3.10	3- 4 x 1- 9
18	1.13	3.30	1-11
20	1.15	3.60	2- 1
24	1.18	4.05	2- 5
			2 0

(Continued on next page)



ONE LIGHT SASH 1% Inches Thick

Size of Glass	List Open	List Glazed D. S.	Size of Opening
in. in. 40 x 16	\$ cts. 1.15	\$ cts. 4.15	ft. in. ft. in. 3-8 x 1-9
18	1.17	4.50	1-11
20	1.28	4.85	2- 1
24	1.43	5.70	2- 5
42 x 16	1.16	4.25	3-10 x 1- 9
18	1.18	4.50	1-11
20	1.30	4.90	2- 1
24	1.44	6.20	2- 5
44 x 16	1.28	4.65	4-0 x 1-9
18	1.30	5.15	1-11
20	1.43	5.35	2- 1
24	1.48	6.30	2- 5
48 x 16	1.43	5.35	4-4 x 1-9
18	1.44	5.75	1-11
20	1.48	5.80	2- 1
24	1.53	7.45	2- 5

For larger than listed sizes, see Rule 11, page 47. For Extras, see pages 45 to 49.




LISTED SIZES OF

ONE LIGHT STALL SASH 11/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 0.68	\$ cts. 1.30	ft. in, ft. in. 1- 0 x 1- 3
10 x 12	.69	1.40	1-2 x 1-5
14	.72	1.45	1- 7
12 x 16	.75	1.60	1- 4 x 1- 9
20	.82	1.80	2- 1
24	.90	2.05	2- 5
26	.91	2.10	2- 7

For larger than listed sizes see Rule 11, page 47.

CHINA CLOSET DOORS



The above designs of China Closet doors are made to meet the demand of the more modern and up-to-date home builders. They are well made of dry Yellow Pine and are glazed with Clear Glass. Glass is fastened in with putty. If wanted glass set with stops, see Rule 8, page 99.

LIST PRICES-11/8 Inches Thick


Size	No. S10	No. S11	No. S12	No. S13
1- 4 x 4- 0	\$3.75	\$4.30	\$4.75	\$ 9.90
4- 6	4.40	4.60	5.40	10.20
5- 0	4.90	4.90	5.90	10.50
1-6 x 4-0	4.35	4.60	5.35	10.20
4- 6	4.85	4.85	5.85	10.45
5- 0	5.60	5.25	6.30	10.85
1-8 x 4-0	4.45	4.85	5.45	10.50
4- 6	4.85	5.05	5.85	10.65
5- 0	6.10	5.55	7.10	11.15
2-0 x 4-0	5.50	6.40	6.50	11.00
4- 6	6.10	5.65	7.10	11.25
5- 0	7.50	6.05	8.50	11.65

The above prices are subject to the Glazed Sash Extras and Discounts.



CUPBOARD SASH, TWO LIGHT 11/4 Inches Thick

		THE RESERVE ASSESSMENT AND ADDRESS OF THE PARTY OF THE PA
Size of Sash	List Open	List Glazed S. S
ft. in. ft. in.	\$ cts.	\$ cts.
1- 4 x 4- 0	1.21	3.30
1-4 x 4-6	1.29	3.60
1- 4 x 5- 0	1.37	3.90
1- 6 x 4- 0	1.23	3.60
1- 6 x 4- 6	1.32	3.85
1- 6 x 5- 0	1.39	4.25
1-8 x 4-0	1.28	3.85
1-8 x 4-6	1.35	4.05
1-8 x 5-0	1.43	4.55
1-10 x 4- 0	1.29	4.15
1-10 x 4- 6	1.38	4.35
1-10 x 5- 0	1.45	4.85
2-0 x 4-0	1.32	4.40
2-0 x 4-6	1.41	4.65
2- 0 x 5- 0	1.48	5.05



CUPBOARD SASH, TWO LIGHT 34 Inches Thick

Size of Sash	List Open	List Glazed S. S.
ft. in. ft. in. 1- 4 x 4- O	\$ cts. 1.05	\$ cts. 3.10
1-4 x 4-6	1.11	3.35
1- 4 x 5- 0	1.17	3.65
1- 6 x 4- 0	1.08	3.40
1- 6 x 4- 6	1.14	3.60
1- 6 x 5- 0	1.19	4.00
. 1- 8 x 4- 0	1.11	3.65
1-8 x 4-6	1.17	3.80
1-8 x 5-0	1.23	4.25
1-10 x 4- 0	1.13	3.90
1-10 x 4- 6	1.18	4.10
1-10 x 5- 0	1.25	4.60
2- 0 x 4- 0	1.14	4.15
2- 0 x 4- 6	1.20	4.35
2- 0 x 5- 0	1.26	4.75

For Cupboard Sash larger than listed sizes see $\overline{\text{Rule }}11$, page 47. For Extras see pages 45 to 49.

TWO LIGHT CELLAR SASH

1% Inches Thick



Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening
in. in. 8 x 10	\$ cts. 0.65	\$ cts. 1.55	\$ cts. 2.65	ft. in. ft. in. 1- 9 x 1- 3
10 x 12	.72	1.80	3.10	2- 1 x 1- 5
14	.74	1.90	3.30	1- 7
16	.77	2.05	3.60	1- 9
18	.79	2.15	3.80	1-11
20	.81	2.25	4.00	2- 1
12 x 12	.79	1.95	3.35	2-51-5
14	.81	2.10	3.65	1- 7
16	.84	2.25	3.95	1- 9
18	.86	2.40	4.25	1-11
20	.88	2.50	4.45	2- 1
22	.90	2.65	4.75	2- 3
24	.95	2.90	5.25	2- 5
14 x 16	.91	2.50	4.40	2- 9 x 1- 9
18	.93	2.60	4.60	1-11
20	.95	2.75	4.90	2- 1
22	.98	3.00	5.45	2- 3
24	1.02	3.25	5.95	2- 5

LISTED SIZES OF

THREE LIGHT CELLAR SASH 1% Inches Thick



Size of Glass	List Open	List Single Gla S. S.	List Double Gla S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 0.72	\$ cts. 1.70	\$ cts. 2.90	ft. in. ft. in. 2- 1 x 1- 2
8 x 10	.77	1.85	3.15	2- 4 x 1- 3
12	.78	1.95	3.35	1- 5
9 x 12	.81	2.05	3.55	2-7 x 1-5
13	.82	2.15	3.75	1- 6
14	.83	2.20	3.85	1- 7
16	.86	2.35	4.15	1- 9
10 x 12	.87	2.20	3.80	2-10 x 1- 5
14	.88	2.35	4.15	1- 7
16	.91	2.55	4.50	1- 9
18	.93	2.70	4.70	1-11
12 x 12	.96	2.45	4.25	3- 4 x 1- 5
14	.99	2.70	4.70	1- 7
16	1.01	2.90	5.20	1- 9
18	1.03	3.05	5.50	1-11
14 x 16	1.08	3.15	5.65	3-10 x 1- 9
18	1.09	3.35	6.05	1-11

For larger than listed sizes see Rule 1, page 45. For Sash extras see pages 45 to 49.



THREE LIGHT CELLAR SASH

1% Inches Thick

Size of Glass	List Open	List Single Gla. S. S.	List Double Gla. S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 0.86	\$ cts. 1.85	\$ cts. 3.05	ft. in. ft. in. 2- 1 x 1- 2
8 x 10	.92	2.00	3.30	2- 4 x 1- 3
12	.94	2.10	3.50	1- 5
9 x 12	.97	2.20	3.60	2-7 x 1-5
13	.98	2.30	3.90	1- 6
14	1.00	2.35	4.00	1- 7
16	1.03	2.50	4.30	1- 9
10 x 12	1.04	2.35	3.95	2-10 x 1- 5
14	1.06	2.55	4.35	1- 7
16	1.09	2.75	4.70	1- 9
18	1.12	2.90	4.90	1-11
12 x 12	1.15	2.65	4.45	3- 4 x 1- 5
14	1.19	2.90	4.90	1- 7
16	1.21	3.10	5.40	1- 9
18	1.24	3.25	5.70	1-11
14 x 16	1.30	3.35	5.85	3-10 x 1- 9
18	1.31	3.55	6.25	1-11

For larger than listed sizes see Rule 1, page 45. For Sash extras see pages 45 to 49.



LISTED SIZES OF

FOUR LIGHT BARN SASH

11/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 0.84	\$ cts. 1.90	ft. in. ft. in. 1- 6 x 1-11
8 x 10	.92	2.15	1-8 x 2-1
12	.99	2.35	2- 5
14	1.05	2.50	2- 9
9 x 12	.99	2.45	1-10 x 2- 5
14	1.05	2.65	2- 9
16	1.10	2.80	3- 1
10 x 10	.96	2.50	2- 0 x 2- 1
12	1.01	2.55	2- 5
14	1.07	2.80	2- 9
16	1.10	3.05	3- 1
12 x 12	1.12	3.20	2- 4 x 2- 5
14	1.12	3.20	2- 9
16	1.16	3.35	3- 1

For larger than listed sizes, see Rule 1, page 45. For Sash Extras, see pages 45 to 49.

FOUR LIGHT BARN SASH

1% Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 1.01	\$ cts. 2.05	ft. in. ft. in. 1- 6 x 1-11
8 x 10	1.10	2.35	1-8 x 2-1
12	1.19	2.55	2- 5
14	1.26	2.70	2- 9
9 x 12	1.19	2.65	1-10 x 2- 5
14	1.26	2.85	2- 9
16	1.32	3.00	3- 1
10 x 10	1.15	2.70	2- 0 x 2- 1
12	1.21	2.75	2- 5
14	1.28	3.00	2- 9
16	1.32	3.25	3- 1
12 x 12	1.34	3.40	2-4 x 2-5
14	1.34	3.40	2- 9
16	1.39	3.55	3- 1

For larger than listed sizes, see Rule 1, page 45. For Extras see pages 45 to 49.

LISTED SIZES OF

SIX LIGHT BARN SASH

11/8 Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 1.03	\$ cts. 2.55	ft. in. ft. in. 2- 1 x 1-11
8 x 10	1.10	2.85	2-4 x 2-1
9 x 12	1.18	3.25	2-7 x 2-5
10 x 12	1.24	3.45	2-10 x 2- 5

LISTED SIZES OF

SIX LIGHT BARN SASH

1% Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in. 7 x 9	\$ cts. 1.24	\$ cts. 2.75	ft. in. ft. in. $2-1 \times 1-11$
8 x 10	1.32	3.05	2- 4 x 2- 1
9 x 12	1.42	3.50	2-7 x 2-5
10 x 12	1.49	3.70	2-10 x 2- 5

For larger than listed sizes, see Rule 11, page 45. For Extras, see pages 45 to 49.



ONE LIGHT TRANSOMS

13/8 Inches Thick

Size of Opening	Size of Glass	List Open	List Glazed S. S.
ft. in. ft. in. 2-6 x 1-0	in in. 26 x 8	\$ cts. 0.73	\$ cts. 1.80
1- 2	10	.75	1.85
1- 4	12	.77	1.95
1- 6	14	.78	2.10
1- 8	16	.82	2.30
2-8 x 1-0	28 x 8	.78	1.90
1- 2	10	.80	1.95
1- 4	12	.82	2.10
1- 6	14	.84	2.30
1- 8	16	.86	2.45
1-10	18	.89	2.60
2- 0	20	.90	2.70
2-10 x 1- 2	30 x 10	.82	2.00
1- 4	12	.84	2.20
1- 6	14	.86	2.40
1- 8	16	.90	2.55
1-10	18	.91	2.70
2- 0	20	.93	2.85
3- 0 x 1- 2	32 x 10	.85	2.10
1- 4	12	.86	2.30
1- 6	14	.89	2.45
1- 8	16	.92	2.65
1-10	18	.94	2.75
2- 0	20	.95	3.05

For Extras see pages 45 to 49.



LISTED SIZES OF

HOT BED SASH

1% Inches Thick

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
in.	5	\$ cts. 3.14	\$ cts. 9.35	ft. in. ft. in. 3- 0 x 6- 0
8	4	3.18	9.80	3-2 x 6-0
8	4	3.27	9.90	3-4 x 6-0
7	5	3.42	10.45	3- 6 x 6- 0
7	5	3.73	11.40	3- 6 x 7- 0
10	4	3.84	13.45	4- 0 x 7- 0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash for 3 or more; for less than 3 sash a minimum charge of 25 cents will be made

For Extras see pages 45 to 49.

HOT BED SASH 134 Inches Thick



Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
in.	5	\$ cts. 4.53	\$ ets. 10.75	ft. in. ft. in. 3- 0 x 6- 0
8	4	4.59	11.25	3 2 x 6- 0
8	4	4.83	11.45	3-4 x 6-0
7	1 5	5.00	12.05	3- 6 x 6- 0
7	5	5.52	13.20	3- 6 x 7- 0
10	1 4	5,60	15.20	4-0 x 7-0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash for 3 or more, for less than 3 sash, a minimum charge of 25 cents will be made.

For Extras, see pages 45 to 49.

THE HANDSOMEST DOOR


AND THE ONE MOST SUITABLE FOR ANY HOME IS SHOWN AND LISTED ON PAGE 58



ONE LIGHT COTTAGE FRONT SASH 136 Inches Thick

Size of Glass	List Open	List Glazed D. S.	Size of Opening		
in. in.	\$ cts.	\$ cts.	ft. in. ft. in.		
40 x 40	2.09	10.35	3- 8 x 3-10 4- 2		
44	2.18	12.05	4- 6		
48	2.23	12.60			
52	2.28	12.80	4-10 5- 2		
56	2.33	17.45	5- 6		
60	2.39	17.55			
64	2.44	18.65	5-10		
68	2.49	23.45	6- 2		
44 x 40	2.21	12.10	4- 0 x 3-10		
44	2.30	13.50	4-2		
48	2.36	16.65	4- 6		
52	2.42	18.80	4-10		
56	2.46	18.90	5- 2		
60	2.51	23.10	5- 6		
64	2.56	25.40	5-10		
68	2.62	27.65	6- 2		
48 x 40	2.29	13.30	4- 4 x 3-10		
44	2.38	17.30	4-2		
48	2.42	19.45	4-6		
52	2.48	19.50	4-10		
56	2.54	23.75	5- 2		
60	2.58	25.00	5- 6		
64	2.63	28.30	5-10		
68	2.69	38.85	6- 2		
50 x 40	2.32	14.00	4- 6 x 3-10		
44	2.42	18.00	4-2		
48	2.46	20.15	4-6		
52	2.51	21.45	4-10		
56	2.57	26.65	5- 2		
60	2.62	26.70	5~ 6		
64	2.66	29.00	5-10		
68	2.72	39.00	6- 2		
56 x 44	2.52	20.85	5-0 x 4-2		
48	2.57	25.05	4- 6		
52	2.63	27.35	4-10		
56	2.67	33.50	5- 2		
60	2.72	40.15	5- 6		
64	2.78	40.20	5-10		
68	2.83	43.45	6- 2		
T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					

For larger than listed sizes, see Rule 11, page [47. For Extras, see pages 45 to 49



COTTAGE WINDOWS AND SASH

Two Lights, 13/8 Inches Thick




14


15

Size of Glass		No. 14 Window 2 Lt. 1¾ in. Check Rail		No. 15 Sash 2 Lt 1¾ in.		g: 40	
Bottom Lt.	Top Lt.	List Open	List Glazed D. S.	List Open	List Glazed D. S.	Size of Opening	
in. in.	in. in. 36 x 16 36 x 20	\$ cts.	\$ cts.	\$ cts.	\$ cts.	ft. in. ft. in.	
36 x 36		2.76	12.95	2.40	12.60	3-4x4-10	
36 x 36		2.76	13.55	2.40	13.20	5- 2	
40 x 36 40 x 40 40 x 44 40 x 48 40 x 36 40 x 40 40 x 40	40 x 16 40 x 16 40 x 16 40 x 16 40 x 16 40 x 20 40 x 20 40 x 20	2.76 2.76 2.85 2.90 2.94 2.76 2.85 2.90	13.70 14.05 15.75 16.30 16.60 14.45 14.55 15.40	2.40 2.40 2.46 2.50 2.55 2.40 2.46 2.50	13.35 13.60 15.30 15.80 16.10 14.10 14.20 15.00	3-8x4-10 5- 2 5- 6 5-10 6- 2 5- 2 5- 6 5-10	
42 x 40	42 x 16	2.81	16.05	2.44	15.55	3-10x5- 2	
42 x 44	42 x 16	2.90	17.40	2.48	16.85	5- 6	
42 x 48	42 x 16	2.94	17.45	2.54	16.95	5-10	
42 x 48	42 x 20	2.98	18.20	2.59	17.70	6- 2	
44 x 40	44 x 16	2.93	16.40	2.54	15.90	4-0x5- 2	
44 x 44	44 x 16	3.02	17.80	2.59	17.25	5- 6	
44 x 46	44 x 18	3.06	18.30	2.64	17.80	5-10	
44 x 50	44 x 18	3.11	21.50	2.70	21.00	6- 2	
44 x 40	44 x 20	3.02	17.30	2.59	16.90	5- 6	
44 x 44	44 x 20	3.06	18.65	2.64	18.25	5-10	
48 x 40	48 x 16	3.03	18.10	2.61	17.60	4-4x5- 2	
48 x 42	48 x 18	3.06	18.95	2.67	18.45	5- 6	
48 x 46	48 x 18	3.15	22.20	2.72	21.65	5-10	
48 x 50	48 x 18	3.21	24.35	2.87	23.80	6- 2	

For larger than listed sizes, see Rule 1, page 45. For Sash Extras see pages 45 to 49.

COTTAGE FRONT CHECK RAIL WINDOWS







17

18


For prices on above windows see page 38.

QUEEN ANNE WINDOWS











For prices on stock sizes see page 38. For prices on other sizes see Rule 4, page 46.


QUEEN ANNE WINDOWS.





For prices on stock sizes see page 38. For prices on other sizes see Rule 4, page 46.

QUEEN ANNE WINDOWS.




For prices on stock sizes see pages 33 and 35. For prices on other sizes see Rule 4, page 46.

LIST PRICES of QUEEN ANNE WINDOWS

2 Lt. 1% Ck.	Fig. 31 top cut up to 6 Lt.		Fig.	Fig. 32 top cut up to 8 Lt.		Fig. 33 top cut up to 4 Lt.		Fig. 34 top cut up to 6 Lt.		Fig. 35 top cut	
	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	6 Lt. Glazed S. S.	Open	Glazed S. S.	
in. in. 16 x 20 22 24 26 28 30 32	\$ cts. 1.89 1.99 2.00 2.06 2.13 2.19 2.23	\$ cts. 4.25 4.65 4.65 5.00 5.40 5.65 5.85	\$ cts. 2.09 2.19 2.26 2.33 2.43	\$ ets. 4.55 4.95 4.95 5.30 5.70 5.95 6.15	\$ cts. 1.69 1.79 1.80 1.86 1.93 1.99 2.03	\$ cts. 3.95 4.35 4.35 4.70 5.10 5.35 5.55	\$ cts. 1.89 1.99 2.00 2.06 2.13 2.19 2.23	\$ ets. 4.25 4.65 4.65 5.40 5.40 5.85	\$ cts. 2.19 2.29 2.30 2.36 2.43 2.49 2.53	\$ cts. 4.70 5.10 5.45 5.85 6.10 6.30	
18 x 20 22 24 26 28 30 32	1.92 2.02 2.03 2.09 2.16 2.21 2.24	4.65 5.20 5.20 5.45 5.70 5.95 6.00	2.12 2.22 2.23 2.29 2.36 2.41 2.44	4.95 5.50 5.50 5.75 6.00 6.25 6.30	1.72 1.82 1.83 1.89 1.96 2.01 2.04	4.35 4.90 4.90 5.15 5.40 5.65 5.70	1.92 2.02 2.03 2.09 2.16 2.21 2.24	4.65 5.20 5.20 5.45 5.70 5.95 6.00	2.22 2.32 2.33 2.39 2.46 2.51 2.54	5.10 5.65 5.65 5.90 6.15 6.40 6.45	
20 x 20 22 24 26 28 30 32	1.96 2.04 2.07 2.11 2.19 2.24 2.27	4.80 5.30 5.35 5.50 5.75 6.20 6.65	2.16 2.24 2.27 2.31 2.39 2.44 2.47	5.10 5.60 5.65 5.80 6.05 6.50 6.95	1.76 1.84 1.87 1.91 1.99 2.04 2.07	4.50 5.00 5.05 5.20 5.45 5.90 6.35	1.96 2.04 2.07 2.11 2.19 2.24 2.27	4.80 5.30 5.35 5.50 5.75 6.20 6.65	2.26 2.34 2.37 2.41 2.49 2.54 2.57	5.25 5.75 5.80 5.95 6.20 6.65 7.10	
22 x 20 22 24 26 28 30 32	2.06 2.06 2.10 2.14 2.23 2.27 2.30	5.45	2.26 2.26 2.30 2.34 2.43 2.47 2.50			5.00 5.15 5.20 5.35 5.90 6.35 6.70	2.30	E 15	2.36 2.36 2.40 2.44 2.53 2.57 2.60	5.75 5.90 5.95 6.10 6.65 7.10 7.45	
24 x 20 22 24 26 28 30 32	2.07 2.15 2.18 2.21 2.30 2.34 2.39	5.40 5.60 6.05 6.10 6.55 6.90 7.55	2.27 2.35 2.38 2.41 2.50 2.54 2.59	5.70 5.90 6.35 6.40 6.85 7.20 7.85		5.10 5.30 5.75 5.80 6.25 6.60 7.25		5.40 5.60 6.05 6.10 6.55 6.90	2.45 2.48 2.51 2.60 2.64	5.85 6.05 6.50 6.55 7.00 7.35 8.00	
26 x 20 22 24 26 28 30 32	2.17 2.21 2.21 2.25 2.34 2.38 2.42	5.75 6.15 6.15 6.50 7.10 7.55 7.60	2.37 2.41 2.41 2.45 2.54 2.58 2.62	6.05 6.45 6.45 6.80 7.40 7.85 7.90	2.01 2.01 2.05 2.14 2.18 2.22	5.85 5.85 6.20 6.80 7.25 7.30	2.21 2.21 2.25 2.34 2.38	7.55	2.55 2.64 2.68	6.20 6.60 6.60 6.95 7.55 8.00 8.05	
28 x 20 22 24 26 28 30 32	2.27 2.30 2.30 2.34 2.43 2.47 2.52	6.05 6.85 6.85 7.40 7.85 8.00 8.75	2.47 2.50 2.50 2.54 2.63 2.67 2.72	6.35 7.15 7.15 7.70 8.15 8.30 9.05	2.32	8.45	2.30 2.34 2.43	6.05 6.85 6.85 7.40 7.85 8.00 8.75	2.57 2.60 2.60 2.64 2.73 2.77 2.82	6.50 7.30 7.30 7.85 8.30 8.45 9.20	
30 x 20 22 24 26 28 30 32	2.31 2.34 2.34 2.38 2.47 2.51 2.54	6.30 7.05 7.05 7.70 7.90 8.70 8.90	2.51 2.54 2.54 2.58 2.67 2.71 2.74	6.60 7.35 7.35 8.00 8.20 9.00 9.20	2.11 2.14 2.14 2.18 2.27 2.31 2.34	6.00 6.75 6.75 7.40 7.60 8.40 8.60	2.31 2.34 2.34 2.38 2.47 2.51 2.54	6.30 7.05 7.05 7.70 7.90 8.70 8.90	2.61	6.75 7.50 7.50 8.15 8.35 9.15	

QUEEN ANNE WINDOWS.




For prices on stock sizes see pages 33 and 35. For prices on other sizes see Rule 4, page 46.

LIST PRICES of QUEEN ANNE WINDOWS


	1		1				1		1	
2 Lt. 13/8 Ck.	cut	. 36 ip to Lt.	top	cut 3 Lt.		cut 4 Lt.	top	. 39 cut 8 Lt.	cut up	to 12 ad Lts.
	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.
in. in. 16 x 20 22 24 26 28 30 32	\$ cts. 2.49 2.59 2.60 2.66 2.73 2.79 2.83	\$ cts. 5.155 5.555 5.590 6.35 6.75	\$ cts. 1.59 1.69 1.70 1.76 1.83 1.89 1.93	\$ cts. 3.80 4.20 4.20 4.55 4.95 5.20 5.40	\$ cts. 1.69 1.79 1.80 1.86 1.93 1.99 2.03	\$ cts. 3.95 4.35 4.35 4.70 5.10 5.35 5.55	\$ cts. 2.09 2.19 2.20 2.26 2.33 2.39 2.43	\$ ets. 4.55 4.95 4.95 5.30 5.70 5.95 6.15	\$ cts. 4.89 4.99 5.00 5.06 5.13 5.19 5.23	
18 x 20 22 24 26 28 30 32	2.52 2.62 2.63 2.69 2.76 2.81 2.84	5.55 6.10 6.10 6.35 6.60 6.85 6.90	1.62 1.72 1.73 1.79 1.86 1.91 1.94	4.20 4.75 4.75 5.00 5.25 5.50 5.55	1.72 1.82 1.83 1.89 1.96 2.01 2.04	4.35 4.90 4.90 5.15 5.40 5.65 5.70	2.12 2.22 2.23 2.29 2.36 2.41 2.44	4.95 5.50 5.50 5.75 6.00 6.25 6.30	4.92 5.02 5.03 5.09 5.16 5.21 5.24	7.95 8.50 8.50 8.75 9.00 9.25 9.30
20 x 20 22 24 26 28 30 32	2.56 2.64 2.67 2.71 2.79 2.84 2.87	5.70 6.20 6.25 6.40 6.65 7.10 7.55	1.66 1.74 1.77 1.81 1.89 1.94 1.97	4.35 4.85 4.90 5.05 5.30 5.75 6.20	1.76 1.84 1.87 1.91 1.99 2.04 2.07	4.50 5.00 5.05 5.20 5.45 5.90 6.35	2.16 2.24 2.27 2.31 2.39 2.44 2.47	5.10 5.60 5.65 5.80 6.05 6.50 6.95	4.96 5.04 5.07 5.11 5.19 5.24 5.27	8.10 8.60 8.65 8.80 9.05 9.50 9.95
22 x 20 22 24 26 28 30 32	2.66 2.66 2.70 2.74 2.83 2.87 2.90	6.20 6.35 6.40 6.55 7.10 7.55 7.90	1.76 1.76 1.80 1.84 1.93 1.97 2.00	4.85 5.00 5.05 5.20 5.75 6.20 6.55	1.86 1.86 1.90 1.94 2.03 2.07 2.10	5.00 5.15 5.20 5.35 5.90 6.35 6.70	2.26 2.26 2.30 2.34 2.43 2.47 2.50	5.60 5.75 5.80 5.95 6.50 6.95 7.30	5.06 5.06 5.10 5.14 5.23 5.27	8.60 8.75 8.80 8.95 9.50 9.95 10.30
24 x 20 22 24 26 28 30 32	2.67 2.75 2.78 2.81 2.90 2.94 2.99	6.30 6.50 6.95 7.00 7.45 7.80 8.45	1.77 1.85 1.88 1.91 2.00 2.04 2.09	4.95 5.15 5.60 5.65 6.10 6.45 7.10	1.87 1.95 1.98 2.01 2.10 2.14 2.19	5.10 5.30 5.75 5.80 6.25 6.60 7.25	2.27 2.35 2.38 2.41 2.50 2.54 2.59	5.70 5.90 6.35 6.40 6.85 7.20 7.85	5.07 5.15 5.18 5.21 5.30 5.34 5.39	8.70 8.90 9.35 9.40 9.85 10.20 10.85
26 x 20 22 24 26 28 30 32	2.77 2.81 2.81 2.85 2.94 2.98 3.02	6.65 7.05 7.05 7.40 8.00 8.45 8.50	1.87 1.91 1.91 1.95 2.04 2.08 2.12	5.30 5.70 5.70 6.05 6.65 7.10 7.15	1.97 2.01 2.01 2.05 2.14 2.18 2.22	5.45 5.85 5.85 6.20 6.80 7.25 7.30	2.37 2.41 2.41 2.45 2.54 2.58 2.62	6.05 6.45 6.45 6.80 7.40 7.85 7.90	5.38	9.05 9.45 9.45 9.80 10.40 10.85 10.90
28 x 20 22 24 26 28 30 32	2.87 2.90 2.90 2.94 3.03 3.07 3.12	6.95 7.75 7.75 8.30 8.75 8.90 9.65	1.97 2.00 2.00 2.04 2.13 2.17 2.22	5.60 6.40 6.40 6.95 7.40 7.55 8.30	2.07 2.10 2.10 2.14 2.23 2.27 2.32	5.75 6.55 6.55 7.10 7.55 7.70 8.45	2.47 2.50 2.50 2.54 2.63 2.67 2.72	6.35 7.15 7.15 7.70 8.15 8.30 9.05	5.34 5.43 5.47	9.35 10.15 10.15 10.70 11.15 11.30 12.05
30 x 20 22 24 26 28 30 32	2.91 2.94 2.94 2.98 3.07 3.11 3.14	7.20 7.95 7.95 8.60 8.80 9.60 9.80	2.01 2.04 2.04 2.08 2.17 2.21 2.24	5.85 6.60 6.60 7.25 7.45 8.25 8.45	2.11 2.14 2.14 2.18 2.27 2.31 2.34	6.00 6.75 6.75 7.40 7.60 8.40 8.60	2.51 2.54 2.54 2.58 2.67 2.71 2.74	6.60 7.35 7.35 8.00 8.20 9.00 9.20	5.31 5.34 5.34 5.38 5.47 5.51	9.60 10.35 10.35 11.00 11.20 12.00 12.20

GOTHIC and PEAK HEAD WINDOWS.



For prices see page 41.

QUEEN ANNE SASH.



For prices see page 38.

LIST PRICES OF CUT UP OR FANCY TOP WINDOWS AND SASH

To arrive at list prices for Cut Up or Fancy Top Windows or Sash add to the list price of one-light Sash or 2-light Window, as the case may be, for designs shown on pages 30, 31, 32 and 34 as follows:

Design No.	13/8 Open	13/8 Glazed
17	\$ 9.10	\$10.35
18	14.20	16.30
20	1.80	2.55
21		8.00
.2	3.70	4.15
23		3.50
24		5.55
25		7.70
26		2.75
27		32.60
28		5.35
29		8.50
30		8.40
60		2.55
	0.05	4.80
		18.20
62		
63		11.65
64		1.90
65		8.00
<u> </u>		8.75
37 		10.35
68	14.20	16.30

For 1¾-inch thick Windows or Sash of the above designs add to the 1¾ full Open list 40% of the extra provided for 1¾ Open Windows or Sash of similar design.


For other Fancy or Cut Up Sash see Rule 4.

List prices on the above designs are based on the exact number of lights shown in cuts, and price will vary in proportion as there may be more or less number of lights in the article made owing to size or otherwise.

For Windows or Sash glazed with white chipped, Florentine or similar glass of equal value add to glazed list for each square foot of glass measure, list 40c.

TRANSOMS.

Segment, Circle and Gothic Top.



In ordering above specify width and height. For prices see page 42

CIRCLE and SEGMENT TOP WINDOWS




Fig. 1.
Circle inside and outside.
Radius, one-half width of sash




Fig. 2.
Circle outside, square inside.
Radius, one-half width of sash.
(Less width of one stile.)





Fig. 3.
Segment inside and outside.
Radius, width of sash



Segment outside, square inside.
Radius, width of sash.
(Less width of one stile.)

For segment, circle or gothic windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

For prices, Figures 1, 2, 3 and 4 see page 41.

SEGMENT, CIRCLE or GOTHIC HEAD SASH.

As shown on pages 36-40.

SEGMENT HEADS

	13/8 thick	13/8 thick	134 thick	134 thick
For List Price	up to 3 feet	up to 5 feet	up to 3 feet	up to 5 feet
Design No. 3 add	\$1.50	\$3.20	\$1.90	\$3.75
Design No. 4 add	1.50	3.20	1.90	3.75
Circle Head In and Out For List Price				
Design No. 1 add	4.80	8.00	5.75	9.00
Circle Head Outside, Square Inside For List Price				
Design No. 2 add	5.50	12.00	6.50	13.50
Gothic Head In and Out For List Price	4.80	8.00	5.75	9.00
Design No. 50 add	4.00	0.00	5.75	3.00
Peak Head In and Out For List Price				
Design No. 52 add	2.25	4.50	2.75	5.25
For List Extra	7 90	12.00	9.25	13.50
Design No. 51 add to list	7.80	12.00	9.43	13.50
Design No. 53 add to list		6.30 10c.	5.00	7.50

NOTE "A"—For Segment, Gothic, Circle or Peak Head Sash over 5 feet in width add for each additional 6 inches or fraction thereof to price of 5-foot width, 15%.

FULL CIRCLE SASH

- NOTE "A"—For list price on Sash full circle in and out add double the list provided by rule for circle head in and out, Design No. 1.
- NOTE "B"—For list price on Sash full circle outside, square inside, add double the list provided by rule for circle head outside, square inside, Design No. 2.

KITE SHAPED ELLIPTICAL OR EYEBROW SASH

For list price add to the Open list of a full circle sash of similar size 30%.

LIST PRICE on SEGMENT, CIRCLE or GOTHIC HEAD TRANSOMS

as shown on page 39.

For list price on Design No.	1% thick np to 3 ft. wide	1% thick up to 5 ft. wide	1¾ thick up to 3 ft. wide	1¾ thick up to 5 ft. wide
69-70 add	\$1.50	\$ 3,20	\$ 1.90	\$ 3.75
71-74 add	4.80	8.00	5.75	9.00
72 add	6.80	10.00	8.00	11.50
73 add	8.60	12.80	10.65	15.00
75 add	7.80	12.00	9.25	13.50

To arrive at glazed list for any of the above designs figure a Sash glazed 1 light of the size required for square head Sash of the extreme width and height given and add for each square or diamond cut light if glazed, list 5c.

For each light cut odd shape if glazed, add list 10c.


Quarter Circle Sash or Windows

(a)—For list on open or glazed quarter circle inside and outside not over 2 foot wide base, add for\$, -	1 ³ ⁄ ₄ \$3.75
(b)—For list on open or glazed quarter circle inside and outside over 2 feet and not over 4-foot wide base, add for	6.00	7.50
(c)—For list on open or glazed quarter circle outside and square inside, not over 2-foot wide base, add for	4.00	5.25
(d)—For list on open or glazed quarter circle outside and square inside, over 2 feet and not over 4-foot wide base, add for	8.00	10.00

Diamond Shape Sash

For list on open or glazed Sash, diamond shape, add to open or glazed list double the list given for Peak Head Sash.

GABLE FRAMES and SASH.




Sash Design	Outside Measure of Sash	Thick- ness	List Price Open	List Price Glazed	Frame Design	List Price Frame for 2x4 Studs
80	ft.in. ft.in. 2-0 x 2-5	in. 1 3/8	\$ cts. 1.00	\$ cts. 2.50	80B	\$ cts.
81	2-0 x 2-0	13/8	11.75	13.20	81B	8.00
82	2-0 x 2-5	1 3/8	3.00	4.60	82B	10.00
83	2-0 x 2-3	13/8	8.75	10.85	83B	10.50
84	2-0 x 2-0	1 3/8	20.00	22.65	84 B	10.50
85	1-8 x 2-8	1 3/8	14.50	16.20	85B	12.00
86	2-6 x 1-6	1 3/8	12.00	14.05	86B	10.00
87	1-8 x 2-8	1 3/8	23.00	25.90	87B	12.00

Frames are made for sash square inside. Price given for Frames is subject to sash discount.

CIRCLE-FACE WINDOWS

When ordering, give radius measured to outside of top sash, and say whether frames are made with square jambs like No. 90, or radiating jambs like No. 91.





A full size paper pattern of sill will prevent errors.

If made like No. 91, give distance measured straight across between jambs from outside edges of the top sash.

For prices on Bent Windows see Rule 16, page 48.

15c list

15c list

10% list

5% list

10% list

11/2%

SASH EXTRAS.

- NOTE "A"—Unless otherwise specified, when a net extra or a list extra is provided, it will apply to either Open or Glazed list, and when a percentage of the list is provided, it applies to Open list only, and is to be applied before Glazing list is added.
- NOTE "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "oddwork" discount, except when ordered in stock quantities of a size and kind

LARGER SIZES

- RULE 1.—(a) For list on open windows wider than listed sizes, add to the open list for similar window of widest listed size of same height, for each additional 2 inches or part thereof......
 - (b) For list on open windows longer than listed sizes, add to the open list for similar window of longest listed size of same width for each additional 4 inches or part thereof.......

WIDE STILES, RAILS OR BARS

- RULE 2.—For list on open windows, or sash, with stiles, rails or bars wider than regular stock sizes, add as follows:
 - (a) For stiles and top rails wider than 2 inches to glass rabbet, for each additional 1/4 inch or part thereof, add of the open list to open or glazed list.
 - (b) For bottom rails wider than 3 inches to glass rabbet, for each additional ½ inch or part thereof, add of open list to open or glazed list
 - (c) For check rails thicker than 1% inch and not over 1% inches finished sizes, add of open list to open or glazed list.....
 - (d) For bars or muntins wider than stock add of the open list for each additional 1/4 inch or part thereof on each bar or muntin to the open or glazed list......
 - (For example, a 6-light sash when made 3-light wide would be figured as containing 3 bars or muntins.)

NOTE—For rabbeting rails, see Rule 20.

O. G. LUGS

RULE 3.—For list on 1%-inch open or glazed windows with O.
G. lugs add to open on glazed list for each sash with lugs...

30c list

DIVIDED SASH

RULE 4.—For list on open or glazed windows or sash divided into small lights, and not specifically listed, add to the list for similar two-light window	inch	1¾ inch
or one-light sash for each light as follows:	list	list
(a) For rectangular or margin lights add	\$0.12	\$0.16
(b) For lights not rectangular, but formed by straight bars on all sides (diamond lights), (except suspended lights, see Note "C")	.30	.40
(c) For suspended diamond lights (similar to long and square lights in sash Nos. 17, 18, page 30.	.50	.65
(d) For lights not rectangular but formed by curved bars	2.00	2.50
(e) For suspended circle lights similar to Fig. 21 in 13/6-inch open Sash add \$5.00 list for the 1-light and 12c list for each additional light as shown in cut.		
(f) For suspended circle lights similar to Fig. 21 in 1½/4 open Sash add \$6.00 list for the 1-light and 16c list for each additional light as shown in cut.		
(g) For suspended circle lights similar to Fig. 21 if glazed with putty add to the glazed list 10c list extra for each of the 5 center lights and 5c list extra for each of the square lights.		
COTTAGE STYLE WINDOWS		
RULE 5.—For cottage style windows (with top and bottom light of different heights) not listed, add together one-half of the lists of windows of the same width containing the same or next larger glass size, for the bottom and top, respectively, and add	31	0c list
	31	oc nst
HALF WINDOWS		
RULE 6.—For half windows (either top or bottom sash) add to half of the list of such window	30	Oc list
1½ INCH THICK		
RULE 7.—(a) For list on 1½-inch sash, not listed, and for two and four light plain rail windows, use 1½-inch list, open or glazed, and deduct from		
the open list		10%
(b) For list on 1½-inch check rail windows, open or glazed, deduct from 1½ open list		5%
(c) For 1¾ single sash not listed add to list of 1¼ listed open sash		20%
13/8 INCHES PLAIN RAIL WINDOWS		

13/8 INCHES PLAIN RAIL WINDOWS

RULE 8.—For 1%-inch plain rail windows use 1%-inch check rail list, open or glazed.

SOUTHERN UNIVERSAL CATALOG		X &
1¾ INCHES THICK		
RULE 9.—(a) For 1¾-inch windows or sash, open or glazed, add of the 1¾-inch open list to the 1½-inch open or glazed list, unless otherwise provided for	40 % lis	st
(b) For all extras for 1¾-inch windows or sash, unless otherwise provided for, add to extras for 1¾-inch sash	40 % lis	st
2¼ INCHES THICK		
RULE 10.—For 2 or 2½-inch windows or sash, open or glazed, add of the 1¾-inch open list to the 1¾-inch open or glazed list	100% lis	st
SINGLE SASH		
RULE 11.—(a) To make open Sash list on 13% 1-light Transom, Cellar or other single sash not otherwise pro- vided for in this list figure the united inches, width and length, added of the entire glass measurement not over 100 united inches at		
per inch	2½	
(b) No sash to be figured as less than	\$1.00 lis	t
CASEMENT SASH		
RULE 12.—For casement sash, figure each sash as per Rule 11. If rabbeted, see Rule 20, page 49.		
STORE SASH		
RULE 13.—(a) Store sash with stiles and top rail 3 inches to glass line, and bottom rail 4 inches to glass line, 13% inches thick, per lineal foot around the opening, list.	13/8 13/25c 35	
(b) Bars for 1%-inch sash not over 1 inch between	200 33	C
glass, per lineal foot, list	15c 20	С
(c) For wider stiles, rails, etc., see Rule 2, page 45.		
(d) For glass beads or stops, see Rule 15, page 47.		
(e) For panels under store sash, see Rule 14.		

PANELS FOR STORE FRONTS

- RULE 14.—(a) Panels for store front, solid stuck, 13/8 inches thick, per square foot, 60c list, subject to Door Discount.
 - (b) Panels for store front, solid stuck, $1\frac{3}{4}$ inches thick, per square foot, 85c list, subject to Door Discount.

STOPS AND BEADS

RULE 15.—For stock size and pattern stops or beads around square glass in Sash or Windows not over 13/4 inches thick, add for beads around each light:

 (a) 24 united inches or less (b) 25 to 60 united inches (c) 61 to 90 united inches (d) For over 90 united inches add ½c per inch list. (e) For rabbeting sash to receive stops add per sash list 5c. The minimum charge for stops or rabbeting will be net 15c. (f) For stops or glass bead for diamond, also sprung stops for segment or circle lights add 	20c list 30c list 40c list
BENT SASH	
RULE 16.—(a) For open square head 1-light bent sash, either 13% or 13% inches thick, not over 2 feet wide, add to the open list of a regular sash of same size	\$10.00 list \$2.50 list
bent bar.	
(d) For bent open windows double the list for a similar bent sash.	
(e) For bent sash thicker than 1¾ inches add to the above extras for each ½ inch or fraction thereof	25%
OIL FINISH	
RULE 17.—For windows or sash selected for oil finish, add of the open list to open or glazed list	10%
GLAZING	
RULE 18.—(a) For glazing with AA glass, add of the 1%-inch glazed list	331/3%
sash was glazed with but one full light of glass and add for extra cost of glazing with putty each square or diamond light per light (c) For each light cut odd shape, if glazed, add extra (d) For windows or sash glazed with white chip, Florentine, or similar glass of equal value, add to D. S. glazed list for each square foot of glass measure	5c list 10c list 40c list
STORM SASH	

RULE 19.—(a) 11/s-inch storm sash, with regular 21/4-inch wide stiles over all, take the same list as given for a 12/s-inch check rail window with an equal number of lights of the same size.

(b) For 1% -inch storm sash add of the 1% -inch open storm sash list to the open or glazed list	20%
RABBETING	
RULE 20.—(a) For rabbeting outside edge of rails, or stiles of windows or sash, add to the list for each	
edge rabbeted (except as below)	15c list
(b) For rabbeting standard size check rails of windows, per window	25c list
(c) For rabbeting in pairs center stiles of casement or cupboard sash, per pair	30c list
(d) For rabbeting sash for plate or other thick glass, add for each sash so rabbeted	5c list
NOTE—The minimum charge under Rule 20 for any one order will be	15c net
WATER DRIPS	
RULE 21.—Grooving bottom rail and furnishing stock pattern water drip for same, loose:	
(a) 3 feet and under in length, add	75c list
(b) Over 3 feet, up to 5 feet, add	\$1.25 list



200

OFFICIAL PRICE LIST OF

FOUR PANEL O G DOORS No. 200

AND

SIX CROSS PANEL DOORS O. G. No. 2001/2



200 1/2

200				200%
Size of Door	Thick- ness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
ft. in. ft. in. 2- O x 6- O	in. 3/4	\$ cts. 4.65	\$ cts. 4.20	\$ cts. 3.50
2-4×6-4	8/4	5.05	4.60	
2-0 x 6-6	3/4	5.05	4.60	
2- 6 x 6- 6	8/4	5.35	4.85	3.90
2-8x6-8	3/4	5.45	5.00	4.15
2- 0 x 6- 0	11/8	5.15	4.65	3.85
2-2 x 6-0	11/8	5.90	5.35	
2- 6 x 6- 0	11/8	5.90	5.35	
2-8 x 6-0	11/8	6.05	5.50	
3- 0 x 6- 0	11/8	7.15	6.45	
2-4 x 6-4	1 1/8	5.55	5.05	
2- 0 x 6- 6	1 1/8	5.60	5.10	
2-2 x 6-6	1 1/8	5.90	5.35	
2-4 x 6-6	1 1/8	5.90	5.35	
2- 6 x 6- 6	1 1/8	5.90	5.35	4.30
2- 0 x 6- 8	1 1/8	6.00	5.45	
2-4 x 6-8	11/8	6.00	5.45	
2- 6 x 6- 8	1 1/8	6.00	5.45	
2-8 x 6-8	1 1/8	6.05	5.50	4.60
2-10 x 6-10	1 1/8	7.65	6.90	5.35
2- 6 x 7- 0	1 1/8	7.60	6.85	
3- 0 x 7- 0	1 1/8	8.15	7.30	5.70
2- 0 x 6- 0	1 3%	5.70	5.15	4.20
2-4 x 6-0	1 3/8	6.50	5.90	
2- 6 x 6- 0	1 3/8	6.50	5.90	
2-8 x 6-0	1 3/8	6.70	6.05	
3- 0 x 6- 0	1 3/8	7.90	7.15	
2-4×6-4	1 3/8	6.10	5.55	
2- 6 x 6- 4	1 3/8	6.50	5.90	
2-8 x 6-4	1 3/8	6.70	6.05	
3- 0 x 6- 4	1 3/8	8.50	7.70	
2- 0 x 6- 6	1 3/8	6.15	5.60	
2-2 x 6-6	1 3/8	6.30	5.70	
2-4 x 6-6	1 3/8	6.30	5.70	
2-6 x 6-6	1 3/8	6.50	5.90	4.75
2-8 x 6-6	1 3/8	6.70	6.05	
2-10 x 6- 6	1 3/8	8.00	7.25	
3-0 x 6- 6	1 3/8	8.50	7.70	
2-0 x 6-8	1 3/8	6.25	5.65	
2-2 x 6-8	1 3/8	6.40	5.80	
2-4 x 6-8	1 3/8	6.40	5.80	
2- 6 x 6- 8	1 3/8	6.65	6.00	

Continued on next page.



200

OFFICIAL PRICE LIST OF

FOUR PANEL O. G. DOORS No. 200

AND

SIX CROSS PANEL DOORS O. G. No. 2001/2 Continued.



200%

Size of Door	Thickness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
ft. in. ft. in.	in.	\$ cts.	\$ cts.	\$ cts.
2-8x6-8	1 3/8	6.70	6.05	5.05
2-10 x 6- 8	1 3/8	8.00	7.25	
3- 0 x 6- 8	1 3/8	8.50	7.70	****
2- 0 x 6-10	1 3/8	7.40	6.70	
2- 2 x 6-10	1 3/8	7.60	6.85	
2- 4 x 6-10	1 3/8	7.60	6.85	
2- 6 x 6-10	1 3/8	7.65	6.90	
2- 8 x 6-10	1 3/8	7.65	6.90	
2-10 x 6-10	1 3/8	8.00	7.25	5.90
3- 0 x 6-10	1 3/8	8.50	7.70	
2- 0 x 7- 0	1 3/8	7.55	6.85	
2-2 x 7-0	1 3/8	7.65	6.90	
2- 4 x 7- 0	1 3/8	7.65	6.90	
2- 6 x 7- 0	1 3/8	7.70	6.95	
2-8 x 7- 0	1 3/8	7.90	7.15	
2-10 x 7- 0	1 3/8	8.15	7.35	
3- 0 x 7- 0	1 3/8	8.50	7.70	6.30
3- 6 x 7- 0	1 3/8	10.65	9.65	
4-0x7-0	1 3/8	12.75	11.55	
2- 6 x 7- 6	1 3/8	9.45	8.55	
2-8x7-6	1 3/8	9.90	8.95	
2-10 x 7- 6	1 3/8	10.40	9.40	
3-0x7-6	1 3/8	10.85	9.80	
3- 6 x 7- 6	1 3/8	13.60	12.25	
$\frac{3-6x7-6}{4-0x7-6}$	1 3/8	16.30	14.70	
$\frac{4-0x7-6}{2-6x8-0}$	1 3/8	10.80	9.75	
	1 3/8	11.25	10.15	
2-8 x 8-0		12.30		
3- 0 x 8- 0	1 3/8	15.40	11.10	
3- 6 x 8- 0	1 3/8		13.90	
4-0 x 8-0	1 3/8	18.45	16.65	
2- 6 x 6- 6	1 3/4	9.60	8.65	
2-8 x 6-8	1 3/4	9.90	8.95	
2-10 x 6-10	1 3/4	11.85	10.70	
2- 6 x 7- 0	1 3/4	11.40	10.30	
2-8 x 7-0	1 34	11.70	10.55	
2-10 x 7- 0	1 3/4	12.10	10.90	
3- 0 x 7- 0	1 3/4	12.60	11.40	
3- 6 x 7- 0	1 3/4	15.75	14.25	
4- 0 x 7- 0	1 3/4	18.90	17.10	

Continued on next page

For irregular or intermediate sizes, see Note B, page 97. For larger than listed sizes, see Rule 1, page 97. For Extras, see pages 97 to 100.



OFFICIAL PRICE LIST OF

FOUR PANEL O. G. DOORS No. 200

AND

SIX CROSS PANEL DOORS O. G. No. 2001/2



200

Continued.

 $\mathbf{200}\,\%$

Size of Door	Thickness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
ft. in. ft- in. 2- 6 x 7- 6	in. 1 ³ / ₄	\$ cts. 14.05	\$ cts. 12.70	\$ ets.
2-8 x 7-6	1 3/4	14.70	13.25	
2-10 x 7- 6	1 3/4	15.45	13.95	
3- 0 x 7- 6	1 3/4	16.15	14.55	
3- 6 x 7- 6	1 3/4	20.20	18.20	
4- 0 x 7- 6	1 3/4	24.25	21.85	
2- 6 x 8- 0	1 3/4	16.05	14.50	
2- 8 x 8- 0	1 3/4	16.75	15.10	
3- 0 x 8- 0	1 3/4	18.30	16.50	
3- 6 x 8- 0	1 3/4	22.90	20.65	
4- 0 x 8- 0	1 3/4	27.45	24.75	
3- 0 x 8- 6	1 3/4	21.50	19.40	
3- 6 x 8- 6	1 3/4	26.90	24.25	
4- 0 x 8- 6	1 3/4	32.25	29.10	
3- 0 x 9- 0	1 3/4	23.70	21.35	
3- 6 x 9- 0	1 3/4	29.65	26.70	
4- 0 x 9- 0	1 3/4	35.55	32.05	

For irregular or intermediate sizes, see Note "B," page 97.

For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

WHY USE AN OLD STYLE DOOR

WHEN YOU CAN GET
OUR BEAUTIFUL
DICTATOR DOOR
FOR ABOUT THE
SAME PRICE? SEE
PAGE 58

FIVE PANEL O G DOORS





Size of Door	List ¾-in. No. 1 Quality	List ¾-in. No. 2 Quality	List 1 ½-in. No. 1 Quality	List 1 ½-in. No. 2 Quality
ft. in. ft. in. 2- 0 x 6- 0	\$ cts. 4.95	\$ cts. 4.50	\$ cts. 5.45	\$ cts. 4.95
2- 0 x 6- 6	5.35	4.90	5.90	5.40
2- 6 x 6- 6		5.15	6.20	5.65
2-070-0				
	List 1 %-in. No. 1 Quality	List 1 \(^3\)\%-in. No. 2 Quality		List 1¾-in. No. 2 Quality
0 0 - 6 0	\$ cts.	\$ cts.	\$ cts.	\$ cts.
$\frac{2-0 \times 6-0}{2-4 \times 6-0}$	6.00	5.45		
	6.80	6.20		
	6.80	6.20		
2- 8 x 6- 0 3- 0 x 6- 0	7.00	6.35		
	8.20	7.45		
2- 0 x 6- 4	6.70	6.10		
2-4 x 6-4	6.70	6.10		
2- 0 x 6- 6	6.70	6.10		
2-2 x 6-6	6.70	6.10		
2- 4 x 6- 6	6.70	6.10		
2- 6 x 6- 6	6.80	6.20	9.90	8.95
2- 8 x 6- 6	7.00	6.35		
2-10 x 6- 6	8.30	7.55		
2- 0 x 6- 8	6.85	6.25		
2- 2 x 6- 8	6.85	6.25		
2- 4 x 6- 8	6.85	6.25		
2- 6 x 6- 8	6.95	6.30		
2-8 x 6-8	7.00	6.35	10.20	9.25
2-10 x 6- 8	8.30	7.55		
3- 0 x 6- 8	8.80	8.00		
2- 0 x 6-10	7.90	7.15		
2- 4 x 6-10	7.90	7.15		
2- 6 x 6-10	7.95	7.20		
2- 8 x 6-10	7.95	7.20		
2-10 x 6-10	8.30	7.55	12.15	11.00
2- 0 x 7- 0	7.95	7.20		
2- 2 x 7- 0	7.95	7.20		
2- 4 x 7- 0	7.95	7.20		
2- 6 x 7- 0	8.00	7.25	11.70	10.60
2-8 x 7-0	8.20	7.45	12.00	10.85
2-10 x 7- 0	8.45	7.65	12.40	11.20
3- 0 x 7- 0	8.80	8.00	12.90	11.70
3- 6 x 7- 0	11.00	10.00	16.15	14.65
4- 0 x 7- 0	13.20	12.00	19.35	17.55
2- 6 x 7- 6	9.75	8.85	14.35	13.00
2- 8 x 7- 6	10.20	9.25	15.00	13.55
2-10 x 7- 6	10.70	9.70	15.75	14.25
3- 0 x 7- 6	11.15	10.10	16.45	14.85
3- 6 x 7- 6	13.95	12.65	20.60	18.60
4- 0 x 7- 6	16.75	15.15	24.70	22.30
2- 6 x 8- 0	11.10	10.05	16.35	14.80
2-8 x 8-0	11.55	10.45	17.05	15.40
3- 0 x 8- 0	12.60	11.40	18.60	16.80
3- 6 x 8- 0	15.75	14.25	23.25	21.00
4-0 x 8-0	18.90	17.10	27.90	25.20

For irregular or intermediate sizes, see Note B, page 97. For larger than listed sizes, see Rule 1, page 97. For Extras, see pages 97 to 100. Five-panel 1½-inch doors, when ordered in stock quantities, use list for 1½-inch four-panel door same size and add 30c. For same in less than stock quantities, use 1½-inch five-panel list for same size.



FIVE CROSS PANEL O G DOORS

No. 2021/2

Size of Door	List ¾-in. No. 1 Quality	List ¾-in. No. 2 Quality	List 1 1/8-in. No. 1 Quality	List 1 ½-in. No. 2 Quality
ft. in. ft. in.	\$ cts.	\$ cts.	\$ cts.	\$ cts.
2-0x6-0 2-0x6-6	4.95	4.50	5.45	4.95 5.40
2-010-0	0.00	4.90	5.90	5.40
	List 1 %-in. No. 1 Quality	List 1 %-in. No. 2 Quality	List 1 ¾-in. No. 1 Quality	List 1 ¾-in. No. 2 Quality
ft. in. ft. in. 2- 0 x 6- 0	\$ cts. 6.00	\$ cts. 5.45	\$ cts.	\$ cts.
2- 2 x 6- 0	6.80	6.20		
2- 4 x 6- 0	6.80	6.20		
2- 6 x 6- 0	6.80	6.20		
2- 8 x 6- 0	7.00	6.35		
2-10 x 6- 0	8.20	7.45		
3- 0 x 6- 0	8.20	7.45		
2- 0 x 6- 4	6.70	6.10		
2-2 x 6-4	6.70	6.10		
2- 4 x 6- 4	6.70	6.10		
2- 6 x 6- 4	6.80	6.20		
2-8 x 6-4	7.00	6.35		
3- 0 x 6- 4	8.80	8.00		
$\frac{2-0 \times 6-6}{2-2 \times 6-6}$	6.70	6.10		
$\frac{2-2 \times 6-6}{2-4 \times 6-6}$	6.70	6.10		
$\frac{2-4 \times 6-6}{2-6 \times 6-6}$	6.80	6.20	9.90	8.95
2- 8 x 6- 6	7.00	6.35		
2-10 x 6- 6	8.30	7.55		
$\frac{2-10 \times 0^{-1}}{3-0 \times 6-6}$	8.80	8.00		
2- 0 x 6- 8	6.85	6.25		
2- 2 x 6- 8	6.85	6.25		
2- 4 x 6- 8	6.85	6.25		
2- 6 x 6- 8	6.95	6.30	10.15	
2-8 x 6-8	7.00	6,35	10.20	9.25
2-10 x 6- 8	8.30	7.55		
3- 0 x 6- 8	8.80	8.00		
4-0x6-8	13.20		19.35	
4- 6 x 6- 8	15.40		22.60	
5- 0 x 6- 8	17.60		25.80	
2- 0 x 6-10	7.90	7.15		
2- 2 x 6-10	7.90	7.15		
2- 4 x 6-10	7.90	7.15		
2- 6 x 6-10	7.95	7.20		
2- 8 x 6-10	7.95	7.20		
2-10 x 6-10	8.30	7.55	12.15	11.00
2- 0 x 7- 0	7.95	7.20		
2-2 x 7- 0	7.95	7.20		
2- 4 x 7- 0	7.95	7.20 7.25	11.70	10.60
$\frac{2-6 \times 7-0}{2-8 \times 7-0}$	8.00	7.25	12.00	10.85
2- 8 x 7- 0	8.20	1.40	12.00	10.00

(Continued on next page)

FIVE CROSS PANEL O G DOORS

No. 2021/2

(Continued)



Size of Door	List 1%-in. No. 1 Quality	List 1 %-in. No. 2 Quality	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality
ft. in. ft. in. 2-10 x 7- 0	\$ cts. 8.45	\$ cts. 7.65	\$ cts. 12.40	\$ cts. 11.20
3- 0 x 7- 0	8.80	8.00	12.90	11.70
3- 6 x 7- 0	11.00	10.00	16.05	14.65
4- 0 x 7- 0	13.20		19.35	
5- 0 x 7- 0	17.60		25.80	
2- 0 x 7- 6	9.75	8.85		
2- 4 x 7- 6	9.75	8.85		
2- 6 x 7- 6	9.75	8.85	14.35	13.00
2-8 x 7-6	10.20	9.25	15.00	13.55
2-10 x 7- 6	10.70	9.70	15.75	14.25
3- 0 x 7- 6	11.15	10.10	16.45	14.85
3- 6 x 7- 6	13.95	12.65	20.60	18.60
4- 0 x 7- 6	16.75	15.15	24.70	22.35
5- 0 x 7- 6	22.30		32.90	
2- 6 x 8- 0	11.10	10.05	16.35	14.80
2- 8 x 8- 0	11.55	10.45	17.05	15.40
3- 0 x 8- 0	12.60	11.40	18.60	16.80
3- 6 x 8- 0	15.75	14.25	23.25	21.00
4- 0 x 8- 0	18.90	17.10	27.90	25.20
5- 0 x 8- 0	25.20	22.80	37.20	33.60

For irregular or intermediate sizes, see Note B, page 97.

For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

Five-cross panel $1\frac{1}{8}$ -inch doors, when ordered in stock quantities, use list for $1\frac{1}{8}$ -inch four-panel door same size and add 60c. For same in less than stock quantities, use $1\frac{3}{8}$ -inch five-cross panel list for same size.

For $201\frac{1}{2}$ O G Door, three cross and two upright panels, use five cross panel O G list for same size.

THOSE FAMOUS DICTATOR DOORS

ARE ON PAGE 58



FIVE CROSS PANEL DOORS. B. & C.

No. 2023/4 Raised Panels Both Sides

Size of Door	List 1%-in. No. 1 Quality	List 1%-in. No. 2 Quality	List 134-in. No. 1 Quality	List 1¾-in. No. 2 Quality
ft. in. ft. in.	\$ cts.	\$ cts.	\$ cts.	S cts.
2- 0 x 6- 0	6.20	5.65		
2- 4 x 6- 0	7.00	6.40		
2- 6 x 6- 0	7.00	6.40		
2- 4 x 6- 4	6.90	6.30		
2- 0 x 6- 6	6.90	6.30		
2-2 x 6-6	6.90	6.30		
2-4×6-6	6.90	6.30		
2- 6 x 6- 6	7.00	6.40	10.10	9.15
2-8 x 6-6	7.20	6.55		.,
2- 0 x 6- 8	7.05	6.45		
2-2 x 6-8	7.05	6.45		
2-4 x 6-8	7.05	6.45		
2- 6 x 6- 8	7.15	6.50		
2-8 x 6-8	7.20	6.55	10.40	9.45
3-0 x 6-8	9.00	8.20		
2- 0 x 6-10	8.10	7.35		
2- 2 x 6-10	8.10	7.35		
2- 4 x 6-10	8.10	7.35		
2- 6 x 6-10	8.15	7.40		
2- 8 x 6-10	8.15	7.40		
2-10 x 6-10	8.50	7.75	12.35	11.20
2- 0 x 7- 0 °	8.15	7.40		
2-2 x 7-0	8.15	7.40		
2-4 x 7- 0	8.15	7.40		
2- 6 x 7- 0	8.20	7.45	11.90	10.80
2-8 x 7-0	8.40	7.65	12.20	11.05
2-10 x 7- 0	8.65	7.85	12.60	11.40
3- 0 x 7- 0	9.00	8.20	13.10	11.90
2-6 x 7-6	9.95	9.05	14.55	13.20
2-8 x 7-6	10.40	9.45	15.20	13.75
2-10 x 7- 6	10.90	9.90	15.95	14.45
3- 0 x 7- 6	11.35	10.30	16.65	15.05
2- 6 x 8- 0	11.30	10.25	16.55	15.00
2-8 x 8-0	11.75	10.65	17.25	15.60
3- 0 x 8- 0	-12.80	11.60	18.80	17.00

For irregular or intermediate sizes, see Note "B" page 97.

For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

For five cross panel 1½-inch doors when ordered in stock quantities, use list for 1½-inch four-panel door, same size, and add 80c. For same in less than stock quantities, use 1¾-inch five cross panel list for same size. For No. 201½ bead and cove door, three cross and two upright panels, use five cross panel bead and cove list for same size.



IMPERATOR DOOR.

Our Imperator doors are made with three-ply laminated Birch panels and SELECTED YELLOW PINE stiles and rails. This door is suitable for Oil, Stain or White Enamel finish. These doors are the same as those now being used in so many of the best homes. The cost is but little more than for an ordinary door. See page 59 for list prices.



DICTATOR DOOR.

Our Dictator doors are made with three-ply laminated Yellow Pine panels and take a beautiful oil or stain finish. The stiles and rails are solid, selected Yellow Pine. The present tendency of modern home-building is to use better and more handsome doors. This door meets that demand. The extra cost is but little. For list prices, see page 59.

LIST PRICES OF


IMPERATOR and DICTATOR DOORS

	13% inches	13/4 inches
Size of Door.	thick.	thick.
2-0 x 6-0	 \$ 6.20	
2-0 x 6-6	 6.90	
2-4 x 6-6	 6.90	
2-6 x 6-6	 7.00	\$10.10
2-0 x 6-8	 7.05	
2-4 x 6-8	 	
2-6 x 6-8	 	
2-8 x 6-8		10.40
2- 0 x 6-10		
2-8 x 6-10	 	
2-10 x 6-10	 	12.35
2- 0 x 7- 0	 	•
2-4 x 7-0		11.00
2- 6 x 7- 0 2- 8 x 7- 0		11.90 12.20
2-10 x 7- 0		12.20
$3-0 \times 7-0$		13.10
2- 6 x 7- 6		14.45
2- 8 x 7- 6		15.20
2-10 x 7- 6		15.95
3-0 x 7-6		16.65
2-6 x 8-0		16.55
2-8 x 8-0		17.25
3-0 x 8-0	 12.80	18.80

The above list prices are subject to SPECIAL DISCOUNT which will be quoted on application. When shipping in less than carload quantities, a charge of 15 cents per bundle will be made for bundling. All less than carload quotations are F. O. B. cars our city.

LATTICE DOOR

Our lattice doors are made from dry Yellow Pine suitable for paint.



"No. S773.

	PRICE LIST.		
Size of Door.	TRICE BIST.	13% in. 1	
2 0 6 0		\$ 9.90	\$12.90
2-8 X 0-8		10.60	14.40
Z-10 X 0-10 .		11.25	15.00
2-8 x /- 0 ·		11.75	15.65
3- U X /- U .		12.90	17.65
3- U x /- 0 .		14 40	19.75
$3-0 \times 8-0$.		1615	22.25
3-0 x 8-6.		1	

The above prices are F. O. B. cars our city and are SUBJECT TO THE "A" PANEL DOOR DISCOUNT.



O. G. CUPBOARD DOORS

34 and 11/8 Inches Thick.

Size of Door	No. of Panels	List 1½ in. No. 1 Quality	List 1½ in. No. 2 Quality	List 3 in. No. 1 Quality	List 3 in. No. 2 Quality
ft. in. ft. in.	1	\$ cts.	\$ cts.	\$ cts.	\$ cts.
1-6 x 2-6	1 or 2	1.85	1.75	1.50	1.40
2- 8	1 or 2	1.95	1.85	1.55	1.50
2-10	1 or 2	2.05	1.95	1.65	1.55
1-8 x 2-6	1 or 2	2.00	1.90	1.60	1.50
2- 8	1 or 2	2.10	2.00	1.70	1.60
2-10	1 or 2	2.20	2.10	1.75	1.65
1-10 x 2- 6	2	2.10	2.00	1.70	1.60
2- 8	2	2.20	2.10	1.75	1.65
2-10	2	2.30	2.20	1.85	1.75
2-0 x 2-6	2	2.25	2.15	1.80	1.70
2- 8	2	2.35	2.20	1.90	1.80
2-10	2	2.45	2.30	1.95	1.85
3- 0	2	2.60	2.45	2.10	2.00
1-6 x 4-0	2 or 4	2.95	2.80	2.35	2.25
4- 6	2 or 4	3.20	3.05	2.55	2.45
5- 0	2 or 4	3.50	3.30	2.80	2.65
1-8 x 4-0	2 or 4	3.15	3.00	2.50	2.35
4- 6	2 or 4	3.45	3.30	2.75	2.65
5- 0	2 or 4	3.75	3.60	3.00	2.85
1-10 x 4- 6	2 or 4	3.65	3.45	2.90	2.75
5- 0	2 or 4	4.00	3.80	3.20	3.05
5- 6	2 or 4	4.30	4.10	3.45	3.30
2-0 x 4-6	2 or 4	3.90	3.70	3.10	2.95
5- 0	2 or 4	4.25	4.05	3.40	3.25
5- 6	2 or 4	4.35	4.15	3.50	3.30

For cupboard doors with cross panels, add 15c list.

For rabetting single pair, add 15c net; for two pair or more, add 10c net, per pair.

For 1% inch cupboard doors, add to 1½ inch list 15%.

, For bead and cove, add 10c list.

For cupboard doors with a greater number of panels than provided for in above list for such size, add 10c list for each extra panel.


Minimum charge, 50c net.

For irregular or intermediate sizes, see Note "B," page 97.

For Extras, see pages 97 to 100.

OG SASH DOORS.

Raised Panels, two sides.



LISTED SIZES OF

TWO and FOUR LIGHT O G SASH DOORS.

1% Inches Thick.

Size of Door	List Open No. 210 or No. 211	No. 210 List Glazed	No. 211 List Glazed
ft. in. ft. in. 2- 6 x 6- 0	\$ cts. 6.70	\$ cts. 8.65	\$ ets. 8.85
2-8 x 6-0	6.90	9.15	9.65
2- 6 x 6- 6	6.70	8.65	8.85
2-8 x 6-8	6.90	9.15	9.65
2-10 x 6-10	8.20	10.70	11.10
2- 6 x 7- 0	7.90	10.00	10.50
2-8 x 7-0	8.10	10.55	11.40
3- 0 x 7- 0	8.70	11.65	12.45
3- 0 x 7- 6	11.05	14.50	17.70
3- 0 x 8- 0	12.50	16.60	20.60

For 1¾-inch Sash Doors, add 50% of the 1¾-inch four-panel list, same size. This list does not include Stops; for prices on Stops see Rule 8, page 99.


For irregular or intermediate sizes, see Note "B," page 97.

For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

OG SASH DOORS.

Raised Panels, two sides.



LISTED SIZES OF

ONE LIGHT O G SASH DOORS.

1% Inches Thick.

Size of Door	No. 212 List Open	No. 212 List Glazed	No. 212½ List Open	No. 2121/2 List Glazed
ft. in. ft. in. 2- 6 x 6- 0	\$ cts. 6.45	\$ ets. 9.75	\$ cts.	\$ ots.
2-8 x 6-0	6.65	10.75	13	
2- 6 x 6- 6	6.45	9.75	6.75	9.70
2-8 x 6-8	6.65	10.75	6.95	10.25
2-10 x 6-10	7.95	12.60	8.25	12.35
2- 6 x 7- 0	7.65	12.30	7.95	11.25
2-8 x 7-0	7.85	12.50	8.15	12.25
2-10 x 7- 0			8.75	13.40
3- 0 x 7- 0	8.45	14.55	8.75	13.40
3-0 x 7-6	10.80	18.00	11.10	17.20
3- 0 x 8- 0	12.25	20.20	12.55	19.75

For $1\frac{3}{4}$ -inch Sash Doors, add 50% of the $1\frac{3}{8}$ -inch four-panel list, same size. For irregular or intermediate sizes, see Note "B," page 97.

This list does not include Stops; for prices on Stops see Rule 8, page 99.

For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

O G SASH DOORS.

Raised Panels, two sides.



214

LISTED SIZES OF


ONE LIGHT O G SASH DOOR.

1% Inches Thick.

Size of Door	No. 214 List Open	No. 214 List Glazed
2- 6 x 6- 6	7.05	D. S. 9.25
2-8 x 6-8	7.25	9.95
2-10 x 6-10	8.55	11.85
2- 6 x 7- 0	8.25	11.20
2-8 x 7-0	8.45	11.45
2-10 x 7- 0	9.05	13.15
3- 0 x 7- 0	9.05	13.15
3- 0 x 7- 6	11.40	16.05
3- 0 x 8- 0	12.85	18.95

For 13/4 inch Sash Doors add 50% of the 13/8 inch 4 panel list, same size. This list does not include Stops; for prices on Stops, see Rule 8, page 99. For irregular or intermediate sizes, see Note "B," page 97.

For larger than listed sizes, see Rule 1, page 97. For Extras, see pages 97 to 100.



No. S772


In most modern homes, French Doors like the above are used leading to the verandas or between the main rooms. Owing to their size, they are of great assistance in keeping the home cool and well ventilated. Stiles 3 in. wide to glass. Bottom rail 11 in. wide to glass.

LIST PRICES.

Size	Thickness	Open	Gla. Plain	Extra for Bead Stops
4- 0 x 6- 8	13/8"	\$13.65	\$22.25	\$5.00
6-10	. 66	13.85	22.60	5.00
7- 0	66	14.05	22.90	5.00
4-6 x 6-8	66	14.20	23.00	5.00
6-10	1 "	14.40	24.70	5.00
7- 0	66	14.60	24.90	5.00
5-0 x 7-0	66	14.75	26.50	5.00
7- 6	66	15.35	27.20	5.00

For French Doors 1% inches thick, add 50 per cent of the open list to the open or glazed list, as required. Regular door extras will apply to the above. Wide stiles or rails take an extra price. The above prices are f. o. b. cars our city and are subject to the "A" Door Discount.

MIRROR DOOR



No. S773.

No modern home is complete without mirror doors, to all closets in the principal bedrooms, as they afford that full length view so highly desired by the ladies when dressing. The mirror in this door is first quality and has a $1\frac{1}{2}$ inch bevel.

PRICE LIST.

	PRICE LIST.	
2-0 x 6-0	13/8	\$44.
2- 0 x 6- 6	$1\frac{3}{8}$	49.
2-6 x 6-6	13/8	
2- 0 x 6- 8	13/8	
2-6 x 6-8	13/8	
2- 0 x 6-10 2- 6 x 6-10	13/ ₈	
2- 0 x 0-10 2- 0 x 7- 0	$1\frac{1}{8}$	
2- 6 x 7- 0	13/8	
2- 8 x 7- 0	13/8	
2- 0 X /- 0	178	, , ,

The above prices are F. O. B. cars our city and are SUBJECT TO DISCOUNT.

FRONT DOORS.



VIRGINIA

Made only in "A" quality Yellow Pine.

Stiles $6\frac{1}{2}$ in. wide, bottom rail 18 in. wide over all. A strong, substantial, modern door. Glass bedded in putty and held in with bead stops.

Size	Thickness	Glass Size	Price Glazed Bev. Plate as Shown	Price Gla. Plain D. S. Glass	Extra for 1 34 in.
2-8 x 6-8	13/8	20x56	\$36.00	\$17.20	Thick \$3.35
2-10 x 6-10 3- 0 x 7- 0	13/8 13/8		40.00	18.40 21.00	4.00 4.25
3- 0 x 7- 6 3- 6 x 7- 0	13/8 13/8	24x66	50.00	25.00	5.30
3-6 x 7-6	13/8		54.40 61.60	28.00 33.40	5.30 6.65

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 69.

NO EXTRA CHARGE FOR CRATING IF TWO OR MORE OF A SIZE ARE ORDERED AT ONE TIME.

FRONT DOORS.



CAROLINA

Made only in "A" quality Yellow Pine.
Stiles 6½ in. wide, bottom rail 18 in. wide over all. Plenty of room for heavy hardware and trimmings. A strong, massive, modern door. Glass bedded in putty and held in with bead stops.

Size	Thickness	Glass Size	Price Glazed Bev. Plate as Shown	Price Gla. Plain D. S. Glass	Extra for 1¾ in. Thick
2- 8 x 6- 8 2-10 x 6-10	$\frac{13}{8}$ $\frac{13}{8}$		\$37.00 41.00	\$18.20 19.40	\$3.35 4.00
3- 0 x 7- 0 3- 0 x 7- 6	13/8		45.00 51.00	22.00 26.00	4.25 5.30
3-6 x 7-0 3-6 x 7-6	13/8 13/8		55.40 62.60	29.00 34.40	5.30 6.65

ABOVE PRICES SUBJECT TO DISCOUNT. For side lights to match, see page 69.

NO EXTRA CHARGE FOR CRATING IF TWO OR MORE OF A SIZE ARE ORDERED AT ONE TIME.

SIDE LIGHTS.



VIRGINIA.



CAROLINA.

Made only in "A" quality Yellow Pine to match doors of the same name.

For prices see page 70.

PRICE LIST.

		Virginia		Carolina		
Size		Gla. Bev. Plate as Shown	Gla. D. S. Glass	Gla. Bev. Plate as Shown	Gla. D. S. Glass	Extra for 1¾ in. Thick
1-2 x 6-8	13/8	\$17.20	\$ 8.80	\$18.00	\$ 9.60	\$1.45
1-2 x 6-10	13/8	18.20	9.20	19.00	10.00	1.60
1- 4 x 6-10	13/8	20.20	10.40	21.00	11.20	1.85
1- 6 x 6-10	13/8	25.80	11.40	26.60	12.60	2.10
1-8 x 6-10	13/8	28.00	13.00	28.80	13.80	2.30
1-10 x 6-10	13/8	30.00	14.00	30.80	14.80	2.55
2- 0 x 6-10	13/8	34.00	16.40	34.80	17.20	2.80
1-2 x 7-0	13/8	18.80	9.60	19.60	10.40	1.65
1- 4 x 7- 0	13/8	20.80	10.80	21.60	11.60	1.90
1-6 x 7-0	13/8	26.60	11.60	27.40	13.40	2.15
1-8 x 7-0	13/8	29.00	13.20	29.80	14.00	2.35
1-10 x 7- 0	13/8	31.00	14.40	31.80	15.20	2.60
2-0 x 7-0	13/8	35.00	16.80	35.80	17.60	2.85
1-2 x 7-6	13/8	21.00	11.00	21.80	11.80	1.80
1-4 x 7-6	13/8	25.00	12.00	25.80	13.80	2.05
1-6 x 7-6	13/8	29.00	13.80	29.80	14.60	2.35
1-8 x 7-6	13/8	33.00	15.00	33.80	15.80	2.60
1-10 x 7- 6	13/8	38.00	17.00	38.80	17.80	2.90
2-0 x 7-6	13/8	41.00	20.00	41.80	20.80	3.05

Above prices are for single side lights and are SUBJECT TO DISCOUNT

NO EXTRA CHARGE FOR CRATING IF TWO OR MORE OF A SIZE ARE ORDERED AT ONE TIME.



GEORGIA.

Made only in "A" quality Yellow Pine.

Stiles 6½ in. wide, bottom rail 18 in. wide over all. A neat, strong door with the new oval glass. Glass bedded in putty and held in with glass beads.

grass beads.			Price Glazed	Price	for
Size	Thickness	Glass Size	Bev. Plate as Shown	Gla. Plain D. S. Glass	1¾ in. Thick
2-8 x 6-8	13/8	16x52	\$36.00	\$21.00	\$3.35
2-10 x 6-10	13/8	18x54	40.00	24.40	4.00
$3-0 \times 7-0$	13/8	$20x56 \dots$	44.00	26.40	4.25
$3-0 \times 7-6$	13/8		., 52.00	30.00	5.30
3-6 x 7-0	13/8		57.00	33.00	5.30
3-6 x 7-6	$1\frac{3}{8}$	26x62	64.00	40.00	6.65

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 73.

NO EXTRA CHARGE FOR CRATING IF TWO OR MORE OF A SIZE ARE ORDERED AT ONE TIME.



FLORIDA.

Made only in "A" quality Yellow Pine.

Stiles $6\frac{1}{2}$ in. wide, bottom rail 18 in. wide over all. This is our most artistic design and is as strong and durable as any other design made by us. Glass bedded in putty and held in with bead stops.

Size	Thickness	Glass Size	Price Glazed Bev. Plate as Shown	Price Gla. Plain D. S. Glass	Extra for 1¾ in, Thick
2- 8 x 6- 8 2-10 x 6-10	13/8 13/8		\$45.00	\$30.00 33.40	\$3.35 4.00
3- 0 x 7- 0 3- 0 x 7- 6	13/8 13/8	20x56	53.00	35.40 39.00	4.25 5.30
3- 6 x 7- 0 3- 6 x 7- 6	13/8 13/8 13/8	26x56	66.00	42.00 49.00	5.30 6.65
5- 0 x 7- 0	178	20X02		75.00	0.05


ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 73.

SIDE LIGHTS.



GEORGIA.



FLORIDA.

Made only in "A" quality Yellow Pine to match doors of the same name.

For prices see page 74.

PRICE LIST.

		Georgia		Flor	——Florida——		
Size ,	· · ·	Gla. Bev. Plate as Shown	Gla. Plain D. S. Glass	Gla. Bev. Plate as Shown	Gla. Plain D. S Glass	Extra for 1¾ in. Thick	
1-2 x 6-8.	13/8	\$22.00	\$15.00	\$31.00	\$24.00	\$1.45	
1- 2 x 6-10	13/8	23.00	15.40	32.00	24.40	1.60	
1- 4 x 6-10	13/8	25.00	16.80	34.00	25.80	1.85	
1-6 x 6-10	13/8	27.40	17.40	36.60	26.40	2.10	
1-8 x 6-10	13/8	29.00	18.00	38.00	27.00	2.30	
1-10 x 6-10	13/8	34.00	19.00	43.00	28.00	2.55	
2- 0 x 6-10	13/8	37.00	20.00	46.00	29.00	2.80	
1-2 x 7-0	13/8	23.40	16.00	32.40	25.00	1.65	
1-4 x 7-0	13/8	25.60	17.40	34.60	26.40	1.90	
1-6 x 7-0	13/8	28.00	18.60	37.00	27.60	2.15	
1-8 x 7-0	13/8	30.00	19.00	39.00	28.00	2.35	
1-10 x 7- 0	13/8	35.00	20.00	44.00	29.00	2.60	
2- 0 x 7- 0	13/8	39.00	21.00	48.00	30.00	2.85	
1-2 x 7-6	13/8	30.00	18.00	39.00	27.00	1.80	
1-4 x 7-6	13/8	32 00	20.00	41.00	29.00	2.05	
1-6 x 7-6	13/8	36.00	21.00	45.00	30.00	2.35	
1-8 x 7-6	13/8	39.00	23.00	48.00	32.00	2.60	
1-10 x 7- 6	13/8	43.00	25.00	52.00	34.00	2.90	
2- 0 x 7- 6	13/8	48.00	26.00	57.00	35.00	3.05	

Above prices are for single side lights and are SUBJECT TO DISCOUNT.



ALABAMA.


Made in "A" and "B" quality Yellow Pine.

Stiles $5\frac{1}{2}$ in. wide over all. This is a very popular and inexpensive door with a large glass. Glass bedded in putty and held in with bead stops.

Size		Glass Size	Price (Bev. Pla A Grade	Glazed te Glass B Grade	Price Glas D. S. Glass A Grade		Extra for 1¾ in. Thick
2-8 x 6-8	13/8	22x42	\$30.00	\$28.80	\$13.40	\$12.20	\$3.35
2-10 x 6-10	13/8	24x44	34.00	32.40	15.20	13.60	4.00
$3 - 0 \times 7 - 0$	$1\frac{3}{8}$	26x46	38.00	36.00	18.20	16.20	4.25
3-0 x 7-6	13/8	26x52	45.00	43.00	22.00	20.00	5.30
3-6 x 7-0	13/8	32x46	48.00	46.00	23.00	21.00	5.30
3-6 x 7-6	$1\frac{3}{8}$	32x52	56.00	54.00	30.00	28.00	5.65

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 77.



MISSISSIPPI.

Made in "A" and "B" quality Yellow Pine. Stiles 5½ in. wide over all. A first-class door at a reasonable price. Glass bedded in putty and held in with bead stops.

Size		Glass Size		Glazed e as Shown B Grade	Price Gla D. S. A Grade		Extra for 1¾ in. Thick
2-8 x 6-8	13/8	22x42	\$32.00	\$30.80	\$15.40	\$14.20	\$3.35
2-10 x 6-10	13/8	24×44	36.00	34.40	17.20	15.60	4.00
3-0 x 7-0	13/8	26x46	40.00	38.00	20.20	18.20	4.25
3-0 x 7-6	13/8	26x52	47.00	45.00	24.00	22.00	5.30
3-6 x 7-0	13/8	32x46	50.00	48.00	25.00	23.00	5.30
3-6 x 7-6	13/8	32x52	58.00	56.00	32.00	30.00	5.65


ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 77.

SIDE LIGHTS.



ALABAMA.



MISSISSIPPI.


Made only in "A" quality to match door of the same name.

For prices see page 78.

PRICE LIST.

		——A1a	.bama——	Miss	Mississippi	
Size		Gla. Bev. Plate Glass	Gla. Plain D. S. as Shown	Gla. Bev. Plate Glass	Gla. Plain D. S. Glass as Shown	Extra for 1¾ in. Thick
1-2 x 6-8	13/8	\$14.20	\$ 7.40	\$15.40	\$ 8.60	\$1.45
1-2 x 6-10	13/8	15.20	8.00	16.40	9.20	1.60
1-4 x 6-10	13/8	16.60	8.80	17.80	10.00	1.85
1- 6 x 6-10	13/8	18.80	9.60	20.00	10.80	2.10
1-8 x 6-10	13/8	22.00	11.00	23.20	12.20	2.30
1-10 x 6-10	13/8	25.00	13.00	26.20	14.20	2.55
2- 0 x 6-10	13/8	29.00	14.00	30.20	15.20	2.80
1-2 x 7-0	13/8	15.80	8.20	17.00	9.40	1.65
1-4 x 7-0	13/8	17.20	9.00	18.40	10.20	1.90
1-6 x 7-0	13/8	19.40	10.00	20.60	11.20	2.15
1-8 x 7-0	13/8	24.00	12.00	25.20	13.20	2.35
1-10 x 7- 0	13/8	27.00	13.20	28.20	14.40	2.60
2- 0 x 7- 0	13/8	30.00	14.40	31.20	15.60	2.85
1-2 x 7-6	13/8	17.00	9.00	18.20	10.20	1.80
1- 4 x 7- 6	$1\frac{3}{8}$	20.00	10.00	21.20	11.20	2.05
1-6 x 7-6	13/8	24.00	11.00	25.20	12.20	2.35
1-8 x 7-6	13/8	27.00	13.00	28.20	14.20	2.60
1-10 x 7- 6	13/8	30.00	14.00	31.20	15.20	2.90
2- 0 x 7- 6	13/8	34.00	17.00	35.20	18.20	3.05

Above prices are for single side lights and are SUBJECT TO DISCOUNT.



MARYLAND.

Made only in "A" quality Yellow Pine.

Stiles 6½ in, wide over all. This is one of the best of the new designs of divided light doors. This design may also be used for interior either singly or in pairs. Glass bedded in putty and held in with bead stops

stops.				D ! 01-		Extra
Size		Glass Size		Price Gla. Bevel Plate as Shown	Price Gla. S. S. Glass	for 1¾ in. Thick
2-8 x 6-8	13/8	93/4×13½		\$42.00	\$21.00	\$3.35
2-10 x 6-10	13/8	103/4×14		48.00	24.00	4.00
3-0 x 7-0	13/8	$11\frac{3}{4} \times 14\frac{1}{2}$		52.00	26.00	4.25
3-0 x 7-6	13/8	113/4×16		56.00	28.00	5.30
3-6 x 7-0	13/8	143/4×141/2		62.00	30.00	5.30
3-6 x 7-6	13/8	143/4×16		68.00	33.00	5.65
	I D O TTD	DDIGEG	STID IN C	m mo pro	COTTATOS	

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 81.



KENTUCKY.

Made in "A" and "B" quality Yellow Pine.

Stiles 5 in. wide, square sticking and flat panels. This is the approved Bungalow design. Glass bedded in putty and held in with bead stops

stops.					Extra
	Price Gla	zed Bev.	Price (Glazed	for
	Plate as	Shown	S. S. (Glass	1% in.
Size	A Grade	B Grade	A Grade	B Grade	Thick
2-8 x 6-8—13/8	 . \$26.00	\$24.80	\$17.00	\$15.80	\$ 3.35
2-10 x 6-10—13/8	 30.00	28.20	19.00	17.40	4.00
3- 0 x 7- 0—13/8	 32.00	30.00	20.00	18.00	4.25
$3-0 \times 7-6 - 13/8$	 34.50	32.50	22.50	20.50	5.30
3- 6 x 7- 0—13/8	 37.00	35.00	23.00	21.00	5.30
3- 6 x 7- 6—13/8	 40.20	38.20	26.20	24.20	5.65

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 81.

SIDE LIGHTS.



MARYLAND.



KENTUCKY.

Made only in "A" quality Yellow Pine to match doors of the same name.

For prices see page 82.

PRICE LIST.

	Mar	yland——	Ken	tucky	Extra
P	la. Bev. late as Shown	Gla. S. S. Glass	Gla. Bev. Plate as Shown	Gla. S. S. Glass	for 1¾ in. Thick
1- 2 x 6- 8—13/8	\$21.00	\$11.60	\$18.20	\$11.60	\$ 1.45
1- 2 x 6-10—13/8	22.80	12.20	18.60	12.00	1.60
1- 4 x 6-10—13/8	24.60	12.80	19.00	12.20	1.85
1- 6 x 6-10—13/8	25.00	13.40	20.40	13.20	2.10
1- 8 x 6-10—13/8	27.00	14.00	21.00	14.00	2.30
1-10 x 6-10—13/8	30.00	15.00	22.00	15.00	2.55
2- 0 x 6-10—13/8	32.00	16.00	24.00	16.00	2.80
1- 2 x 7- 0—13/8	23.80	12.60	19.00	12.40	1.65
1- 4 x 7- 0—13/8	25.60	13.20	19.40	12.80	1.90
1- 6 x 7- 0—13/8	26.00	14.00	20.80	13.60	2.15
1- 8 x 7- 0—13/8	29.00	15.00	21.40	14.40	2.35
1-10 x 7- 0—13/8	33.00	16.00	22.40	15.40	2.60
2- 0 x 7- 0—13/8	36.00	17.00	24.40	16.40	2.85
1- 2 x 7- 6—13/8	25.00	14.00	19.60	13.00	1.80
1- 4 x 7- 6—13/8	27.00	14.80	20.00	13.40	2.05
1- 6 x 7- 6—13/8	30.00	16.00	21.40	14.00	2.35
1- 8 x 7- 6—13/8	32.00	17.00	22.00	15.00	2.60
1-10 x 7- 6—13/8	35.00	18.00	24.00	16.00	2.90
2- 0 x 7- 6—13/8	38.00	20.00	25.00	17.00	3.05

Above prices are for side lights and are SUBJECT TO DISCOUNT.



LOUISIANA.


Made in "A" and "B" quality Yellow Pine. Stiles 5½ in. wide over all. This is a neat inexpensive design made to match the stock five cross panel interior doors. Can be used for interior as well as exterior. Glass bedded in putty and held in with

bead stops.					Extra
	Price Gla		Price Glaz		for
	Glass Plate		D. S. Glass		1 ¾ in.
Size	Size A Grade	B Grade	A Grade	B Grade	Thick
2-8 x 6-8—13/8	22 x 36 \$26.00	\$24.80	\$13.00	\$11.80	\$ 3.35
2-10 x 6-10—13/8	24 x 38 30.00	28.40	15.40	13.80	4.00
$3-0 \times 7-0-13/8$	$26 \times 40 34.00$	32.00	17.00	15.00	4.25
$3-0 \times 7-6-13/8$	26 x 46 44.00	42.00	24.00	22.00	5.30
$3-6 \times 7-0 - 13/8$	$32 \times 40 45.00$	43.00	24.00	22.00	5.30
$3-6 \times 7-6-13/8$	32 x 46 52.00	50.00	28.00	26.00	5.65

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 85.

NO EXTRA CHARGE FOR CRATING IF FOUR OR MORE OF A
SIZE ARE ORDERED AT ONE TIME.



ARKANSAS.


Made in "A" and "B" quality Yellow Pine. Stiles 5½ in. over all. A neat, up-to-date design that will match cross panel interior doors. Glass bedded in putty and held in with

bead stops.					Extra
* * * * * * * * * * * * * * * * * * * *	Price Gla		Price Gla		for
	Glass : Plate	Glass	D. S. as	Shown -	1% in.
Size	Size A Grade	B Grade	A Grade	B Grade	Thick
2-8 x 6-8-13/8	22 x 36 \$28.00	\$26.80	\$15.00	\$13.80	\$ 3.35
$2-10 \times 6-10 - 13/8$	24 x 38 32.00	30.40	17.40	15.80	4.00
$3-0 \times 7-0 - 13/8$	26 x 40 36.00	34.00	19.00	17.00	4.25
$3-0 \times 7-6-13/8$	26 x 46 46.00	44.00	26.00	24.00	5.30
$3-6 \times 7-0 - 13/8$	32 x 40 47.00	45.00	26.00	24.00	5.30
$3-6 \times 7-6-13$	32 x 46 54.00	52.00	30.00	28.00	5.65

ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 85.

SIDE LIGHTS.



LOUISIANA.



ARKANSAS.

Made only in "A" quality to match door of same name.

For prices see page 86.

. PRICE LIST.

		*	
	— Louisiana—	— Arkansas—	
Size	Gla. Plain D. S. Glass as Shown	Gla. Plain D. S. Glass as Shown	Extra for 1¾ in. Thick
1- 2 x 6- 8—13/8	\$ 6.40	\$ 7.60	\$ 1.45
1- 2 x 6-10—13/8	7.00	8.20	1.60
1- 4 x 6-10—13/8	7.80	9.00	1.85
1- 6 x 6-10—13/8	8.60	9.80	2.10
1-8 x 6-10—13/8	10.00	10.80	2.30
1-10 x 6-10—13/8	11.00	11.80	2.55
2- 0 x 6-10—13/8	13.00	13.80	2.80
1- 2 x 7- 0—13/8	7.20	8.40	1.65
1- 4 x 7- 0—13/8	8.00	9.20	1.90
1- 6 x 7- 0-13/8	8.80	10.00	2.15
1-8 x 7-0—13/8	11.00	11.80	2.35
1-10 x 7- 0—13/8	12.00	12.80	2.60
2- 0 x 7- 0—13/8		14.20	2.85
1- 2 x 7- 6—13/8	8.00	8.80	1.80
1- 4 x 7- 6—13/8	9.40	10.20	2.05
1- 6 x 7- 6—13/8	11.00	11.80	2.35
1-8 x 7-6—13/8	12.40	13.20	2.60
1-10 x 7- 6—13/8	14.00	14.80	2.90
2- 0 x 7- 6—13/8	15.20	16.00	3.05

Above prices are for single side lights and are SUBJECT TO DISCOUNT.



TEXAS.


Made in "A" and "B" quality Yellow Pine.

Stiles 5½ in, over all. This neat door may also be used as an interior door to match the regular stock six cross panel door. Glass

bedded in putty	and held	l with bead	stops.		Extra for
			Price Glazed F		1¾ in.
Size		Size	A Grade	B Grade	Thick
2-8 x 6-8	13/8	22x28	\$10.00	\$ 8.80	\$3.35
2-10 x 6-10	13/8	24x30	12.00	10.40	4.00
$3-0 \times 7-0$	13/8		13.40	11.40	4.25
$3-0 \times 7-6$	$1\frac{3}{8}$		20.00	18.00	5.30
3-6 x 7-0	13/8		20.00	18.00	5.30
3-6 x 7-6	13/8	$32x38 \dots$	25.00	23.00	5.65

Above lights 26x32 and smaller are S. S. Glass. Larger sizes are D. S. Glass. ABOVE PRICES SUBJECT TO DISCOUNT.

For side lights to match, see page 89.



TENNESSEE.

Made in "A" and "B" quality Yellow Pine.

Stiles $5\frac{1}{2}$ in, over all. This has proven to be one of the best and most popular designs made. Glass bedded in putty and held in with bead stops.

Size Size A Grade B Grade Th	in.
	nick
2-8 x 6-8 13/8 22x28\$11.20 \$10.00 \$	3.35
$2-10 \times 6-10$ $1\frac{3}{8}$ 24×30	4.00
$3-0 \times 7-0$ $1\frac{1}{8}$ $26\times 32 \dots 14.60$ 12.60	4.25
$3-0 \times 7-6 \qquad 1\frac{1}{8} \qquad 26\times38 \ldots 21.20 \qquad 19.20$	5.30
3- 6 x 7- 0 $1\frac{3}{8}$ 32x32 21.20 19.20	5.30
$3-6 \times 7-6$ $1\frac{3}{8}$ 32×38	5.65

Above lights 26x32 and smaller are S. S. glass. Larger sizes are D. S. glass. ABOVE PRICES ARE SUBJECT TO DISCOUNT.

For side lights to match, see page 89.

SIDE LIGHTS.



TEXAS.



TENNESSEE.

Made in "A" quality to match doors of the same name.

For prices see page 90.

PRICE LIST.

		——Texas——	— Tennessee—	
Size		Gla. Plain S. S. Glass as Shown	Gla. Plain S. S. Glass as Shown	Extra for 1¾ in. Thick
1-2 x 6-8	13/8	\$ 5.20	\$ 6.00	\$1.45
1- 2 x 6-10	13/8	5.80	6.60	1.60
1- 4 x 6-10	13/8	6.60	7.40	1.85
1- 6 x 6-10	13/8	7.40	8.20	2.10
1-8 x 6-10	13/8	8.80	9.60	2.30
1-10 x 6-10	13/8	9.80	10.60	2.55
2- 0 x 6-10	13/8	10.80	11.60	2.80
1-2 x 7-0	13/8	6.20	7.00	1.65
1-4 x 7-0	13/8	6.80	7.60	1.90
1-6 x 7-0	13/8	7.60	8.80	2.15
1-8 x 7-0	13/8	8.80	9.60	2.35
1-10 x 7- 0	13/8	9.80	10.60	2.60
2-0 x 7-0	13/8	11.20	12.00	2.85
1-2 x 7-6	13/8	7.00	7.80	1.80
1-4 x 7-6	13/8	8.40	9.20	2.05
1-6 x 7-6	13/8	10.00	10.80	2.35
1-8 x 7-6	13/8	11.40	12.20	2.60
1-10 x 7- 6	13/8	13.00	13.80	2.90
2-0 x 7-6	13/8	14.20	15.00	3.05

Above prices are for single side lights and are SUBJECT TO DISCOUNT.




SOCHEAP.

Made in "A" and "B" quality Yellow Pine.

Stiles $5\frac{1}{2}$ in. over all. This is our bargain door. It is strong and substantial. Well made in every respect. Glass held in place with bead stops. Bedded in putty at 5c extra net.

					xtra for
		Glass	Price Glazed P.	lain S. S. Glass	1¾ in.
Size		Size	A Grade	B Grade	Thick
2-8 x 6-8	13/8	22x22	\$ 9.40	\$ 8.20	\$3.35
2-10 x 6-10	13/8	24x24	11.60	10.00	4.00
$3-0 \times 7-0$	13/8	26x26	13.00	11.00	4.25

ABOVE PRICES SUBJECT TO DISCOUNT.



HUSKY.

Made in "A" and "B" quality Yellow Pine.

Stiles $5\frac{1}{2}$ in, wide over all. A mighty good door for cheap cottages or rear entrances. Glass set in with points and putty.

					xtra for
•		Glass	Price Glazed I	Plain S. S. Glass	1% in.
Size		Size	A Grade	B Grade	Thick
2-8 x 6-8	13/8	103/4×133/4	\$ 9.80	\$ 8.60	\$3.35
2-10 x 6-10	13/8	113/4×143/4	11.60	10.00	4.00
3-0 x 7-0	13/8	12¾x15¾	12.80	10.80	4.25

ABOVE PRICES SUBJECT TO DISCOUNT.

STORE DOORS.



No. S774.


The above design is most modern and up to date, and is especially good for any modern Store Front. Furnished in "A" quality Yellow Pine. Price is per pair and includes astragal.


Tine. Tiree to per pair and mornage	40
LIST PR	ICES. Extra for
1% in.	
Opening Size Gla. D. S	. Glass Gla. Bev. Plate Thick
4- 0 x 7- 0 \$3	32.00 \$ 60.00 \$ 7.20
4- 0 x 7- 6 3	
4- 0 x 8- 0 4	12.00 76.00 9.20
5- 0 x 7- 0 3	33.00 68.50 7.20
5- 0 x 7- 6 3	38.00 79.50 7.95
5- 0 x 8- 0 4	15.00 88.00 9.20
6- 0 x 7- 6 4	12.00 91.00 8.60
6- 0 x 8- 0 4	16.00 101.00 9.90
6- 0 x 8- 6	58.00 111.00 10.80
	53.00 119.00 12.10

The above prices are F. O. B. cars our city and are SUBJECT TO DISCOUNT.

SINGLE STORE DOORS

DOUBLE STORE DOORS





LISTED SIZES OF STORE DOORS, O G PANELS

No. 775

Nos. 780 and 780 1/2

Size of Door	1 3/8-in. Open	1 ³ / ₈ -in. Glazed D. S.		List 1¾-in. Glazed D. S.		1 %-in. Open	D. S.	1 ¾-in. Open	List 1 ³ ⁄ ₄ -in. Glazed D. S.
ft in. ft.in.	\$ cts.	\$ cts.	\$ cts.	\$ cts.	ft.in. ft.in.	\$ cts.	\$ cts.	\$ cts.	\$ cts.
$3-0 \times 7-0$					$4-0 \times 7-0$				
7-6		15.40				15.75	24.25	23.60	32.20
8-0	9.90	18.05	14.85	23.00	8-0	18.40	28.75	27.60	37.95
8-6	10.80	20.00	16.20	25.40	5-0 x 7-0	14.35	23.75	21.55	30.95
3-4 x 7-0	8.70	16.85	13.05	21.20	7-6	15.75	26.25	23.60	34.20
7-6	9.30	18.50	13.95	23.15	8-0	18.40	30.75	27.60	39.95
8-0	10.50	19.70	15.75	24.95	8-6	20.30	33.90	30.45	44.10
86	11.45	22.10	17.20	27.85	6-0 x 7-6	17.20	30.80	25.80	39.40
					8-0	19.80	36.10	29.70	46.00
					8-6	21.60	40.00	32.40	50.80
• • • • • • • • • • • • • • • • • • • •					9-0	24.25	42.70	36.40	54.80
		1					1		

Panels for store front, solid mould $1\frac{3}{8}$ inch thick, per square foot, 70c list. Panels for store front, solid mould $1\frac{3}{4}$ inch thick, per square foot, \$1.00 list.

For Moulding panels with flush moulding, add for each panel moulded, per side, 60c list.


For moulding panels with raised moulding, add for each panel moulded, per side, \$1.20 list.

For irregular or intermediate sizes, see Note "B," page 97.

For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

STORE DOORS




781

Moulded panel outside, O G finish inside for shutters
List price per pair

		List Price Per Pair, Glazed D. S.			
Size of Opening	Sash Rabbeted on for Shutters	Including Shutters Fitted and Trimmed	Extra for 1 ¾-in. Thick		
ft. in. ft. in. 4-0 x 7-0	\$ cts. 26.75	\$ cts. 35.00	\$ cts. 7.20		
7-6	29.25	38.10	7.95		
8-0	33.75	43.40	9.20		
5-0 x 7-0	28.75	37.00	7.20		
7–6	31.25	40.10	7.95		
8-0	35.75	45.40	9.20		
8–6	38.90	48.90	10.15		
6-0 x 7-6	35.80	46.80	8.60		
8-0	41.10	52.10	9.90		
8-6	45.00	56.00	10.80		
9-0	47.70	58.70	12.10		

All store doors are made without shutters unless otherwise ordered.



			1
Size of Opening	Thickness	List for Each Open	List for Each Glazed
ft. in. ft. in.	in.	\$ cts.	\$ cts.
1-0 x 6-6	1 3/8	2.60	3.60
6- 8	1 3/8	2.65	3.65
6-10	1 3/8	3.00	4.10
7- 0	1 3/8	3.05	4.15
7- 6	1 3/8	3.40	4.75
1-2 x 6- 6	1 3/8	2.80	3.85
6- 8	1 3/8	2.85	3.90
6-10	1 3/8	3.20	4.30
7- 0	1 3/8	3.25	4.35
7- 6	1 3/8	3.60	4.95
8- 0	1 3/8	4.35	5.85
1- 4 x 6-10	1 3/8	3.70	4.95
7- 0	1 3/8	3.75	5.00
7- 6	1 3/8	4.15	5.70
8- 0	1 3/8	5.00	6.75
1- 6 x 6-10	1 3/8	4.15	5.60
7- 0	1 3/8	4.25	5.65
7- 6	1 3/8	4.70	6.45
8 0	1 3/8	5.65	7.60
1- 8 x 6-10	1 3/8	4.65	6.25
7- 0	1 3/8	4.75	6.30
7- 6	1 3/8	5.20	7.20
8- 0	1 3/8	6.30	8.50
1-10 x 6-10	1 3/8	5.05	6.90
7- 0	1 3/8	5.25	6.95
7- 6	1 3/8	5.70	7.95
8- 0	1 3/8	6.95	9.35
2- 0 x 6-10	1 3/8	5.60	7.55
7- 0	1 3/8	5.75	7.60
7- 6	1 3/8	6.30	8.70
8- 0	1 3/8	7.60	10.25
			G1 1 1 1

Above prices are for two or three lights in each side light. State in ordering how many lights are desired. Above list subject to door discount.

For above side lights, 1³/₄ inches thick, add 50% of the open list, either open or glazed. For bead and cove, add 20c list per pair. For moulding panel with flush moulding, add for each side moulded, for each panel, 55c list.

For irregular or intermediate sizes, see Note "B," page 97. For wider than listed sizes, add to list of 1 ft. 2 in. side light of same length, for each additional 2 inches in width, or part thereof, 15% list. For extras, see pages 97 to 100.

DOOR EXTRAS.

- NOTE "A"—When the term "Stock Quantities" is used in these rules it means 10 or more of one size, style and quality.
- NOTE "B"—For irregular or intermediate sizes, in stock quantities, use same list as next larger listed size. For less than stock quantities on sizes not listed, an extra 10% will be charged.

LARGER THAN LISTED.

- - (c) For single doors made to represent a pair, add _____\$2.50 list

THICK DOORS.

- RULE 2.--(a) For 1¾ inch doors, not otherwise provided for, add of the 1¾ inch four panel door list for same size. 50% list
 - (b) For list on 2 or 2¼ inch doors (single or double thick) form list for a similar 1¾ inch door and add... 50% list

 - (d) For list extras on doors thicker than 1¾ inches, where extras are specified as applying to 1¾ inchedoors, add for the different thicknesses same percentage as above.

WIDE STILES, RAILS or MUNTS.

- - (d) Sliding doors having one stile wider than regular, ad l per door 2/2 price in Note "A."

DOOR EXTRAS-Continued.

PANELS.

PANELS.
RULE 4.—(a) Arrangement of panels.
Doors No. 200 and 201, over 3-0 and not wider than 4-0, 3 panels wide. """ 4-0 """ 4-10, 3 or 4 "" """ 4-10, 3 or 4 "" """ 6-0, 4 "5 "" Cross panel doors up to and including 7-4, 5 panels high. """ 7-6 and not higher than 8-6, 6 or 7 panels high. """ 8-8 """ 10-0, 7" 8 """ For a less number of panels (making wider panels), special price will be charged.
ADDITIONAL PANELS.
NOTE "B"—For more panels than provided for in the lists, add for each additional panel
CROSS PANELS.
NOTE "C"—For doors having two or more cross panels not covered or otherwive provided for, add to their respective list for crossing panels 30c list
GRADUATED PANELS.
NOTE "D"—For graduated panels, add for each panel
MOULDED PANELS.
RULE 5.—Doors with moulded panels, add to the list of similar 1 % or 1 %-inch O. G. door as follows: Flush moulded 1 side, per panel Flush moulded 2 side, per panel Raised mould 1 side, per panel 80c list 80c list 81.30 list
DIFFERENT STYLES OF DOORS.
RULE 6.—(a) (One Panel) For one panel doors, special price. (b) (Two Panel) For two panel doors, I wide, 2 high, special price. (c) (Two Panel) For two panel doors, 2 wide, 1 high, use 4 panel list and add (d) (Three Panel) For three panel doors, special price. (e) For four cross panel doors, special price.

DOOR EXTRAS-Continued.

SASH DOORS.

RULE 7.—(a) For sash doors not listed add to the list of a similar panel door of the same size:

panel door of the same size:					
If 1 light No. 4 quality, 20c list—No. 1 and 2 qua	lity 25c list				
If 2 light No. 4 quality, 40c list—No. 1 and 2 qual					
If 4 light No. 4 quality, 40c list—No. 1 and 2 qual					
(b) For sash doors with marginal or divided lights, add	,				
to the list of a similar 1 lt. door for each					
light, the same amount as provided in Rule					
4, sash extras.					
(c) For list on solid mould doors, 3 feet wide or less,					
segment head or segment corner glass, add to					
list for a similar 1-light door with square					
	1.50 list				
(d) For list on solid mould doors, 3 feet wide or less,	1.50 list				
half circle or gothic glass, add to list for a	0.00.15-4				
similar 1-light door with square glass	6 .00 list				
(e) For list on solid mould doors, 3 feet wide or less,					
with gothic 2-light glass, add to list for a	0.00.11				
similar 2-light door with square glass	2.80 list				
(f) For raised mould sash or panel doors, 3 feet wide					
or less, with circle top glass or panels, add					
to proper list for each side moulded	2.50 list				
(g) For doors glazed with enameled, chipped or col-					
ored glass (any color except ruby), add to					
glazed list for each square foot of glass meas-					
ure	40c. per ft.				
If ruby, add	70 c. per ft.				
GLASS BEADS					
Trum O Ti 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
DITT 8 - For heads or stone around aloss in a door with one or					
RULE 8.—For beads or stops around glass in a door with one or					
more square lights, add to the proper list for					
more square lights, add to the proper list for such door for beads around each light of					
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	18c list				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c " 70c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c " 70c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c " 70c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c " 70c "				
more square lights, add to the proper list for such door for beads around each light of 16 united inches or less	25c " 30c " 40c " 45c " 55c " 70c "				

DOOR EXTRAS—Continued.

DUTCH DOORS

DUTCH DOORS	
RULE 10.—For Dutch doors or doors made to cut through lock rail, add to list of a similar door of same size. For same, cut and rabbeted	1.50 list 2.50 "
OIL FINISH AA	
RULE 11.—(a) For AA selected stock doors for oil finish (machine smoothed) add to proper list for No.1 door	80c list
OIL FINISH AAA	
(b) For AAA doors, 3-0 x 9-0 and under, free from sap and knots (machine smoothed), for oil finish, add to proper list for No. 1 door	2.00 list
(c) For AAA doors, 3-0 x 9-0 and under, free from sap and knots (hand smoothed), for oil finish, add to proper list for No. 1 door	3.00 list
BANDING	
RULE 12.—For banding sliding doors, two sides, add to proper	
price for such doors for each lineal foot, measured around the opening of each door.	5c net
RABBETING.	
RULE 13.—For rabbeting and beading folding doors, made extra wide for rabbeting, add to proper price for such door, per pair	50c net
ASTRAGALS.	
RULE 14. (a) For single astragals for folding doors not over eight foot high, add: If doors are 1¾ inch thick or less	30c net 80c net
eight foot high, add: If doors are 1¾ inch thick or less If doors are 2¼ or 2½ inches or less	60c net \$1.25 net
(c) For lengths over eight feet add for each additional 2 feet or part thereof	20%
(d) For astragal joint on stiles, add: If doors are 1¾ inch thick or less	50c net
If doors are 2½ or 2½ inch thick	75c net

SCHEDULE OF PRICES FOR STANDARD **VENEERED DOORS**

Prices are f. o. b. cars our factory for Standard Veneered doors
five or more of a size and kind. No door measured less than $17\frac{1}{2}$ square
feet.
Crating per bundle, extra700
Hand smoothing, extra per square foot 60
BRACKETS.
No. 1-Price basis to include Unsel, Birch, Unsel, Gum, Yellow
Pine, per square foot
No. 2—Poplar or Whitewood, Chestnut, Brown Ash, Plain Red, or White Oak, Sel. Red Gum, Unsel. White Ash, Cypress, White Pine for Paint, per square foot
No. 3—Quartered Sycamore, Butternut, per square foot
No. 4—White Maple, Quartersawed White Oak, or White Pine for
oil finish, Sel. Red Birch, Quartersawed Red Oak, per square foot. 80c
No. 5—Curly Birch or Selected White Ash, Sel. White Birch\$1.10
No. 6—Bird's-Eye Maple, Walnut, Cherry, Mexican or African Ma-
hogany, per square foot
No. 7—Prima Vera, Santa Domingan or Cuban Mahogany, per
square foot
NOTE—These prices are based on ½" flat veneer.
HOLD These prices are based on 78 hat vehicle.
ONE-LIGHT OPEN DOORS.
Twenty-five or more of a size and kind, Unsel. Birch, perimeter foot.60c Plain Oak, perimeter foot
5" Stiles, 16" Bottom Rail, Standard Moulding.
5 Stites, 10 Bottom Ran, Standard Mounding.
DOORS WITH MANY LIGHTS.
To square footage of doors, add 30c per light. For similar doors, two kinds of wood, add \$1.50 per door additional.
DIAMOND LIGHTS.
Diamond Lights, each90c
The above prices are f. o. b. cars our City, and are
SUBJECT TO DISCOUNT.

NET EXTRAS FOR STANDARD VENEERED DOORS

PANEL DOORS.

No. 1—Doors with more than standard number of panels, for all					
brackets, per panel extra30c					
No. 2—For raised panels, 1 or 2 sides, not over ¾" thick—add to net basis price					
No. 3—For raised panels, 1 or 2 sides, not over $1\frac{1}{8}$ " thick—add to net basis price					
No. 4—Heavy raised panels below lock rail in front and vestibule doors, of three panels or less—add to net basis price extra per door					
No. 5—Wide panel doors, one panel wide, one or two panels high, per door extra\$3.00					
No. 6—Wide panel doors, one panel wide, three panels high\$3.00					
No. 7—Same with raised panels, per door extra\$6.00					
No. 8—If veneered with fancy veneers, per door extra\$2.40					
No. 9—For doors with two or more vertical panels, one panel high, add per door extra					
No. 10—5 x panel doors over 7 ft. high, for each additional 6 inches or fraction thereof, add per door extra					
No. 11—4 x panel doors 7 ft. high, per door extra\$1.50					
No. 12—4 x panel doors over 7 ft. high, for additional 6" or fraction thereof, add per door extra					
No. 13—Doors panelled differently on 2 sides, per door extra\$10.50					
No. 14—Wide panel doors with extra frame around panels, or glass, per door extra\$2.40					
No. 15—Circular or oval panels open for glass, per door extra\$7.50					
MOULDINGS.					
No. 16—Rabbeted raised moulding not over 1¼" x 1½" per lineal foot extra					
No. 17—Rabbeted raised moulding, wider and thicker than above. See No. 21.					
No. 18—Pressed Egg and Dart moulding, 3 to 5 panel, for brackets, No. 1, 2, 3 and 4, per side of door extra\$3.00 For brackets No. 5, 6 and 7, per side of door extra\$6.00					
The above prices are f o h cars our City and are					

The above prices are f. o. b. cars our City, and are SUBJECT TO DISCOUNT.

No. 19—Pressed Egg and Dart moulding, single panel—for
brackets No. 1, 2, and 3 and 4, per side of door extra\$2.40 For brackets No. 5, 6 and 7, per side of door extra\$4.20
No. 20—Mouldings blind nailed and glued in, subject to special
rates.
No. 21—All doors with solid stuck moulding shall be same price as flush moulded doors. The extras for raised panels thereon to be the same as for raised panels in flush moulded doors.
No. 22—Standard veneered doors with flush moulding over 1¼" wide. For brackets No. 1, 2, 3 and 4, add for each ½" over 1¼" wide, per side
per side
For bracket No. 7, add for each 1/8" over 11/4" wide, per side48c
NOTE:—Doors with solid sticking one side and planted in moulding on other side, per door extra
ASTRAGALS.
No. 23—Folding door Astragals, of one wood loose. For brackets No. 1, 2, 3 and 4, each
No. 24—Folding Door Astragals if fixed to door—add to above extras, each75c
No. 25—Astragal joints for sliding doors when loose. For brackets No. 1, 2, 3 and 4, per pair
No. 26—Astragal joints for sliding doors stuck on the solid—
per pair
above prices.
STOOLS.
No. 28—Stools without Bead or Dentils— For brackets No. 1, 2, 3 and 4, each
No. 29—Fancy Stools, extra, according to the amount of work.
The above prices are f o b cars our City and are

The above prices are f. o. b. cars our .City, and are SUBJECT TO DISCOUNT.

BANDING.

BANDING.
No. 30—Banding Doors not over 3' 4" wide—
For brackets No. 1, 2, 3 and 4, per door\$4.50
For brackets No. 5 and 6, per door
For bracket No. 7, per door
Doors over 3' 4" wide, extra
THICKNESS.
No. 31—Doors over 13/4" thick, for each additional 1/4" or frac-
tion thereof, per square foot extra4c
No. 32—For doors with veneers 1/4" thick, add to net basis price15%
WIDTH.
No. 33—Doors wider than 3' 4" up to 3' 10" inclusive, per door
extra\$2.40
No. 34—Doors wider than 3' 10" up to 4' 10", per door extra 3.60
No. 35—Doors wider than 4' 10", per door extra 4.50
No. 36—Doors having stiles wider than 5", for each additional inch
or fraction thereof, per door extra
No. 37—Doors having bottom rails wider than 10", for each addi-
tional inch or fraction thereof, per door extra30c
HEIGHT.
No. 38—Doors over 7 ft. high for each additional 6" or fraction
thereof, add per door extra
DUTCH DOORS.
No. 39—Dutch Doors to be figured not less than 35 square feet.
MIRROR DOORS.
No. 40—Mirror Doors, per door extra, 1, 2 or 3 panels\$3.75
5 or 6 panels
W. C. DOORS.
No. 41—W. C. Doors, Plain Oak, ordinary flat panel, not to exceed
$2-0 \times 5-0, \ 1\frac{\pi}{8}$ "
No. 42—W. C. Doors, Plain Oak, not to exceed 2-0 x 5-0, 11/8", one
panel of slats 10.50
No. 43—Same with two panels of slats
No. 44—Same made from Quartered Oak, extra 2.25
NOTE.
No. 45—Circular or segment top doors, per door extra\$7.50
No. 46—Doors of two different woods. Figure average price of the
two woods and add per door extra per square foot4½c
The above prices are f. o. b. cars our City, and are
SUBJECT TO DISCOUNT.

SCHEDULE FOR FLUSH VENEERED DOORS

Prices are f. o. b. our factory, in lots of twelve or more of a size and kind. Crating charged at 80c per crate.

Bracket No. 1.
UNSEL. BIRCH, UNSEL. GUM, YELLOW PINE
Bracket No. 2.
Poplar, Chestnut, Black Ash, Plain Red or White Oak, Unsel. White Ash
Bracket No. 3.
Quartered Red or White Oak, White Maple, Curly Birch, Red or White Birch, Cypress, White Pine, Butternut
Bracket No. 4.
African Mahogany, Mexican Mahogany\$1.50
EXTRAS FOR FLUSH VENEERED DOORS.
For doors less than 17½ square feet and more than 12 square feet, add
For doors less than 12 square feet and more than 8 square feet add15%
Doors over 7 feet high, for each additional 6" or fraction thereof, add per door extra
Cutting square lights with glass beads, one light open 3.30
Cutting oval lights with glass beads, one light open 4.95

Unless otherwise ordered, all flush doors are made with cross banding extending through to edge of doors. Extra thickness, crating, etc., to be as per our price for standard veneered doors.

For concealed cross banding on edge of door, per door extra..... 1.50 Single stripe, three line inlay, like door No. 201, per side...... 3.00 Single stripe, three line inlay with one line inner stripe, per side.... 7.50 Single stripe, three line inlay with one line inner stripe, per side.... 7.50

25% additional for miscellaneous sizes.

Weight, 5 lbs. per square foot.

The above prices are f. o. b. our City, and are SUBJECT TO DISCOUNT.

VENEERED DOOR SQUARE FOOT TABLE


Shows the number of square feet in any door

Width		Height							
	6-6	6-8	6-10	7-0	7-2	7-4	7-6	8-0	
2- 0	171/2	171/2	171/2	$17\frac{1}{2}$	171/2	17 1/2	171/2	171/2	
2- 2	171/2	171/2	171/2	171/2	171/2	171/2	171/2	171/2	
2- 4	171/2	171/2	171/2	171/2	171/2	171/2	171/2	18	
2- 6	171/2	171/2	171/2	171/2	18	181/2	19	20	
2- 8	171/2	18	181/2	19	191/2	191/2	20	211/2	
2-10	181/2	19	191/2	20	201/2	21	211/2	23	
3- 0	$19\frac{7}{1/2}$	20	201/2	21	211/2	22	22 1/2	24	
3- 2	201/2	211/2	22	22 1/2	23	23 1/2	24	251/2	
3- 4	22	22 1/2	23	23 1/2	24	241/2	25	27	
3- 6	23	23 1/2	24	241/2	251/2	26	261/2	28	
3- 8	24	241/2	25	26	261/2	27	271/2	291/2	
3-10	25	251/2	261/2	27	271/2	281/2	29	31	
4-0	26	27	271/2	28	29	291/2	30	32	
4- 2	27	28	281/2	291/2	30	30 1/2	311/2	33½	
4- 4	281/2	29	30	30 1/2	31	32	32 1/2	35	
4- 6	1291/2	30	31	311/2	32 1/2	33	34	36	
4- 8	301/2	31 1/2	32	33	33 1/2	34 1/2	35	371/2	
4-10	311/2	32 1/2	33	34	35	351/2	36 1/2	39	
5- 0	32 1/2	33 ½	341/2	35	36	37	371/2	40	
5- 2	34	34 1/2	351/2	361/2	37	38	39	411/2	
5- 4	35	35 1/2	361/2	371/2	381/2	391/2	40	43	
5- 6	36	37	38	381/2	391/2	40 1/2	411/2	44	
5- 8	37	38	39	40	41	411/2	421/2	451/2	
5-10	38	39	40	41	42	43	44	47	
6- 0	39	40	41	42	43	44	45	48	

No door figured less than 171/2 square feet or side lights less than 13 square feet.

CLOSET DOORS.

Stationary Slats.



Size of Door	184 List 1½-in. No. 1 Quality	185 List 1½-in. No. 1 Quality	186 List 1½-in. No. 1 Quality	187 List 1½-in. No. 1 Quality
ft. in. ft. in. 2- 0 x 4- 0	\$ cts. 5.90	\$ cts. 5.00	\$ cts. 4.80	\$ cts. 5.60
2-0 x 4-6	6.10	5.20	5.00	5.80
2- 0 x 5- 0	6.30	5.40	5.20	6.00
2- 0 x 6- 0	6.75	5.85	5.65	6.45
2- 6 x 6- 6	7.55	6.65	6.45	7.25
2-8 x 6-8	7.75	6.85	6.65	7.45
2-10 x 6-10	8.90	8.00	7.80	8.60
3- 0 x 7- 0	9.45	8.55	8.35	9.15

For 13%-inch closet doors, add to above prices 15% list. For irregular or intermediate sizes, see Note "B," page 97. For larger than listed sizes, see Rule 1, page 97.

For Extras, see pages 97 to 100.

The above doors take the "A" door discounts.

LISTED SIZES OF

OUTSIDE BLINDS FOR TWELVE LIGHT WINDOWS IN PAIRS

Size of Glass	List 11/g-in. R. S. or S. S.	List 1½-in. ½ S. S.	List 13%-in. R. S. or S. S.	List 1%-in. ½ S. S.	Size of Opening
in. in. 8 x 10	\$ ets. 2.92	\$ ets. 3.08	\$ cts. 3.23	\$ cts. 3.39	ft. in. ft. in. 2- 4½ x 3-11
12	3.38	3.56	3.75	3.93	4-7
14	3.84	4.05	4.26	4.47	5- 3
9 x 12	3.48	3.66	3.85	4.03	2- 7½ x 4- 7
13	3.71	3.91	4.11	4.31	4-11
14	3.95	4.16	4.37	4.58	5- 3
15	4.18	4.40	4.63	4.85	5- 7
16	4.42	4.66	4.90	5.14	5-11
10 x 12	3.57	3.75	3.94	4.12	2-10½ x 4- 7
14	4.06	4.27	4.48	4.69	5~ 3
15	4.30	4.52	4.75	4.97	5- 7
16	4.54	4.78	5.02	5.26	5-11
18	5.03	5.29	5.56	5.82	6- 7
20	5.79	6.09	6.37	6.67	7- 3

LISTED SIZES OF

OUTSIDE BLINDS FOR EIGHT LIGHT WINDOWS IN PAIRS

Size of Glass	List 11/8-in. R. S. or S. S.	List 1½-in. ½ S. S.	List 13%-in. R. S. or S. S.	List 13%-in. ½ S. S.	Size of Opening
in. in. 9 x 12	\$ cts. 3.21	\$ cts. 3.39	\$ cts. 3.58	\$ ets. 3.76	ft. in. ft. in. 1-11 x 4- 7
14	3.65	3.86	4.07	4.28	5- 3
16	4.09	4.33	4.57	4.81	5-11
10 x 12	3.27	3.45	3.64	3.82	2 1 x 4- 7
14	3.72	3.93	4.16	4.35	5- 3
16	4.17	4.41	4.65	4.89	5-11
18	4.62	4.88	5.15	5.41	6- 7
20	5.31	5.62	5.89	6.20	7- 3
12 x 14	3.86	4.07	4.28	4.49	2- 5 x 5- 3
16	4.32	4.56	4.80	5.04	5-11
18	4.79	5.05	5.32	5.58	6- 7
20	5.51	5.82	6.09	6.40	7- 3

For irregular or intermediate sizes, see Note "B," page 114.

For larger than listed sizes, see Rule 1, page 114.

For Extras, see pages 114-115.

LISTED SIZES OF

OUTSIDE BLINDS FOR FOUR LIGHT WINDOWS IN PAIRS

Size of Glass	List 1½-in. R. S. or S. S.	List 11/8-in. 1/2 S. S.	List 13%-in. R. S. or S. S.	List 13%-in. 1/2 S. S.	Size of Opening
in. in.	\$ cts. 2.82	\$ cts. 2.98	\$ cts. 3.13	\$ cts. 3.29	ft. in. ft. in. 2-1 x 3-11
10 x 20 24	3.27	3.45	3.64	3.82	4-7
26	3.49	3.69	3.89	4.09	4-11
28	3.72	3.93	4.14	4.35	5- 3
30	3.94	4.16	4.39	4.61	5- 7
32	4.17	4.41	4.65	4.89	5-11
34	4.40	4.65	4.90	5.15	6- 3
	4.62	4.88	5.15	5.41	6- 7
36		5.38	5.68	5.94	6-11
38	5.12	5.62	5.89	6.20	7- 3
40 12 x 20	5.31	3.10	3.25	3.41	2-5 x 3-11
12 x 20 22	3.17	3.34	3.51	3.68	4-3
24	3.40	3.58	3.77	3.95	1 4-7
26	3.63	3.83	4.03	4.23	4-11
28	3.86	4.07	4.28	4.49	5- 3
30	4.09	4.31	4.54	4.76	5- 7
	4.32	4.56	4.80	5.04	5-11
32 34	4.56	4.81	5.06	5.31	6- 3
36	4.79	5.05	5.32	5.58	6- 7
38	5.27	5.57	5.83	6.13	6-11
40	5.51	5.82	6.09	6.40	7- 3
14 x 24	3.52	3.70	3.89	4.07	2-9 x 4-7
26	3.76	3.96	4.16	4.36	4-11
28	4.00	4.21	4.42	4.63	5- 3
30	4.24	4.46	4.69	4.91	5- 7
32	4.48	4.72	4.96	5.20	5-11
34	4.72	4.97	5.22	5.47	6- 3
36	4.96	5.22	5.49	5.75	6- 7
38	5.46	5.75	6.02	6.31	6-11
40	5.71	6.02	6.29	6.60	7- 3
15 x 24	3.58	3.76	3.95	4.13	2-11 x 4- 7
26	3.82	4.02	4.22	4.42	4-11
28	4.07	4.28	4.49	4.70	5- 3
30	1 4.32	1 4.54	4.77	4.99	5- 7
32	4.56	4.80	5.04	5.28	5-11
34	4.80	5.05	5.30	5.55	6- 3
36	5.05	5.31	5.58	5.84	6- 7
38	5.55	5.85	6.11	6.41	6-11
40	5.81	6.11	6.39	6.69	7- 3
	0.01	1 - 0.11	1 0.00	0.00	-

For irregular or intermediate sizes, see Note "B," page 114.

For larger than listed sizes, see Rule 1, page 114.

For Extras, see pages 114-115.

LISTED SIZES OF

OUTSIDE BLINDS FOR TWO LIGHT WINDOWS IN PAIRS

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$						
20 x 20 2.80 2.96 3.11 3.27 2-0 x 3-11 24 3.24 3.42 3.61 3.79 4-7 26 3.46 3.66 3.86 4.06 4-11 28 3.69 3.90 4.11 4.32 5-3 30 3.91 4.13 4.37 4.61 4.85 5-11 34 4.36 4.61 4.86 5.11 6-3 36 4.58 4.84 5.11 5.37 6-7 38 5.04 5.33 5.60 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4.41 28 3.76 3.97 4.18 4.39 5-3 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.93 5	Size of Glass	R. S. or	List 1½-in. ½ S. S.	List 13/8-in. R. S. or S. S.	List 13/8-in. 1/2 S. S.	Size of Opening
24 3.24 3.42 3.61 3.79 4-7 26 3.46 3.66 3.86 4.06 4-11 28 3.69 3.90 4.11 4.32 5-3 30 3.91 4.13 4.36 4.58 5-7 32 4.13 4.36 4.58 5-7 34 4.36 4.61 4.86 5.11 6-3 36 4.58 4.84 5.11 6-3 6-7 38 5.04 5.33 5.60 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.89 4.13 4.11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.93 5-11<						
26 3.46 3.66 3.86 4.06 4-11 28 3.69 3.90 4.11 4.32 5-3 30 3.91 4.13 4.37 4.61 4.85 5-11 34 4.36 4.61 4.86 5.11 6-3 36 4.58 4.84 5.11 5.37 6-7 6-7 6-8 3.66 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 3.66 3.53 3.73 3.93 4.13 4.41 4.41 4.43 4.41 4.43 4.41 4.43 5-7 3.85 2-2 x 4-7 3.85 3-2 x 4-7 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
28						
30 3.91 4.13 4.37 4.61 4.85 5-11 34 4.36 4.61 4.86 5.11 6-3 36 4.58 4.84 5.11 6-3 36 4.58 4.84 5.11 6-3 36 4.58 4.84 5.11 5.37 6-7 38 5.04 5.33 5.60 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 38 5.13 5.43 5.69 6.25 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
32 4.13 4.37 4.61 4.85 5.11 6.3 36 4.58 4.84 5.11 5.37 6.7 38 5.04 5.33 5.60 5.89 6.11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 4.04						
34 4.86 4.61 4.86 5.11 6-3 36 4.58 4.84 5.11 5.37 6-7 38 5.04 5.33 5.60 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73						
36 4.58 4.84 5.11 5.37 6-7 38 5.04 5.33 5.60 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.60 4.00						
38 5.04 5.33 5.60 5.89 6-11 40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.89 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.86 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.23 4.29 4.53 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
40 5.27 5.58 5.85 6.16 7-3 22 x 24 3.30 3.48 3.67 3.85 2-2 x 4-7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.64 4.28 4.51						
22 x 24 3.30 3.48 3.67 3.85 2- 2 x 4- 7 26 3.53 3.73 3.93 4.13 4-11 28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
26 3.58 3.77 4.18 4.39 5-3 30 3.98 4.20 4.43 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
28 3.76 3.97 4.18 4.39 5-3 30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
30 3.98 4.20 4.43 4.65 5-7 32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
32 4.21 4.45 4.69 4.93 5-11 34 4.44 4.69 4.94 5.19 6-3 36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 <						
34 4.44 4.69 4.94 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86						
36 4.66 4.92 5.19 5.45 6-7 38 5.13 5.43 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4 7 26 x 24 3.43 3.61 3.80						
38 5.18 5.48 5.69 5.99 6-11 40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
40 5.37 5.67 5.95 6.25 7-3 24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x.24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35						
24 x 24 3.36 3.54 3.73 3.91 2-4 x 4-7 26 3.60 3.80 4.00 4.20 4-11 28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.84 5.08 <						
26						
28 3.83 4.04 4.25 4.46 5-3 30 4.06 4.28 4.51 4.73 5-7 32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 510 5.35 6-3 36 4.84 5.10 5.35 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
30						
32 4.29 4.53 4.77 5.01 5-11 34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 5 10 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 <						
34 4.52 4.77 5.02 5.27 6-3 36 4.75 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 510 5.35 6-3 36 4.84 5.10 5.35 6-3 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86						
36 4.76 5.01 5.28 5.54 6-7 38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 510 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12						6- 3
38 5.23 5.52 5.89 6.08 6-11 40 5.46 5.76 6.04 6.34 7-3 26 x 24 3.43 3.61 3.80 3.98 2-6 x 4-7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 5 10 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 <td></td> <td></td> <td></td> <td></td> <td></td> <td>6- 7</td>						6- 7
26 x 24 3.43 3.61 3.80 3.98 2 - 6 x 4 7 26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5 - 3 30 4.13 4.35 4.58 4.80 5 - 7 32 4.36 4.60 4.84 5.08 5 - 11 34 4.60 4.85 5 10 5.35 6 - 3 36 4.84 5.10 5.37 5.63 6 - 7 38 5.32 5.62 5.88 6.18 6 - 11 40 5.57 5.87 6.15 6.35 7 - 3 28 x 24 3.49 3.67 3.86 4.04 2 - 8 x 4 - 7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5 - 3 30 4.20 4.42 4.65 4.87 5 - 7 32 4.44 4.68 <td></td> <td></td> <td>5.52</td> <td></td> <td>6.08</td> <td>6-11</td>			5.52		6.08	6-11
26 3.66 3.86 4.06 4.26 4-11 28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 5 10 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 <	40	5.46	5.76	6.04	6.34	7- 3
28 3.90 4.11 4.32 4.53 5-3 30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 510 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.92 5.18 5.43 6-3 36 4.92 5.18 5.45 <td< td=""><td>26 x 24</td><td>3.43</td><td>3.61</td><td>3.80</td><td></td><td>2-6 x 4-7</td></td<>	26 x 24	3.43	3.61	3.80		2-6 x 4-7
30 4.13 4.35 4.58 4.80 5-7 32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 510 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 <td< td=""><td>26</td><td>3.66</td><td>3.86</td><td>4.06</td><td>4.26</td><td>4-11</td></td<>	26	3.66	3.86	4.06	4.26	4-11
32 4.36 4.60 4.84 5.08 5-11 34 4.60 4.85 510 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 38 5.42 5.71 5.98 6.27 6-11 40 5.88 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-31	28	3.90			4.53	
34 4.60 4.85 5 10 5.35 6-3 36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.99	30					
36 4.84 5.10 5.37 5.63 6-7 38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 <td>32</td> <td>4.36</td> <td>4.60</td> <td></td> <td></td> <td></td>	32	4.36	4.60			
38 5.32 5.62 5.88 6.18 6-11 40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11	34	4.60				
40 5.57 5.87 6.15 6.35 7-3 28 x 24 3.49 3.67 3.86 4.04 2-8 x 4-7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.43 6-3 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
28 x 24 3.49 3.67 3.86 4.04 2- 8 x 4- 7 26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5- 3 30 4.20 4.42 4.65 4.87 5- 7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.92 5.18 5.43 6- 3 36 4.92 5.18 5.45 5.71 6- 7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7- 3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4- 7 26 3.79 3.99 4.19 4.39 4-11						
26 3.72 3.92 4.12 4.32 4-11 28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
28 3.97 4.18 4.39 4.60 5-3 30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
30 4.20 4.42 4.65 4.87 5-7 32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
32 4.44 4.68 4.92 5.16 5-11 34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
34 4.68 4.93 5.18 5.43 6-3 36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
36 4.92 5.18 5.45 5.71 6-7 38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
38 5.42 5.71 5.98 6.27 6-11 40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
40 5.86 5.96 6.44 6.54 7-3 30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
30 x 24 3.55 3.73 3.92 4.10 2-10 x 4-7 26 3.79 3.99 4.19 4.39 4-11						
26 3.79 3.99 4.19 4.39 4-11						
28 4.04 4.20 4.40 4.07 5-3						
	28	4.04	4.20	4.40	2.01	J- 8

(Continued on next page)

OUTSIDE BLINDS FOR TWO LIGHT WINDOWS, Etc.—Cont.

Size of Glass	List 1½-in. R. S. or S. S.	List 1%-in. ½ S. S.	List 13/8-in. R. S. or S. S.	List 13%-in. ½ S. S.	Size of Opening
in. ln. 30 x 30	\$ cts. 4.28	\$ cts. 4.50	\$ cts. 4.73	\$ cts 4.95	ft. in. tt. in. 2-10 x 5- 7
32	4.52	4.76	5.00	5.24	5-11
34	4.76	5.01	5.26	5.51	6- 3
36	5.00	5.26	5.53	5.79	6- 7
38	5.50	5.80	6.06	6.36	6-11
40	5.76	6.07	6.34	6.65	7- 3

For irregular or intermediate sizes, see Note "B," page 114.

For larger than listed sizes, see Rule 1, page 114.

For Extras, see pages 114-115.

LISTED SIZES OF

SINGLE OUTSIDE BLINDS FOR TWO LIGHT WINDOWS

Size of Glass	List 11/8-in. R. S. or S. S.	List 1½-in. ½ S. S.	List 13%-in. R. S. or S. S.	List 13%-in. ½ S. S.	Size of Opening
in. in. 12 x 24	\$ cts. 1.75	\$ cts. 1.84	\$ cts. 1.94	\$ cts. 2.03	ft. in. ft. in. 1-4 x 4-7
26	1.87	1.97	2.07	2.17	4-11
28	1.99	2.10	2.20	2.31	5- 3
30	2.11	2.22	2.34	2.45	5- 7
32	2.22	2.34	2.46	2.59	5-11
34	2.35	2.47	2.60	2.72	6- 3
36	2.46	2.59	2.73	2.86	6- 7
14 x 24	1.81	1.90	2.00	2.09	1-6 x 4-7
26	1.94	2.04	2.14	2.24	4-11
28	2.06	2.16	2.27	2.37	5- 3
30	2.18	2.29	2.41	2.52	5- 7
32	2.30	2.42	2.54	2.66	5-11
34	2.43	2.55	2.68	2.80	6-3
36	2.55	2.68	2.82	2.95	6- 7

Single blinds for four light pantry windows not over 1 foot $6\frac{1}{8}$ inches in width, same price as two light pantry window blinds of the same height.

LISTED SIZES OF

DOOR BLINDS.

Size of Opening	List for Pairs 11/2-in, Rolling Slats
ft. in. ft. in. 2- 6 x 6- 6	\$ cts. 6.30
2-8 x 6-8	6.75
2-10 x 6-10	7.00
3- 0 x 7- 0	7.45

All door blinds made in pairs and rabbeted, same as window blinds, unless otherwise ordered.

For irregular or intermediate sizes, see Note "A," page 114.


For larger than listed sizes, see Rule 1, page 114.

For Extras, see pages 114-115.

INSIDE FOLDING BLINDS.



Fig. 500 All slats.



Three-fourths panel.




Fig. 501
Half panels, half slats.



Fig. 503
All panel.

For prices see page 113.

INSIDE BLINDS.

List Price No. 1 Pine, ¾ or 1⅓ Inch Thick. All Panel, All Slat, or a Combination of Both

Pe	ist Price r Lin. Foot in Height
2 Fold—2 feet wide and under	
4 Fold—2 feet 11 inches wide and under	1.50
${\bf 4}$ Fold—Over 2 feet 11 inches wide and not over 3 feet 5 inches wide .	1.75
6 Fold—Up to 4 feet 5 inches wide	2.50
8 Fold—Up to 5 feet 5 inches wide	3.00

Prices for blinds made of other woods will be quoted on application. If inside blinds are wanted hand cleaned for oil finish, add 50%.

DIRECTIONS FOR ORDERING

First—In all cases give the exact outside measure of blinds wanted Second—Give the number of folds.

Third—State if blinds are to be all slats or half panels and half slats.

Fourth—State distance from top of window to center of meeting rail of sash, or where blinds are to be cut.

Fifth-Give thickness of blinds.

Sixth—If blinds fold in pockets, give size of pockets.

Seventh-State if blinds are to be painted or finished in oil.

Eighth—Always state style wanted, whether Fig. 500, 501, 502 or 503 see page 112.

BLIND EXTRAS

NOTE '	'A"-	-For	irreg	ular	or	inte	rmediate	sizes,	use	the	same	list	as	next
			large	r list	ed s	ize.								

NOTE "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "odd work" discount, except when ordered in stock quantities of a size and kind.

quantities of a size and kind.	
LARGER SIZES	
RULE 1.—For list on outside blinds larger than listed sizes, use list or size of a similar blind and add as follows:	ı largest
(a) For each additional 4 inches in length or part thereof, for 11/8-inch blinds	50c list
(b) For each additional 4 inches in length or part thereof, for 13%-inch blinds	60c list
(c) For each additional 2 inches in width or part thereof, for 11%-inch blinds	25c list
(d) For each additional 2 inches in width or part thereof, for 13/8-inch blinds	30c list
SEGMENT HEAD	
RULE 2.—For list on segment head blinds, add to proper list	\$3.00
For wide top rail for imitation segment head, add to proper list	\$1.00
PEAK HEAD	
RULE 3.—For list on peak head blinds, add to proper list	\$4.00
CIRCLE TOP HEAD	
RULE 4.—For half circle top blinds, add to proper list	\$5.00
GOTHIC HEAD	
RULE 5.—For Gothic head blinds, add to proper list	\$6.00

BLIND EXTRAS—Continued

STICKING

RULE 6.—(a) Stock blinds are made with O. G. sticking for folling
slat blinds, and square sticking for stationary or
half stationary blinds. For special sticking use
proper list and add5% list
(b) NOTE—A minimum charge of \$1.00 w'll be made for any one
order. This charge is net.
CINICI E DI INIDO

SINGLE BLINDS

RULE 7.—For single blinds not otherwise listed, or for one-half of a pair of blinds, use one-half of the list of a pair double the opening of the single blind, and add___ 25% list

MULLION BLINDS

RULE 8.—(a) For list on mullion blinds use list of a pair of similar	
blinds of the same opening, and add 25% list	
(b) For same center beaded to represent a pair add 35% list	
(c) All pairs of two-fold blinds 4-4 and wider are made	
with center mullion rail.	

FOUR-FOLD BLINDS

RULE 9.—For list on four-fold outside blinds use double the list of a

pair one-half the width of the opening, and add	40 c list
RULE 10 (a) Minimum price, single blinds	\$1.80 list
(h) Minimum price pair blinds	\$2.80 list

SOLID STUCK PANEL SHUTTERS

RULE 11.—For solid stuck panel shutters use the list of stationary slat blind of the same size and thickness, and add. 40% list

RULE 12.—For shutters bead and butt 1 S. solid stuck 1 S. use list of
a stationary slat blind of the same size and thickness, and add_________60% list

BLINDS FOR 34-INCH GLASS AND LONGER


RULE 13.—Blinds for 34-inch glass and longer are made three panels high unless otherwise ordered.

13/4 INCH THICK

RULE 14.—For 14-inch blinds use 14-inch list for similar size and style, and add________75% list

FRONT ENTRANCE FRAMES.

For Frame Building.



No. S-300.


Made of dry, sound, Yellow Pine, suitable for paint, nailed up. No inside trim.

PRICE LIST.

3-0 x 7-0 or smaller— With side lights 2 ft. wide or smaller	With No Trans. \$12.60	With 24" Trans. \$15.90
EXTRAS.		
For hardwood sill	10 80 1.50 1.50 20 1.20	\$1.50 .10 .80 2.00 1.50 .30 1.20

WINDOW FRAMES.

For Frame Building.



No. S302.

Made of sound, dry, Yellow Pine, suitable for paint. Nailed up. No inside trim.

PRICE LIST.

3-2 x 6-	6 or	under\$3.8	0
		under 4.4	


For mullion frames, double this list. For triple frames, triple this list.

EXTRAS.

For 13/4 in. windows or 2 x 6 stud	50
1½ in. pulley stiles	
13% in. outside casing	
13/4 in. outside casing	
Crown mold cap	
Each extra foot in width or height	
Special detail work in quantities of less than 10	

DOOR FRAMES.

For Frame Buildings.



No. S304.

Made of sound Yellow Pine, suitable for paint. Nailed up. No inside trim.


PRICE LIST.

For Doors 3 x 7 or smaller

For Doors 3 x / or smaller	r.	
	th No rans.	With 24" Trans.
Door Frame	34.20	\$5.30
EXTRAS.		
For hardwood sill		.50
Hardwood threshold		.10
Crown mold cap		.50
2 x 6 stud walls	.50	.80 .50
	.20	.30
Each extra ft. in height	.40	.40
Special detailed work in quantities of less than		
ten	.50	.50

BOX WINDOW FRAMES.

For Solid Brick, Stone or Concrete Block Wall.




No. \$306.

Exposed parts made of sound, dry Yellow Pine, suitable for paint. Nailed up. No inside trim. DDICE LICT

PRICE LIST.
3-2 x 6-6 or under\$5.50
4-4 x 7-6 or under 6.50
For mullion frames, double this list,
For triple frames, triple this list.
* * *
EXTRAS.
For 13/4 in, windows
1½ in. pulley stiles
1½ in, blind stops
Hardwood or galvanized iron pendulums
Priming exposed parts
2¼ in. sill
$2\frac{1}{2}$ in. sill
Each extra foot in width or height
Extension jambs for 13 in. wall
Extension jambs for 18 in, wall
Special detail work in lots of less than ten
Above prices are F. O. B. our city and are subject to discount.

PLANK DOOR FRAMES.

For Solid Brick, Stone or Concrete Block Wall.



No. \$308.


Made of sound, dry Yellow Pine, suitable for paint. Nailed up. No inside trim.

PRICE LIST. For 3-0 x 7-0 or smaller.

20100111011011		
Tra	ans. Ti	th 24" cans.
For 9 in. wall		35.30 7.10
EXTRAS.		
For hardwood thresholds	.10	.10
9 in. wall		.30
13 in. wall Each extra ft. in height	.30	.40
9 in. wall		.40
13 in. wall		.50 .50
Special detail work in lots of less than ten	.50	.50
Above prices are F. O. B. our city and are subjective	ect to discount	i.

WINDOW FRAMES.

For Brick Veneer Building.



Exposed parts made of sound, dry Yellow Pine, suitable for paint. Nailed up. No inside trim.

PRICE LIST.


$3-2 \times 6-6$ or	under\$4.00
4-4 x 7-6 or	under 4.60
	For mullion frames, double this list.
	For triple frames triple this list

EXTRAS.

For 13/4 in. windows or 2 x 6 stud	
1½ in. pulley stiles Priming exposed parts	
Each extra ft, in width or height	
Special detail work in quantities of less than ten	.50

DOOR FRAMES.

For Brick Veneer Buildings.




No. **S312.**

Made of sound, dry Yellow Pine, suitable for paint. Nailed up. No inside trim.

PRICE LIST. 3-0 x 7-0 or smaller	With No Trans.	With 24" Trans. \$5.50
EXTRAS.		
For hardwood thresholds		.10 .80
Each extra ft in width Each extra ft. in height	40	.30
Priming Special detail work in quantities of less the	nan	.40
Above prices are F. O. B. cars this city and a		

PLANK CELLAR SASH FRAMES.



Made of sound, dry Yellow Pine, suitable for paint. Nailed up. No trim.

PRICE LIST.

 $3-6 \times 2-6$ or smaller.


For 9 in.	wall\$2	.40
13 in	. wall 3	.50


EXTRAS.

For	priming	all a	round									30
	Specia1	detail	work	in	1ots	of	less	than	ten			.50
Аb	ove price	es are	F. O.	В.	our	city	and	l are	subject	to	disco	unt.

INSIDE DOOR FRAMES.

With threshold. K. D. and dadoed. No trim included. $3-0 \times 7-0$ or smaller.






For Sliding Doors

	Γ			

LIST TRICES.		
No. \$320 or No. \$322—	With No Trans.	With 2' Trans.
13/8 x 5½ rabbeted	\$2.10	\$3.40
Each extra foot in height, add	430	.30
Each extra foot in width, add	10	.30
13/8 x 7½ rabbeted		4.10
Each extra foot in height, add		.30
Each extra foot in width, add		.50
No. \$324 —		
$\frac{3}{4} \times 5\frac{1}{2}$, with stops 8095	\$1.50	\$2.40
Each extra foot in height, add		.20
Each extra foot in width, add	10	.30
$\frac{3}{4} \times 7\frac{1}{2}$, with stops 8095	1.80	2.90
Each extra foot in height, add	20	.20
Each extra foot in width, add		.30
$1\frac{1}{8} \times 5\frac{1}{2}$, with stops 8095		2.65
Each extra foot in height, add		.20
Each extra foot in width, add	10	.30
$1\frac{1}{8} \times 5\frac{1}{2}$, with stops 8095	2.50	4.10
Each extra foot in height, add		.20
Each extra foot in width, add	10	.30
No. \$326—		
Sliding Door Frames, 7-0 x 8-0 or smaller	5.00	
EXTRAS.		
For hardwood thresholds or carpet strips		.10 .40
Nailing up and bracing	20	.70

CRAFTSMAN CAP DOOR AND WINDOW TRIM.



No. S340.


This modern trim is made from "B and Better" Yellow Pine. Cap mould No. \$400, Head Casing No. \$402, Fillet No. \$403, Casing No. \$390, Stool No. \$414, Apron No. \$415, Stops No. \$394 and Base Blocks No. \$378. Cut to lengths and bundled. Furnished K. D.

LIST PRICES PER SIDE

HIST TRICES I ER SI		
Witl	ı no Trans.	With 24" Trans.
Door trim, 3-0 x 7-0 or under	.\$1.70	\$1.90
For each extra foot in width		.15
For each extra foot in height	10	.10
Window trim, 3-2 x 6-6 or under	. 2.00	
For each extra foot in width, add	20	
For each extra foot in height		
Extra for caps made up with ends mitred	60	

The above prices F. O. B. our city and subject to discount.

CRAFTSMAN BAND WINDOW AND DOOR TRIM.




No. S342.

The above trim is made from "B" and better Yellow Pine and is composed of the following: Casing No. S411, Back Band Mould No. S410, Stops No. S394, Stool No. S414, Apron No. S415. Cut to lengths and bundled. Furnished K. D.

PRICE LIST PER SIDE.

With no Trans. Door trim, 3-0 x 7-0 or under\$1.30 For each extra foot in width, add	With 24" Trans. \$1.60 .10 .10
Window trim, 3-2 x 6-6 or under	

CRAFTSMAN DOOR AND WINDOW TRIM.



No. S344

Made of "B" grade dry Yellow Pine; head, 1½x7¼; buttons, 2½x2½x¾; casing, No. 8311; apron, No. 8641; scotia, No. 8060; stool, No. S415; stops for windows and base blocks for doors.

For complete line of Craftsman Trim see pages 131 and 132.

PRICE LIST PER SIDE.


	With	With
	no tr.	24 in. tr.
Door trim, 3-0 x 7- 3, or smaller	\$1.40	\$1.70
Each foot extra in width, add	.10	.15
" height, add	10	.10
Window trim, 3-2 x 3-6, or smaller	1.80	
Each foot extra in width, add	.20	
" height add	.10	

Extension, sub or knuckle jamb, extra; listed under box frames, page 119.

Above prices are F. O. B. cars our city and are

SUBJECT TO DISCOUNT.

CABINET HEAD DOOR AND WINDOW TRIM.



No. S346.


Made of "B" grade, dry Yellow Pine. Cap, No. 8393; head casing, 5¼ in.; fillet, No. 8395; casing, No. 8311; stool, No. 8267; apron, No. 8641; apron mold, No. 8060; stops for windows and base blocks for doors, cut to lengths and bundled; furnished K. D.

to lengths and bundled; lurinshed K. D.		
LIST PRICES PER	SIDE.	
	With No Trans.	With 24" Trans.
Door trim, 3-0 x 7-0 or smaller	\$1.50	\$1.70
For each extra foot in width, add		.15
For each extra foot in height, add	10	.10
Window trim, 3-2 x 6-6 or smaller	1.80	
For each extra foot in width, add		
For each extra foot in height, add		
Extra for caps made up and ends returned	i on	
the solid	50	.50

Extension, sub or knuckle jamb extra, listed under box frames, page 119.

Above prices are F. O. B. cars this city and are subject to discount.

PLAIN BLOCK TRIM.



No. \$348.

Composed of the following: Casing No. 8311, Corner Blocks No. S366, Base Blocks No. S360, Stool No. 8267, Apron No. 8641, Cove No. 8060, Stops No. 8541. Made of dry Yellow Pine, suitable for paint. Cut to lengths and bundled. Furnished K. D. Reeded trim with blocks to match will be furnished at the same price.


LIST PRICES.	
With No Trans.	With 24" Trans.
Door trim, $3-0 \times 7-0$ or under, per side\$1.20	\$1.50
For each extra foot in width, add	.10
For each extra foot in height, add	.10
Window trim, 3-2 x 6-6 or under, per side 1.60	
For each extra foot in width, add	
For each extra foot in height, add	

Extension, sub or knuckle jamb extras, listed under box frames, page 119.

The above prices are F. O. B. cars our city and are

SUBJECT TO DISCOUNT.

PLAIN DOOR AND WINDOW TRIM.




No. \$350.

Made of "B" grade, dry Yellow Pine. Casing, No. 8311; stool, No. 8267; apron, No. 8641; scotia, No. 8060; stops for windows and base blocks for doors.

PRICE LIST.

	h No With 24" ans. Trans.
Each extra foot in width, add	
Each extra foot in height, add	.10 .10
Window trim, 3-2 x 6-6 or smaller 1	.50
Each extra foot in width, add	.15
Each extra foot in height, add	.10

CRAFTSMAN TRIM. The Top Member may be omitted. NO. 5 371 3/4 X33/4 \$ 4.20 NO. 5.374 34X3% \$420 Plate Rail Base Blocks Base




Casing

MOULDING DISCOUNT

Base

Back Band Casing

CRAFTSMAN TRIM.




Stool

Apron THE ABOVE PRICES ARE SUBJECT TO THE MOULDING DISCOUNT

Picture Moulding

PLATE RAIL.





LIST PRICES.

No.	S430 —3	member,	with	bracket,	31/2"	wide	bу	51/4"	high.	 .\$0.24
No.	S432 —2	member,	31/4"	wide by	23/4"	high				 10
		member,								

The above designs are most modern and suitable for use in the best homes. Design No. S430 is especially appropriate for use with the new Craftsman Style trim as shown on pages 125, 126 and 127, or for use with skeleton wainscoting.

BEAM CEILINGS.






Designs No. S342.

The above designs are most modern and will improve the appearance of a room wonderfully, and at but a small extra cost. Made from clear, dry Yellow Pine, Suitable for oil finish.

LIST PRICES.

Design No.	340—Small Beam, $6 \times 5 \frac{1}{2}$ "\$:. Large Beam, $11 \times 5 \frac{1}{2}$ "	26
Design No.	S342—Small Beam, 6 x 5½"	30


BASE, HEAD AND CORNER BLOCKS.



The above blocks are made from thoroughly dry Yellow Pine and are carefully manufactured.

LIST PRICES.

Base Blocks, 11/8 x 5 or 51/2 in., 10 in. long—
No. \$360, per 100\$6.00
No. \$362 , per 100 7.00
Head Blocks, 11/8 x 5 or 51/2 in., 9 in. long-
No. \$364, per 100 6.00
No. \$370, per 100 8.00
Corner Blocks, 1½ x 5 or 5½ in. square—
No. S366, per 100
No. \$368, per 100 4.00
The above prices are subject to discount and are F O R cars our city



SINK TRIMMINGS.







No. \$392. Sink Capping.



No. S394. Sink Apron.




No. S396. Sink Leg.

The above sink trimmings are carefully made from first class stock.

LIST PRICES.

No. \$390—Drain Boards
Yellow Pine, 22 x 24\$1.30
Yellow Pine, 24 x 30 1.50
Ash, 22 x 24
Ash, 24 x 30
No. \$392—Sink Capping. Size ¾ x 3 inches. Yellow Pine, per foot. \$0.03 Ash, per foot
Asn, per 100t
No. S394—Sink Apron. Size 3/4 x 7 inches.
Yellow Pine, per foot. \$0.08 Ash, per foot. .16
No. \$396 —Sink Legs. Size 1¾ x 1¾ x 30 inches.
Yellow Pine\$0.30
Ash

TABLE LEGS.




We furnish the above designs, well manufactured from dry Yellow Pine.

LIST PRICES.

23/4	x	23/4	in.,	34	in.	long,	, each	.36
33/4	x	33/4	in.,	34	in.	long,	each	.50

MANTELS.




The above designs are excellent for use in the cheaper class of homes. They are well made of dry Yellow Pine, in the white, not painted or varnished.

LIST PRICES.

s	

MANTELS.



The above Mantels are carefully made of dry Yellow Pine. They are in the white so that they may be finished to match the other woodwork.

LIST PRICES.

No. S424—Knocked dov	vn	\$4.00
Put together		4.50
No. S426 —Put together		9.00

STAIR NEWELS.



These newels are carefully manufactured from selected kiln dried Yellow Pine stock. No extra charge for crating if two or more of a kind are ordered at one time.

are ordered at one time.									
	S440	S442	S444						
Shaft	6 x 6 in.	6 x 6 in.	5×5 in.						
Base		8 x 8 in.							
Height	4 ft.	4 ft.	5 ft. 6 in.						
PRICE LIST.									
No. S440 —Newel			\$5.50						
No. S442 —Newel									
No. S444—Angle Newel			4.00						
AROUE DDICES	ADE CHEL	ECT TO DISCO	INT						

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city.

Carefully bundled for shipment.

CRAFTSMAN NEWELS.








No. **S452**.

The above designs are the latest and best designs of Craftsman Newels. Craftsman style millwork is now very popular and the above examples are most suitable for a home finished in Craftsman style.

LIST PRICES.

Main	Newel.	S450. —8	in.	square,	4	ft.	high	1\$5.00	
Angle	Newel	S452 —5	in.	square,	5	ft.	6 in.	. high 4.00	



These balusters are carefully made from thoroughly dry, clear Yellow Pine.


PRICE LIST.

	or 32" long\$0.30	
No. S466 —13/4" x 13/4"—28"	or 32" long)
	long	
	long	
No. S467 —1½" x 1½"—36"	long	,
No. S468— 18" x 51/4"—36"	long)

Special sizes or other designs will cost more. S465 and S466 measure 8" from bottom to turning and may be cut down.

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city.

Carefully bundled for shipment.



Our stair rails are carefully made from Clear Yellow Pine and are furnished in suitable lengths, as may be required.

No. S478.

No. S473.


PRICE LIST.

0.26
.20
.30
.06
.24
.30
.08
hed,

Stair rail will be grooved for balusters and fillet will be turnished like shown in illustration of No. S477, for \$0.04 per foot list, extra.

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city.

Carefully bundled for shipment.




The above illustration shows how a run of curb string stairs are made up. All of clear Yellow Pine, thoroughly dry and smoothly run.

PRICE LIST

THEOD BIDI.
Shoe and Fillet No. S473, per lineal ft\$0.06
Outside Curb String Board, 18 x 9½, No. S476, per lineal ff
Face Stringers, 18 x 11, No. S478, per lineal ft
In ordering No. S478, please specify design of base you wish to match.

Cove No. 8060 and Base Mould No. 8420 are sold at the moulding list and discount.

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city, Carefully bundled for shipment.



Made of Clear Yellow Pine, thoroughly dry and smoothly run. Treads and risers may easily be cut down if above widths are too great.

PRICE LIST.


	Size	3 feet	4 feet .	5 feet
Treads No. S 480	11/8 x 11 in.	\$0.44	\$0.60	\$0.76
Risers No. S 481	$_{13}_{16} \times 7 \text{ in.}$.24	.32	.40
Platform Nosing No. S 482	1½ x 3¼ in.	.18	.24	.30

Wall String No S 484, 136 x 9½ in., not housed for treads and risers, per lineal foot, 10c. In ordering S 484, please specify design of base you wish to match.

Cove No. 8060 and Base Mould No. 8420 are sold at the moulding list and discount.

ABOVE PRICES ARE SUBJECT TO DISCOUNT.

F. O. B. cars our city. Carefully bundled for shipment.



The above illustration shows how a run of open string stairs actually looks when made of our knock down stair material.

PRICE LIST.

Face Stringer, No. S484—18 x 9½, made of clear Yellow Pine, thoroughly dry and smoothly run, per lineal ft..................\$0.10

In ordering S484, please specify design of base you wish to match.

Cove No. 8060 and Base Mould No. 8420 are sold at the moulding list and discount.

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city.


Carefully bundled for shipment.





No. \$490.

The illustration above shows how the treads should be mitred and the return moulding applied.




The illustration above shows how the well hole, at the upper floor of a flight of stairs, may be trimmed.

PRICE LIST.

Tread Return Moulding, 11/8 x 15/8, No. \$490, per ft\$0.02	2
Platform Nosing, 11/8 x 31/4, No. \$482, per ft	
Well Hole Facing, $\frac{13}{16} \times 9$, No. S494, per ft	
Well Hole Casing, $\frac{13}{16} \times 2\frac{3}{4}$, No. S496 , per ft	3
Cove No. 8060 is sold at the moulding list and discount.	

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city.

Carefully bundled for shipment.



S498



S499

The above illustrations show quarter circle end and half circle end treads and risers, such as are often used for the first step of a flight of stairs. In ordering, please give exact size of rise and run, as they are made especially to order.


PRICE LIST.

No. **S498**—Quarter Circle End Tread, Riser and Cove, 4 ft. long.. \$ 8.00 No. **S499**—Half Circle End Tread, Riser and Cove, 5 ft. long..... 12.00

ABOVE PRICES ARE SUBJECT TO DISCOUNT and F. O. B. cars our city.

Carefully bundled for shipment.


LEADED SHEET GLASS.



The above designs are very neat and desirable, they being most popular and best adapted for use in any good home.

LIST PRICES.

BOOK CASE COLONNADE.



No. S530

This Colonnade is a wonderful improvement to any home. It is especially artistic when used in separating the den from the living room. It is also appropriate for use in any large opening. We furnish this Colonnade made from selected dry Yellow Pine, made up by our most skillful cabinet makers. Furnished with trim K. D., square columns, 8x8, packed separately and cases put together with doors fitted but not hung. Carefully crated for shipment. This Colonnade requires a 7½ inch jamb. Pedestals extend 3 feet; are 3 feet high.

PRICE LIST.

For openings not over 8 feet high.

With plain glass in doors	\$60.00
With leaded glass in doors	66.00

COLONNADE.



No. S532.

This Colonnade is made to order from clear, dry Yellow Pine. The columns are 6 inches in diameter at the base. The pedestals are made to straddle the jamb. Jambs and trim included but sent K. D.

PRICE LIST.

For openings not larger than 8 ft. by 8 ft.....\$40.00

INTERIOR COLUMNS.




Our Staved Interior Columns are built up from selected, dry Yellow Pine in a most substantial manner. Interior columns, such as these, are most artistic and desirable in the modern home. The prices quoted below do not include the frame and trim for the opening. They are for single columns.

PRICE LIST.

6	in.	diameter,	not	over	8	ft.	high	6.00
8	in.	diameter,	not	over	8	ft.	high	8.00
10	in	diameter	not	OTTOP	Q	f+	high	11.00

CRAFTSMAN MANTEL SHELF.




This beautiful Craftsman Mantel Shelf is made of clear, dry Yellow Pine by the most skilled workmen. As it matches bookcase No. 538, page 155, it may be used in connection with same.

LIST PRICES.

For mantel,	5	ft.	breast	or	under\$10	0.00
For mantel,	6	ft.	breast	or	under 12	2.00
For mantel,	7	ft.	breast	or	under 14	4.00
For mantel,	8	ft.	breast	or	under 10	6.00

CRAFTSMAN STYLE BOOKCASE




No. \$538.

This Craftsman style Bookcase is about 5 ft. 6 in, high to the top of shelf and is about 12 in, deep. Made from the very best Yellow Pine, thoroughly seasoned, by expert cabinetmakers. Doors glazed with clear glass set in with glass bead stops. Shelves are movable. Made to match Mantel Shelf No. S536, page 154, and may be combined with same if desired.

LIST PRICES.

Not	more	than	3	ft.	wide\$24.00
Not	more	than	4	ft.	wide 31.00
Not	more	than	5	ft.	wide 38.00
Not	more	than	6	ft.	wide 45.00
Not	more	than	7	ft.	wide 53.00

COMBINATION BOOKCASE AND MANTEL SHELF.



No. S544.


The above design will make a wonderful improvement in the appearance of a home. We furnish the above combination, made to order from clear, dry Yellow Pine, suitable for oil finish. Cases are about 5 ft. 6 in. high and 14 inches deep. Glazed with clear glass.

LIST PRICES.

Α	bove	combination	with	cases	not	wider	than	3	ft	\$60.00
Α	bove	combination	with	cases	not	wider	than	4	ft	76.00
Α	bove	combination	with	cases	not	wider	than	5	ft	92.00

In ordering, please give width of mantel and exact length of cases.

BUFFET.




No. S548

This illustration shows a most attractive and up-to-date design Buffet. The mirror is of the best quality and has a 1½ inch bevel. This Buffet is made especially to order from clear, dry Yellow Pine. It is furnished put together with doors and drawers fitted, but no hardware is furnished. Height is 5 feet 6 inches. Sold only in the white.

PRICE LIST.

\$75.00	\$82.00	\$94.00
6 feet or less	7 feet or less	8 feet or less

CRAFTSMAN STYLE SIDEBOARD.



No. \$550.

The above Craftsman Sideboard or China Closet is simple but most effective in design, when placed in a completed room, it looks very rich and imposing. Made from clear Yellow Pine by skilled cabinetmakers. Designed to set in recess in wall, 16 inches deep by 7 feet high. Bevel plate mirror is 12 inches high. Doors glazed with plain leaded glass, set in bead stops. Put together in sections and carefully packed for shipment. No hardware included.

LIST PRICES.

For opening up	to 4 ft. in	width	\$56.00
For opening up	to 5 ft. in	width	64.00
		width	
For opening up	to 7 ft. in	width	85.00
The charge price	F () R core our city	and are

CHINA CASE.




No. \$552.


This China Case is made especially to order from the best quality of clear, dry Yellow Pine by expert cabinet makers. It is designed to set in a recess about 18 inches deep and 7 feet high. Doors and drawers fitted. No hardware included. Sold only in the white. In ordering, give depth and width of recess.

PRICE LIST.

	4 Ft. or Less	5 Ft. or Less	6 Ft. or Less
Knock Down	\$36.00	\$44.00	\$52.00
C,	42.00	50.00	58.00
The	above prices are F O B	cars our city and	are

MEDICINE CASES.








Medicine Case No. S562.

As shown above, Case No. **S562** has a drawer beneath the door, otherwise the two cases are the same. These cases have a first quality bevel plate mirror or shock mirror and three adjustable shelves. Size of door, 1 ft. 4 in. by 1 ft. 11 in.

LIST PRICES.

	With Bev. Plate Mirror	With Plain Shock Mirror
Case No. S560, no drawer	\$10.00	\$ 8.00
Case No. S562, with drawer	13.00	11.00

CLOSET CASE.




No. \$570.

This case is furnished in the Knock Down, without back or ends and is ready to put together. It is made from dry Yellow Pine. It is three feet high.

PRICE LIST.

Up to 3 ft. long. Up to 4 ft. long. Up to 5 ft. long. \$14.00 \$16.00 \$18.00

PANTRY CUPBOARD.




No. S572.

This Pantry Cupboard is furnished in the K. D. from clear, dry Yellow Pine. The drawers, door, front and top are made up. Shelves, cleats, etc., cut to lengths. No back or ends included.

PRICE LIST.

Up to 3	ft. in	length\$16.00	
Up to 4	ft. in	length 20.00	
Up to 5	ft. in	length	


FLOUR BIN.




As some carpenters like to make their own cases, we will be glad to furnish the material. The material listed on this page, together with the doors shown on page 61, and the China Case doors shown on page 21, will enable any good carpenter to make his own cases right on the job. This material is made from clear, dry Yellow Pine.

PRICE LIST.

Flour Bin No. \$580 —16 x 24 z	x 16 in. deep	\$5.00
Drawers No. S582 — 6 x 18 2	x 16 in. deep	1.20
6 x 24 x	x 16 in. deep	1.30
7 x 18 x	x 16 in. deep	1.40
7 x 24 x	x 16 in. deep	1.50
8 x 18 3	x 16 in. deep	1.50
8 x 24 z	x 16 in. deep	1.60
$10 \times 24 = 10$	x 16 in. deep	1.80





SQUARE, BOXED COLUMNS AND NEWELS.

Square, Boxed Columns, such as these are entirely replacing, in popularity, the round, staved, colonial columns, which were formerly used to such a great extent. They are carefully made from dry Yellow Pine and are carefully packed for shipping.




LIST PRICES.

Newels—			
6 x 6	in., 4	ft.	long\$2.30
8 x 9	in., 4	ft.	long
			long 3.20
12 x 12	in., 4	ft.	long 4.00

Columns			
Size.	Le	ngth.	
6 ft.	8 ft.	9 ft.	10 ft.
8 x 8\$4.00	\$4.20	\$4.50	\$4.90
10 x 10 4.90		5.70	6.20
12 x 12 5.50	5.90	6.70	7.50

BUNGALOW BALUSTERS.





The above Balusters are the most approved designs for use in modern bungalow porch work and are made from a selected grade of framing lumber, smoothly made.

LIST PRICES.


No. S620 —21/4	x 2	2¼ in.,	24 in.	long	or	under\$.15
31/2	x 3	3½ in.,	24 in.	long	or	under	.28
No. S622 —2 ¹ / ₄	x 2	21/4 in.,	24 in.	long	or	under	.30
31/2	x 3	3½ in.,	24 in.	long	or	under	.50
No. S624—13/4	x 5	5½ in.,	24 in.	long	or	under	.50

BUNGALOW PORCH RAILS.






Top Rail No. S634.



Bottom Rail No. \$632.




Bottom Rail No. S636.

The above Rails are made from selected common framing and are suitable for paint. They are the acceptable designs for the modern bungalow.


Rail No.	Size.	Price.
No. S630.	$2\frac{1}{2} \times 5\frac{1}{2}$ in., with cove No. 8060	\$.18
No. \$630.	2½ x 7½ in., with cove No. 8060	24
No. S630 .	$3\frac{1}{2} \times 7\frac{1}{2}$ in., with cove No. 8060	30
No. S632.	$2\frac{1}{2} \times 4\frac{1}{2}$ in	
No. S632.	2½ x 5½ in	16
No. S634.	3½ x 5½ in., K. D. for 2¼" bals	28
No. S634.	$3\frac{1}{2} \times 5\frac{3}{4}$ in., K. D. for $3\frac{1}{2}$ " bals	32
No. S636.	2¾ x 3¼ in., K. D. for 2¼" bals	14
No. \$636.	$2\frac{3}{4} \times 4\frac{1}{2}$ in., K. D. for $3\frac{1}{2}$ " bals	18

The above prices are F. O. B. cars our city and are SUBJECT TO DISCOUNT.



The above prices are F. O. B. cars our city and are SUBJECT TO DISCOUNT.

BALUSTERS AND SPINDLES.




Our Balusters are made from Yellow Pine, suitable for paint. The above designs are the most popular and are proven by experience to be the best sellers. They are smoothly turned from dry stock and packed 100 in a crate.

LIST PRICES

									1_	112) Т	3	L±	7.1	·	نه	S.										
Bal	uste	rs-																									
	13/4	x	20	or	24	in.	, pe	er i	100)								 	 	 		 		 	\$:	10.	00
	21/4	x	20	or	24	in.	, pe	er	100)								 		 		 		 		18.	00
Spir	ndle	s	-																								
	13/8	x	8,	10	or	12	in.,	р	er	10	00.							 		 				 		3.	00
	13/4	x	8,	10	or	12	in.,	ре	r	100)							 		 		 		 		4.	00


PORCH RAIL.



The above designs are excellent for use with the popular style of porch trimmings. Made from dry Yellow Pine, suitable for paint.

LIST PRICES.

No.	S 670—13/4	X	31/2	in.,	per	100	lin.	ft\$	6.00
No.	S 672—13/4	x	31/2	in.,	per	100	lin.	ft	6.00
No.	S674—13/4	x	$3\frac{1}{2}$	in.,	per	100	lin.	ft	6.00
No.	S676—13/4	x	31/2	in.,	per	100	lin.	ft	6.00




No. **S678.** Parapet Cap

Design No. **S678** is adapted for use with a boxed siding or plaster balustrade. Made from dry Yellow Pine, suitable for exterior paint finish.

No. S678-13/4 x 91/2 in., with cove No. 8060, per 100 lin. ft...... 16.00


PORCH BRACKETS.



These designs are the best and most popular for use with the ordinary turned porch column. They are well made and are packed 50 in a crate.

mary tarmed poron condition and years and provide the
a crate.
SIZE 10 x 12 INCHES.
All designs per crate
All designs, per crate\$8.00
Price each in less than crate lots
SIZE 12 x 14 INCHES.
All designs, per crate\$9.00
All designs, per crate
T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Price each in less than crate lots
The above prices are F. O. B. cars our city and are
GILDIE CE EO DIC COLLNE
SUBJECT TO DISCOUNT.

BUNGALOW BRACKETS.




The above designs are very popular, for use on the new modern bungalows. They are made of a grade of lumber that is suitable for stain or paint, smoothly made and strongly put together.

LIST PRICES.

	Size.	Thickness.	No. \$700.	No. \$702 .
2'	x 2'	31/2"	\$1.50	\$1.70
2'	$6'' \times 2' 6'$	" $3\frac{1}{2}$ "	1.70	1.90
3′	x 3'	3½"	2.00	2.20
3'	x 3'	5½"	3.50	3.70
4'	x 4'	5½"	4.50	4.70

Intermediate or smaller sizes will be furnished at the price of the next larger listed size.

RAFTER ENDS.




These Rafter Ends are carefully manufactured from selected Yellow Pine framing and are suitable for paint.

			T e	ngth.	
Size.		3 ft.	4 ft.	<u> </u>	6 ft.
13/4 x	31/2	\$.44	\$.52	\$.60	\$.68
	51/2		.68	.80	.92
	71/2		.84	1.00	1.16
23/4 x	5½		.92	1.10	1.28
	71/2	1.02	1.26	1.50	1.80
	91/2	1.20	. 1.50	1.80	2.10
33/4 x	71/2	1.28	1.58	1.90	2.22
	91/2		1.90	2.30	2.70
	111/2	1.74	1.98	2.22	2.46

VENTILATORS.







Louvre Ventilator.

No. \$722.


The above Ventilators are made from dry Yellow Pine, suitable for paint. Scroll Ventilator No. S720 is furnished without jambs and is made to place on the siding while Louvre Ventilator No. S722 is made to set in an opening.

LIST PRICES.

No. S720—14" diameter		\$1.20
16" diameter		1.30
18" diameter		1.50
20" diameter		1.70
No. \$722 —2-0 x 2-0	,	5.30
2-0 x 2-6		5.50
2-4 x 2-6		5.80
2-4 x 3-0		6.20

The above sizes are slat opening sizes.

FENCE PICKETS.




Our Pickets are made from Yellow Pine, suitable for paint.

LIST PRICES.


3/4 x	or No. \$732. 2½—2 ft. 6 in. long		
No. \$734.			
1½ x	1½—2 ft. 6 in. long	5.60 pe	er 100
11/8 x	1½—3 ft. long	6.00 p	er 100

The above prices are F. O. B. cars our city and are Subject to Discount.

PEW ENDS.



The above Pews are made from the very best dry Yellow Pine, by skilled cabinetmakers. They are about 20 inches wide, 3 feet high. Price quoted above includes housing for the seats.




Seat No. \$820. Seat No. \$822. Brace No. \$824.


List Price. \$.75 per ft. List Price. \$.60 per ft. List....\$1.20 each


Made of clear Yellow Pine, furnished in the K. D. 14 in. seat, 18 in. back. Lengths 10 ft. and under, figured on the even foot, over 10 ft. in length, as on the even two foot. Seats will be made up and carefully sanded at a reasonable extra charge over the price of the K. D. material, as follows:

For assembling pews under 6 ft. long, add....\$3.00 For assembling pews under 10 ft. long, add.... 4.00



OUTSIDE MOULDINGS CROWN MOULDINGS 8007 % x 1% \$2.00 8009 8008 4 x 3% 8010 % x 2% \$3.00 \$4.00 \$2.50 8011 海 x 254 \$2.50 8013 4 x 4% \$5,50 8012 4 x 4½ \$4.75 8014 $\% \times 3\%$ \$3.50 Prices quoted are for 100 lineal feet of Moulding





INSIDE AND OUTSIDE MOULDINGS

COVES, QUARTER and HALF ROUNDS




Prices quoted are for 100 lineal feet of Moulding

WINDOW AND DOOR STOPS 8093 8082 ½ x 2¼ 3/8 x 7/8 \$2.50 \$1.00 8094 ½ x 1% 8083 \$2.25 % x 11/8 \$1.00 8095 ½ x 1% 8084 \$2.00 % x 1% \$1.10 8096 ½ x 1% 8085 \$1.50 % x 1% 8097 \$1.40 ½ x 1 1/8 \$1.25 8086 % x 1% 8540 \$1.60 ½ x 1% \$1.25 8089 ½ x 1% \$1.25 8541 ½ x 1% \$1.50 8098 1/2 x 1/8 8542 \$1.50 ½ x 1% \$2.00 8090 ½ x 1% 8543 \$2.00 ½ x 1% \$2.25 8091 8544 ½ x 1% 1/2 x 21/4 \$2.25 \$2.75 8115 8116 8117 ½ x 1% ½ x 1% ½ x 11/8 \$1.50 \$2.00 \$1.25 8118 8119 8120 ½ x 11/8 ½ x 1% ½ x 1% \$1.25 \$1.50 \$2.00 Prices quoted are for 100 lineal feet of Moulding


INSIDE MOULDINGS

INSIDE AND OUTSIDE MOULDINGS


STOPS, NOSINGS and SCREEN MOULDINGS





SCREEN MOULDINGS



Prices quoted are for 100 lineal feet of Moulding










INSIDE MOULDINGS SQUARE MEMBERS, CASING and BASE 8424 8705 8394 8397 34 x 71/4 34 x 45/8 ¾ x 5 34 x 41/4 \$6.00 \$8.00 \$5.00 \$5.50 PANEL STRIPS 8656 % x 21/4 8660 34 x 234 \$2.50 8655 \$3.00 7,6 x 134 8657 \$1.40 $\frac{5}{8} \times \frac{21}{4}$ \$2.50 Prices quoted are for 100 lineal feet of Moulding


INSIDE MOULDINGS WINDOW STOOLS 8669 % x 31/4 \$3.50 8267 11/8 x 33/4 \$6.60 8638 $1\% \times 5\%$ \$9.90 82691/2 1% x 3¼ \$5.80 8269 11/8 x 41/4 \$7.85 Prices quoted are for 100 lineal feet of Moulding





OUTSIDE MOULDINGS LATTICE 8281 8280 8282 % x 1% 5/18 x 13/4 % x 1 1/8 \$1.40 \$1.00 \$0.85 DRIP CAPS and WATER TABLE 8284 8283 11/8 x 15/8 1% x 2 \$3.75 \$3.30 8285 1% x 2½ \$4.55 8286 1% x 3 \$5.40 8287 11/8 x 31/2 \$6.20 Prices quoted are for 100 lineal feet of Moulding

















INSIDE MOULDINGS

CAP TRIM



INSIDE MOULDINGS






Prices quoted are for 100 lineal feet of Moulding




FRAME MOULDINGS SECTION WINDOW FRAME for FRAME BUILDING 8840 1% x 4¼ \$8.25 8430 ¾ x 1% \$1.50 WATER TABLE 8850 % x 2% \$2.75 8432 1/2 x 3/4 SILL COURSE \$1.00 8851 1% x 2% \$6.90 8085 3/8 x 1 1/8 \$1.40 Prices quoted are for 100 lineal feet of Moulding

FRAME MOULDINGS SILLS for WINDOW FRAMES and EXTENSION JAMBS EXTENSION JAMBS 8439 $1^5 \mathrm{s} \ge 4$ \$12.40 8855 1 x 4 1 \$5.50 8440 \$6.50 Prices quoted are for 100 lineal feet of Moulding


FRAME MOULDINGS






FRAME MOULDINGS

SECTION of BOX WINDOW FRAME for BRIGK BUILDING




INSIDE MOULDINGS

ASTRAGALS









SLIDING DOOR BANDING





Prices quoted are for 100 lineal feet of Moulding

BLACKBOARD AND BALUSTER STOCK



LIST PRICE OF MOULDINGS

PRICES QUOTED ARE FOR 100 LINEAL FEET OF MOULDING

8000	34 x 314	\$3.50	8	8123 3/4 x 1½ 8124 1½ x 2	\$1.75 3.75
8002 8003 8004	34 x 314 34 x 358 34 x 234 34 x 514 34 x 458 34 x 414 34 x 134 34 x 214	4.00 3.00 6.00	8	1124 178 x 2 138 x 2 14 131 34 x 1 14 132 96 x 78 139 56 x 58 140 39 x 34 141 96 x 1 18 142 143 144 96 x 1 18	5.00 1.50
8005 8006	34 x 45/8 37 × 41/	5.50 4.75	8	8125 13/8 x 21/4 8131 3/4 x 11/4 8132 9/6 x 7/8 8139 5/6 x 5/8	1.00
8007 8008	3/4 x 13/4 3/4 x 21/4	2.00		8140	.80 1.25
8009 8010	34 x 35/8 34 x 23/1	4.00		8142	1.75 .80 1.00
8011 8012	3/4 x 21/4 3/4 x 41/4	2.50 4.75		8145	1.25
8013 8014	34 x 414 34 x 134 34 x 214 34 x 234 34 x 234 34 x 244 34 x 414 34 x 458 34 x 314 34 x 1	5.50 3.50		8174 % x 1 1/4 8174 % x 1 1/4	1.50 2.00 2.25
8015 8016	34 x 1 34 x 134	1.25 2.00	1		2.25 2.75
8017 8018	34 x 21/4	1.75 2.50 3.00		8180	2.75 5.00
8019 8020 8021	34 x 314	3.50 4.75		8238 13/8 x 13/8 8242 3/4 x 17/8 8256 11/8 x 15/8 8258 3/4 x 23/4	2.25 3.30
8023 8024	24 x 254 34 x 254 34 x 254 34 x 453 34 x 453 34 x 15 34 x 15 34 x 16 34 x 16 34 x 17 34 x 21 34 x 31 34 x 16 34 x 16 36 x 16 36 x 16 37 x 16	4.00		8258 34 x 234 8263 34 x 134 8264 34 x 134	3.25 2.00
8025 8026	34 x 214 34 x 234 34 x 234	2.50 3.00	1	8264 34 x 134 8265 34 x 134	2.00
8029 8030	34 x 214 34 x 234 34 x 234 34 x 314 34 x 214 34 x 134	3.50 2.50		8267 1½ x 3¾ 8269 1½ x 4¼	6.60 7.85 5.80
8031 8032		2.00		8269½ 1½ x 3¼ 8271 ¾ x 1¾ 8273 ¾ x 2¼	2.00
8033 8035	3/4 x 2 3/4 x 23/4 3/4 x 7/8 3/4 x 11/4	3.00 1.00 1.50		2338 19 x 13 x 23	4.00 .85
8036 8037 8038	1½ x 1¾ 1½ x 1¾ 1½ x 1¾	2.90 3.30		8281 5% x 13/8 8282 5% x 13/4	1.00 1.40
8042 8046	34 x 234 34 x 78 34 x 114 11/8 x 13/8 11/8 x 13/4 5/8 x 3/1 11/8 x 15/8 13/4 x 2	1.00		2826	3.30 3.75
8048 8051	1 7/	6.20 2.25		8285 1½ x 2½ 8286 1½ x 3 8287 1½ x 3½	4.55 5.40 6.20
8059 8060	1/2 x 7/8 3/4 x 1/8 3/4 x 1/8 3/4 x 1/8 5/8 x 5/8 3/4 x 1/8 3/4 x 1/8 3/4 x 1/8 5/8 x 5/8	1.00 1.00 1.25		8289 34 x 4 1/4 8290 34 x 4 3/4	5.00
8061 8063 8064	34 x 11/8 1/2 x 1/2 5/2 y 5/8	1.00		8308 34 x 358 8309 34 x 414	4.20 5.00
8065 8067	5/8 x 5/8 3/4 x 8/4 3/4 x 13/8	1.00		8310 34 x 434 8311 34 x 514	6.00 6.00
80 75 80 7 6	1/4 X 7/6 5/6 X 5/8	1.00 1.00		8341 34 x 4 1/4 8342 34 x 4 3/4	5.00 6.00 4.20
8077 8078	3/8 X 1/6 1/2 X 1 5/2 X 1/7	1.00		8358 34 x 35% 8359 34 x 414 8368 11% x 15% 8374 11% x 11% 8378 11% x 11% 8384 34 x 414	5.00 3.15
8079 8080 8082	5/8 x 11/4 3/4 x 15/8 3/8 x 7/8	1.50 2.00 1.00		8374 1½ x 1½ 8378 1½ x 1⅓	2.35 2.35
8083 8084	3/2 v 13/6	1.00		8384 34 x 414 8385 34 x 514	5.00 6.00
8085 8086	% X 1/8	1.40 1.60		8386 34 x 7 14 8387 118 x 1 56	8.00 3.15 3.55
8089 8090	1/2 x 11/8 1/2 x 15/8	1.25 2.00		8384	5.50 5.50
8091 8093 8094	8 x 178 1/2 x 11/8 1/2 x 15/8 1/2 x 21/4 1/2 x 17/8 1/2 x 17/8 1/2 x 15/8	2.25 2.50 2.25		8394 34 x 45% 8395 76 x 11% 8396 11% x 214	1.10 4.15
8095 8096	1/2 x 1/3 x	2.00 1.50		8398 3/8 x 11/8	6.00 1.10
809 7 8098	1/2 x 13/8 1/2 x 11/8 1/2 x 13/8	1.25 1.50		8399 138 x 2½ 8400 1½ x 5	5.50 9.10 5.50
8115 8116	1/2 x 15/8 1/2 x 13/8 1/2 x 13/8 1/2 x 11/8	2.00 1.50 1.25		8403 7/6 x 11/4	1.20 1.20
8117 8118 8119	½ x 1½ ½ x 1½ ½ x 1¾	1.25 1.25 1.50		8410 11% x 25%	5.00
8120	1/2 x 15/8	2.00		8413 5% x 34	4.25

LIST PRICE OF MOULDINGS—Continued PRICES QUOTED ARE FOR 100 LINEAL FEET OF MOULDING

EIGHT LIGHT WINDOWS

1 1/8-in. Plain Rail

1 3/8-in. Check Rail

Glass Size	Weight Glazed S. S.	Glass Size	Weight Glazed S. S
8 x 10 12 14 16 9 x 12 14 16 10 x 12 14 16 10 x 12 14 16 11 18	18 214 284 284 269 211 234 27 244 27 280	9 x 12 14 16 10 x 12 14 16 18 12 x 14 16 18 14 x 16 18 14 x 16 18 20	26 28 31 24 26 28 32 30 32 34 36 38 40

TWELVE LIGHT WINDOWS

1 1/8-in. Plain Rail

1 %-in, Check Rail

Glass Size	Weight Glazed S, S,	Glass Size	Weight Glazed S. S
7 x 9 8 x 10	18 20	8 x 10 8 x 12	23 26
12 14 9 x 12	24 28	9 x 12	30 28
13 14	204 228 228 228 232 234 336 334 336 336 336 336 342	14 15 16	32 34 36
13 14 15 16 18 10 x 12	32 34	10 x 12	36 28 32 34 36 40 44
10 x 12 14	26 30	15 16 18	36 40
14 16 18	. 34	20 12 x 14	44 40
12 x 14 16	36 38	16 18 20	40 42 50 52
16 18	42	20	02

FOUR LIGHT WINDOWS

			Wei	ight
Glass Size	Weight Glazed S. S.	Glass Size	Glazed S. S.	Glazed D. S.
10 x 16 18 20 224 24 26 30 32 34 36 12 x 18 20 22 24 26 30 32 34 36 32 34 36 42 44 46 48	15 179 21 224 268 302 334 178 202 246 228 332 346 332 346 332 446 332 446 446 446 48	14 x 20 24 226 238 30 32 34 36 38 40 42 44 46 48 15 x 24 28 30 32 34 46 48 40 42 44 46 48 48 40 44 46 48 48 40 40 40 40 40 40 40 40 40 40	22 24 28 28 32 334 36 38 40 42 44 46 48 32 336 336 336 336 34 44 46 46 46 47 46 47 46 47 47 48 57 48 57 48 57 57 57 57 57 57 57 57 57 57 57 57 57	39914384943849448869344844886564

TWO LIGHT WINDOWS

	Wei	ght		Wei	ght
Glass Size	Glazed S. S.	Glazed D. S.	Glass Size	Glazed S. S.	Glazed D. S.
12 x 20 224 226 228 334 322 334 322 224 226 335 335 322 336 322 224 226 330 224 226 330 336 322 346 322 224 226 330 334 335 336 330 335 336 330 336 330 336 330 336 330 330 330	167901345678012245678012235678021235780 2222211122223567801222222222222222222222222222222222222		20 x 34 388 400 22 x 244 388 300 332 334 388 400 442 446 48 24 x 26 330 331 36 36 38 40 42 446 48 26 x 26 331 40 42 446 48 26 x 26 331 40 40 40 40 40 40 40 40 40 40 40 40 40	323684568135679024456803468925807913557802 · · · · · · · · · · · · · · · · · · ·	45816780355780235778035791258244880135679357

TWO LIGHT WINDOWS

Glass Size	Weight		G1: G1	Weight	
Glass 5126	Glazed S. S.	Glazed D. S.	Glass Size	Glazed S. S.	Glazed D. S.
28 x 34 338 40 42 444 446 48 30 x 30 32 34 36 38 40 42 444 46 48 32 x 32 43 40 44 44 46 48 30 40 40 40 40 40 40 40 40 40 40 40 40 40	36 339 41 357 39 41 43 45 	391446 446 446 5518 44468 5518 44468 5524 44468 448 448	32 x 42 44 46 48 34 x 34 36 38 40 42 44 46 48 36 x 36 38 40 42 44 46 46 46 47 48 40 x 40 42 44 46 46 47 48 48 48 48 48 48 48 48 48 48 48 48 48		50 524 554 555 547 451 555 557 558 557 558 557 558 557 558 557 558 558

APPROXIMATE WEIGHT OF DOORS

Size		Thickness	
2- 0 x 6- 0 2- 0 x 6- 0 2- 4 x 6- 4 2- 6 x 6- 6 2- 8 x 6- 8 2-10 x 6-10 3- 0 x 7- 0 3- 0 x 7- 6 3- 0 x 8- 0	1 ½-in, 43 47 50 54 65 70	1 %-in. 48 57 61 67 75 77 83	1%-in.

For moulded doors, add 5 lbs. to each side moulded.

APPROXIMATE WEIGHT OF MOULDINGS

1x1 in., per 100 lin. ft., twenty lbs.

GLOSSARY of TRADE TERMS.

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

IN GENERAL.

MEASUREMENTS.

- OUTSIDE OPENING—The measurement of any given article from outside to outside. The frame opening. Always should be given in feet and inches.
- BETWEEN GLASS—The difference between the outside opening and the total glass measurement of a given window or sash.
- FACE MEASURE—The measurement of any part of an article exclusive of any solid mold or rabbet.
- FINISHED SIZE—The measurement of any given part of an article over all or including the solid mold or rabbet.
- RIPPING SIZE—The size of stock necessary to produce any siven finished size. Usually 1/4 inch over finished size up to 5 inch cuts and 1/2 inch over above.

MOLDING.

- SOLID MOLD or SOLID STUCK—A mold which is worked on the article itself.
- APPLIED MOLD—A separate mold applied or attached to any part of an article.
- FLUSH MOLD—An applied molding which finishes flush with or below the face or surface of the stiles or rails of the article.
- RAISED MOLD—An applied molding which partly covers or which extends above the face or surface of the stiles or rails of the article.

MULLION.

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applied also to single blinds made to represent pairs.

MUNTIN.

Applies to any short or light bars—either vertical or horizontal—in a sash or in a door between panels not extending the full width or length of the article.

ODD WORK.

This term applies to any article which is not listed under listed sizes, or for which a list must be formed by the application of any of the Foot Notes or Rules for Extras—unless these specifically state to the contrary.

RAIL.

The cross or horizontal pieces of the framework of a sash, door or blind.

STILES.

The upright or vertical outside pieces of a sash, door or blind.

STOCK QUANTITY.

Ten or more of any given article of one kind, size and quality.

STICKING. (See Solid Mold.)

- O. G.—A solid mold which is a combination of a cove and a quarter round with no fillet between.—The standard sticking for doors, sash and blinds.
- COVE AND BEAD—A solid mold which is a combination of a cove and quarter round with a small fillet between.
- BEAD AND COVE—A solid mold which is a combination of a quarter round and cove with a small fillet between and on each side.
- OVOLO—A solid mold which is a quarter round with a small fillet on each side.
- P. G.—A solid mold which is a long bevel with a small fillet on each side.

APPLYING TO SASH OR WINDOWS.

SASH.

A sash indicates a single piece to fill a given opening.

WINDOW.

A window indicates two pieces—one upper, one lower—to fill an opening arranged to slide vertically.

CASEMENT.

Applies to a sash or pair of sash made to be hung on hinges to swing.

COTTAGE.

COTTAGE WINDOW—A window in which the meeting rails are placed above the center of the opening.

COTTAGE SASH—A sash made to correspond to a cottage window.

FRENCH WINDOW.

A pair of sash made to be hung on hinges like a pair of doors—A long pair of casement sash.

FACTORY SASH OR WINDOWS.

Sash or windows divided into small lights for factory use—The term implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.

FULL BOUND.

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS.

- The rails of a window which meet when the window is hung and closed. PLAIN RAIL—Meeting rails of the same thickness as the rest of the window.
- CHECK RAILS—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

LUGS OR HORNS.

An extension of the stiles of a window beyond the meeting rails. They are usually molded on the inside of the stile with an O. G. Mold—(O. G. Lugs).

OUEEN ANNE

Windows or sash divided into small lights.

SUSPENDED LIGHTS.

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars or munts.

APPLYING TO DOORS.

ASTRAGAL

- MOLD—FOR FOLDING DOORS—A strip of molding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.
- SINGLE-For Folding Doors-A strip the length of the doors with a cross-section usually similar to a letter "T"-used to form a rabbet.
- DOUBLE—For Sliding Doors—A pair of strips the length of the doors—rabbeted to receive the doors on the back and molded or grooved reciprocally on the face to make a tight joint.
- JOINT—For Sliding Doors—A molding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a tight joint.

BANDED DOORS.

Doors with a thin band or strip—usually molded—on the outside edge of the face of each stile and top and bottom rail—Also called friction strips.

CHAMFERED DOORS.

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.

STOP CHAMFER—A chamfer stopped or ended short of the length of the piece chamfered.

DOWELED DOORS.

Doors put together with dowels instead of tenons.

DUTCH DOOR.

A door made to be cut horizontally through the lock rail so that the upper part can be opened independently of the lower part.

FOUR-PANEL DOOR.

Unless specifically otherwise stated is understood to mean the standard listed four-panel door No. 200.

FIVE-PANEL DOOR.

Unless specifically otherwise stated is understood to mean the standard listed five-panel lock rail panel door No. 201.

PANELS.

Bevel raised panels are standard.

GRADUATED PANELS.

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL.

The center rail of a standard four-panel door.

PANEL—The horizontal panel of a standard five-panel or similar door.

TENONS.

THROUGH TENONED—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

BLIND TENONED OR MORTISED—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

APPLYING TO BLINDS.

SINGLE—A single blind is one piece to fill a given opening.

PAIR—A pair of blinds is two pieces to fill a given opening, made and rabbeted to fold.

SET—A set of blinds is more than two pieces for a given opening made to fold upon each other.

STATIONARY SLAT BLINDS.

Blinds with slats mortised into or so attached to the stiles as to be fixed.

HALF STATIONARY BLINDS—Blinds with one panel of movable or rolling slats, and one of stationary or fixed slats.

SHUTTERS.

Blinds with solid panels instead of slat panels.

BEAD AND BUTT SHUTTERS.

Shutters with panels flush with the stiles and rails on one side and with beads lengthwise of the panels, at or near the stiles on one side only.

FLUSH MOLD.

See Flush Mold under "General."

APPLYING TO TERMS AND DISCOUNTS.

CAR LOTS.

Quantities of mill work sold at one time for shipment at one time which aggregate the minimum weight allowed by the published railroad tariff for the given destination—usually 24,000 pounds.

LOCAL OR WAY FREIGHTS.

Terms applied to sales or shipments which for any reason take less than car lot rates of freight.

CASH DISCOUNT.

A discount allowed for payment of an invoice within a specified time from date of invoice. It does not apply to any freight or other allowance, which should always be deducted before cash discount is taken.

F. O. B. OR FREE ON BOARD.

This term indicates that the quotation or sale is made for goods on the cars at seller's shipping point without charge for loading or handling.

FREIGHT ALLOWED.

Signifies that the seller will allow the purchaser on presentation of paid freight bili to deduct from settlement the full amount of freight paid on any given shipment from shipping point to destination. It does not guarantee the safe delivery of goods.

FREIGHT EQUALIZED.

Signifies that the seller will allow the purchaser on presentation of paid freight bill to deduct from the settlement an amount equal to the excess—if any—of the amount paid for freight over the sum which the buyer would have had to pay on a similar shipment from the point equalized with. It does not guarantee safe delivery of goods.

OPENINGS.

Quotations are frequently made at a specified discount for a given number of openings.

In this connection an opening is understood to mean

One Door or two Cupboard Doors.

One Window.

Two Sash.

One Pair of Blinds or two Single Blinds.

STOCK GOODS OR STOCK ITEMS.

Terms frequently used in quotations to indicate such listed lizes as are regularly carried in stock by the party quoting. Must not be confused with "listed sizes" which may be "stock sizes" in one locality and not in another.

INDEX

BLINDS—	Page.
Directions for Ordering	. 4
Door	. 111
Extras	97–100
Grades	. 2
Inside	112–113
Outside, 12 Light	. 108
" 8 "	. 108
" 4 "	. 109
" 2 "	.110–111
" Single	. 111
DOORS—	
China Closet	
Closet	
Cupboard	
Directions for Ordering	
Extras	
Five Panel, No. 1 and No. 2 O. G	
Five Cross Panel, No. 1 and No. 2 O G	
Bead and Cove	
Four Panel, No. 1 and No. 2 O. G.	
Grades	
O G Sash	
Side Lights	
Store84-86-	93-94-93
GRADES—	
Blinds	. 2
Doors	. 2
Windows	. 2

INDEX—Continued

A	SH—	
	Cellar	23-24
	Cottage Front	29-30
	Cupboard	22
	Directions for Ordering	3
	Extras	43-47
	Four Light	25-26
	Hot Bed	26–27
	One Light	28
	Queen Anne	31-33
	Six Light	25
	Transoms	26
V)	INDOWS—	
	Bent (Circle Face)	44
	Circle Top	38-40
	Cottage Front	29-30
	Directions for Ordering	3
	Eight Light	10
	Extras	43-47
	Factory	12-16
	Four Light	9
	French Windows	18
	Grades	2
	Queen Anne	31-33
	Segment	38-40
	Twelve Light	11
	Two Light	5-8
	Weights	209-212

INDEX TO SPECIALTIES

Base, Head and Corner Blocks	135
Beam Ceilings	134
Bungalow Balusters	166
Bungalow Porch Rail	167
Buffet	157
Base Angles	136
Balusters and Spindles	169
Bungalow Brackets	172
Craftsman Trim125-	-127
Cabinet Head Trim	128
Craftsman Trim131-	-132
Corner Beads	136
Columns and Newels	-168
China Case	159
Closet Case	161
Craftsman Style Sideboard	158
Combination Bookcase and Mantel Shelf	156
Craftsman Bookcase	155
Craftsman Mantel Shelf	154
Colonnades	-152
Craftsman Newels	142
Drawers	163
Flour Bin	163
Fence Pickets	175
Frames	124
Front Doors	o 92
French Door	65
Interior Columns	153

INDEX TO SPECIALTIES—Continued

Knock Down Stair Material141–149
Lattice Door
Leaded Sheet Glass
Mirror Door
Mouldings
Medicine Cases
Mantels
Plain Block Trim
Plain Door and Window Trim
Plate Rail
Pew Bodies
Pew Ends
Porch Brackets
Porch Rail
Pantry Cupboard
Rafter Ends
Special Inside Doors
Square Columns and Newels
Sink Trimmings
Table Legs
Thresholds
Ventilators





